Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: SAN JUAN 30-5 UNIT Well Location: T30N / R5W / SEC 5 / County or Parish/State: RIO

SWSW / 36.83659 / -107.38538 ARRIBA / NM

Well Number: 87 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF080066 Unit or CA Name: SAN JUAN 30-5 Unit or CA Number:

UNIT--DK NMNM78419B

US Well Number: 3003923157 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2672083

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 05/17/2022 Time Sundry Submitted: 08:35

Date proposed operation will begin: 06/07/2022

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Mesaverde and downhole commingle with the existing Dakota. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 5/12/2022 with Roger Herrera/BLM. The reclamation plan is attached.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

San_Juan_30_5_Unit_87_NOI_Procedure_20220517083414.pdf

SJ_30_5_Unit_87_MV_Plat_20220517083414.pdf

San_Juan_30_5_87_Reclamation_Plan_20220517083414.pdf

San_Juan_30_5_Unit_87_NGMP_20220517083414.pdf

eceived by OCD: 6/2/2022,7:10:24 AM Well Name: SAN JUAN 30-5 UNIT Well Location: T30N / R5W / SEC 5 /

SWSW / 36.83659 / -107.38538

County or Parish/State: Rige 2 of ARRIBA / NM

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: NMSF080066 Unit or CA Name: SAN JUAN 30-5

UNIT--DK

Unit or CA Number:

NMNM78419B

US Well Number: 3003923157 **Operator: HILCORP ENERGY** Well Status: Producing Gas Well

COMPANY

Operator

Well Number: 87

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: MAY 17, 2022 08:34 AM **Operator Electronic Signature: KANDIS ROLAND**

Name: HILCORP ENERGY COMPANY

Title: Operation Regulatory Tech Street Address: 382 Road 3100

State: NM City: Farmington

Phone: (505) 599-3400

Email address: kroland@hilcorp.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved **Disposition Date:** 05/17/2022

Signature: Kenneth Rennick

San Juan 30-5 Unit 87

M-05-30N-05W 830 FSL 1070 FWL


API#: 3003923157


Mesa Verde Recompletion Procedure

5/6/2022

Procedure:

- 1. MIRU service rig and associated equipment.
- 2. Test BOP's.
- 3. TOOH w/ 2-3/8" tubing currently set with EOT at 7,764'.
- 4. Set a CIBP to isolate the Dakota @ +/- 7,730'.
- 5. Load the hole.
- 6. Pressure test casing to maximum fracture pressure.
- 7. Run CBL to confirm cement isolation. Send to agencies with proposed path forward & await approval.
- 8. ND BOP's. NU frac stack and test same to maximum fracture pressure.
- 9. RDMO service rig.
- 10. MIRU frac spread.
- 11. Perforate and frac the Mesa Verde from 4,148' to 6,028'. RDMO frac spread.
- 12. MIRU service rig.
- 13. Test BOP's.
- 14. PU mill and RIH to clean out to Dakota isolation plug.
- 15. When water and sand rates are acceptable, flow test the Mesa Verde.
- 16. Drill out Dakota isolation plug and TOOH.
- 17. TIH and land production tubing. Obtain a commingled Dakota flow rate.
- 18. ND BOP's, NU production tree.
- 19. RDMO service rig & turn well over to production.





District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 315844

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-039-23157	72319	BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 318433	5. Property Name SAN JUAN 30 5 UNIT	6. Well No. 087
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6399


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	1	301	05W	1	830	S	1070	W	RIO
									ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 319.31 W/2		13. Joint or Infill		14. Consolidation Code			15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Kandis Roland Title: Regulatory Tech Date: 5/10/2022

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Fred B Kerr Jr.

Date of Survey: 10/18/1982

Certificate Number: 3950

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company				Date:5/	10/2022	
amendment due t	o □ 19.15.27.	9.D(6)(a) NMA	C □ 19.15.27.9.I	O(6)(b) NMA	AC □ Other.	
				wells propo	sed to be drille	d or proposed to
API	ULSTR	Fe	Footages		Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
3003923157	M-5-30N-5W	830' FSL	& 1070' FWL	.2	470	5
			Completion Commenceme	tion Initial Flow First Production Back Date		d to be drilled or Production Date
3003923157	N/A	N/A	<u>N/A</u>	N/A	Not Y	et Scheduled
s: ⊠ Attach a c 19.15.27.8 NMA Practices: ⊠ Att	omplete descr C.	iption of the act	ions Operator w	ill take to co	emply with the	requirements of
	API 3003923157 t Name:	amendment due to □ 19.15.27. Illowing information for each relewell pad or connected to a conn	API Spud TD Reached Date API Spud TD Reached Date	Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.I Illowing information for each new or recompleted well or set of le well pad or connected to a central delivery point. API ULSTR Footages 3003923157 M-5-30N-5W 830' FSL & 1070' FWL In a single well pad or connected to a central delivery point. Provide the following information for each new or recompleted from a single well pad or connected to a central delivery point. API Spud TD Reached Completion Commenceme Date 3003923157 N/A N/A N/A It: ☒ Attach a complete description of how Operator will size sets: ☒ Attach a complete description of the actions Operator will size sets: ☒ Attach a complete description of Operator's best	Illowing information for each new or recompleted well or set of wells propole well pad or connected to a central delivery point. API ULSTR Footages Anticipated Oil BBL/D 3003923157 M-5-30N-5W 830' FSL & 1070' FWL 2 In Image: Ignacio Processing Plant Provide the following information for each new or recompleted well or set of a from a single well pad or connected to a central delivery point. API Spud TD Reached Completion Commencement Date Date Date Date South Date Date South Date Sout	Anticipate description of the actions Operator's best management practices to number of wells and complete description of Operator's best management practices to number of wells and complete description of Operator's best management practices to number of wells number of wells proposed to be drilled and complete description of Operator's best management practices to number of wells number of wells number of the description of Operator's best management practices to number of wells number of wells number of the description of Operator's best management practices to number of wells number of wells number of the description of Operator's best management practices to number of wells number of wells number of the description of Operator's best management practices to number of wells number of

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity	7. The natural ga	as gathering system	□ will □ will n	ot have capacity	to gather	100% of the	anticipated	natural g	gas
production volume	from the well pr	ior to the date of firs	st production.						

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or p	ortion, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the	new well(s).

	A 1				1		1		1.
Ш	Attach	Operator	's plan to	manage i	production	in response	to the	ncreased	l line pressure

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information	n provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specif	ic information
for which confidentiality is asserted and the basis for such assertion.	

(i)

Section 3 - Certifications Effective May 25, 2021

	Effective May 25, 2021
Operator certifies that, a	after reasonable inquiry and based on the available information at the time of submittal:
one hundred percent of	e to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering
hundred percent of the a into account the current	able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. box, Operator will select one of the following:
Well Shut-In. ☐ Opera D of 19.15.27.9 NMAC	tor will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection ; or
Venting and Flaring P	Plan. Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential
alternative beneficial us	ses for the natural gas until a natural gas gathering system is available, including:
(a)	power generation on lease;
(b)	power generation for grid;
(c)	compression on lease;
(d)	liquids removal on lease;
(e)	reinjection for underground storage;
(f)	reinjection for temporary storage;
(g)	reinjection for enhanced oil recovery;
(h)	fuel cell production; and

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Kandís Roland
Printed Name: Kandis Roland
Title: Operations/Regulatory Tech Sr.
E-mail Address: kroland@hilcorp.com
Date: 5/10/22
Phone:713-757-5246
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Hilcorp Energy Recomplete Reclamation Plan

SAN JUAN 30-5 UNIT 87

API: 30-039-23157 T30N-R5W-Sec.5-M

LAT: 36.8365898 LONG: -107.38539 (NAD 27)

Footage: 830' FSL & 1070' FWL Rio Arriba County, NM

1. PRE- RECLAMATION SITE INSPECTION

A pre-reclamation site inspection was completed with Roger Herrera from the BLM and Travis Munkres Hilcorp Energy SJ East Construction Foreman on May 12, 2022.

2. LOCATION RECLAMATION PROCEDURE

- 1. Reclamation work will begin when all the recompletion activities are completed.
- 2. All trash and debris will be removed within a 25' buffer outside of the location disturbance during reclamation.
- 3. Create a silt trap in the northwest corner of the location.
- 4. Pull the bar ditch of the access road on the north side of the location and run out to the silt trap.
- 5. Move excess gravel to the roadway and spread.
- 6. Reseed all disturbed area being used for recompletion activities.

3. **SEEDING PROCEDURE**

- 1. A BLM Special seed mix will be used for all reclaimed and disturbed areas of the well pad and lease road.
- 2. Drill seed will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed. Broadcast seeding will be applied at a double the rate of seed.
- 3. Timing of the seeding will be when the ground is not frozen or saturated.

4. WEED MANAGEMENT

1. No action is required at this time for weed management, no noxious weeds were identified during this onsite.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 112934

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	112934
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By		Condition Date
kpickford	DHC required	6/3/2022
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	6/3/2022