

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-46855	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 327308	⁸ Property Name NAILED IT FED COM	⁹ Well Number 211H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
4	36	26-S	30-E	-	305'	SOUTH	279'	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	25	26-S	30-E	-	2404'	SOUTH	364'	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 10/28/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
8/4/2021	10/28/2021	15480'	15419'	11045' - 15335'	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1124'	880 SKS		
12.75"	9.625"	3601'	1198 SKS		
8.75"	7.625"	10569'	915 SKS		
6.75"	5.5"/5.0"	10331'/15463'	606 SKS		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
11/20/2021	11/20/2021	12/1/2021	24 HRS	0	3200
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
25/64	1005	2364	4685		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: JEFF TRLICA			Approved by: PATRICIA MARTINEZ		
Title: REGULATORY ANALYST			Title: PETROLEUM SPECIALIST		
E-mail Address: JTRLICA@GMAIL.COM			Approval Date: 6/16/2022		
Date: 12/29/2021		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46855	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code 327308	⁵ Property Name NAILED IT FED COM	⁶ Well Number 211H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3008'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	36	26-S	30-E	-	305'	SOUTH	279'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	25	26-S	30-E	-	2404'	SOUTH	364'	WEST	EDDY

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
-------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature] 10/21/2021

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

02/06/2021

Date of Survey Signature and Seal of Professional Surveyor

[Signature]
PROFESSIONAL SURVEYOR
24508

Certificate Number





Operator: TapRock Resources LLC
Well Name: Nailed It Fed Com 211H
County: Eddy
State: New Mexico
Rig Name: H&P 466
API: 30-015-46855

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 146' MD – 15414' MD
Projection to Bit: 15,480' MD
Dates Performed: 08/04/2021 – 09/14/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Nailed It Fed Com 211H

Job Number: ID2976

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 466

Target KBTVD: 11158.00

Target Inclination: 90.30°

Declination Correction: 6.24°

DF Elevation: 3034

Vertical Section Calculated Along Azimuth: 359.68°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	146	0.75	186.16	146	146.00	-0.95	-0.95	-0.10	0.51
MWD	2	237	0.66	177.20	91	236.99	-2.06	-2.07	-0.14	0.16
MWD	3	329	0.84	175.88	92	328.98	-3.27	-3.27	-0.07	0.20
MWD	4	419	1.10	139.84	90	418.97	-4.59	-4.59	0.54	0.72
MWD	5	509	1.23	135.71	90	508.95	-5.95	-5.94	1.77	0.17
MWD	6	600	1.49	130.18	91	599.92	-7.42	-7.40	3.36	0.32
MWD	7	690	1.54	148.28	90	689.89	-9.21	-9.18	4.89	0.53
MWD	8	785	0.75	225.10	95	784.88	-10.74	-10.71	5.12	1.63
MWD	9	877	3.78	294.09	92	876.80	-9.91	-9.90	1.92	3.89
MWD	10	972	4.13	296.90	95	971.58	-7.05	-7.07	-3.99	0.42
MWD	11	1066	4.40	298.75	94	1065.32	-3.75	-3.80	-10.17	0.32
MWD	12	1176	4.66	319.84	110	1174.98	1.73	1.64	-16.75	1.52
MWD	13	1231	3.12	330.74	55	1229.85	4.76	4.65	-18.92	3.09
MWD	14	1326	1.36	333.29	95	1324.78	8.03	7.92	-20.69	1.86
MWD	15	1419	2.99	123.67	93	1417.74	7.67	7.56	-19.17	4.54
MWD	16	1514	6.51	138.09	95	1512.40	2.25	2.18	-13.51	3.88
MWD	17	1609	7.52	148.11	95	1606.70	-7.07	-7.11	-6.63	1.67
MWD	18	1703	6.73	155.49	94	1699.97	-17.34	-17.35	-1.09	1.28
MWD	19	1798	5.93	156.28	95	1794.39	-26.92	-26.90	3.19	0.85
MWD	20	1893	4.88	152.41	95	1888.97	-35.02	-34.98	7.04	1.17
MWD	21	1987	3.96	155.49	94	1982.69	-41.53	-41.48	10.23	1.01
MWD	22	2082	4.88	158.48	95	2077.40	-48.29	-48.22	13.08	1.00
MWD	23	2174	6.51	157.33	92	2168.95	-56.76	-56.67	16.52	1.78
MWD	24	2269	5.41	162.08	95	2263.43	-66.01	-65.90	19.98	1.27
MWD	25	2364	5.63	174.91	95	2358.00	-74.93	-74.81	21.77	1.32
MWD	26	2458	4.35	176.49	94	2451.64	-83.08	-82.96	22.40	1.37
MWD	27	2553	4.35	166.74	95	2546.37	-90.19	-90.06	23.44	0.78
MWD	28	2648	6.51	156.54	95	2640.94	-98.65	-98.51	26.41	2.48
MWD	29	2743	5.14	150.04	95	2735.44	-107.31	-107.14	30.68	1.60
MWD	30	2838	5.23	153.55	95	2830.06	-114.89	-114.70	34.74	0.35
MWD	31	2931	8.00	150.48	93	2922.43	-124.35	-124.13	39.81	3.00
MWD	32	3024	8.18	149.16	93	3014.50	-135.70	-135.44	46.40	0.28
MWD	33	3118	8.18	164.63	94	3107.56	-147.92	-147.63	51.60	2.33
MWD	34	3212	9.45	170.34	94	3200.45	-161.99	-161.69	54.66	1.64
MWD	35	3306	9.85	166.91	94	3293.12	-177.45	-177.13	57.78	0.74
MWD	36	3400	9.32	171.04	94	3385.81	-192.81	-192.48	60.79	0.92
MWD	37	3496	8.66	174.65	96	3480.63	-207.70	-207.35	62.67	0.90
MWD	38	3541	7.78	174.30	45	3525.16	-214.11	-213.76	63.29	1.96
MWD	39	3677	6.86	167.97	136	3660.06	-231.22	-230.86	65.90	0.90
MWD	40	3772	6.95	170.87	95	3754.37	-242.46	-242.08	67.99	0.38
MWD	41	3866	5.80	170.61	94	3847.78	-252.77	-252.39	69.67	1.22
MWD	42	3960	4.88	159.79	94	3941.38	-261.22	-260.82	71.82	1.45
MWD	43	4054	3.38	154.70	94	4035.13	-267.49	-267.08	74.39	1.64
MWD	44	4148	1.76	194.78	94	4129.04	-271.40	-270.98	75.21	2.48
MWD	45	4243	1.63	261.57	95	4224.01	-273.00	-272.59	73.50	1.97
MWD	46	4337	1.63	279.77	94	4317.97	-272.95	-272.56	70.86	0.55
MWD	47	4430	1.85	261.84	93	4410.93	-272.93	-272.55	68.07	0.63
MWD	48	4524	1.76	257.62	94	4504.88	-273.43	-273.07	65.16	0.17
MWD	49	4619	1.45	269.75	95	4599.84	-273.74	-273.39	62.53	0.48
MWD	50	4714	1.85	261.57	95	4694.80	-273.95	-273.62	59.81	0.49
MWD	51	4808	1.63	253.84	94	4788.76	-274.53	-274.22	57.03	0.34
MWD	52	4901	1.54	313.25	93	4881.73	-274.03	-273.73	54.84	1.69
MWD	53	4995	2.02	323.89	94	4975.69	-271.82	-271.53	52.95	0.62
MWD	54	5090	1.89	327.67	95	5070.63	-269.13	-268.85	51.12	0.19
MWD	55	5185	1.85	327.31	95	5165.58	-266.51	-266.23	49.46	0.04
MWD	56	5278	1.54	321.87	93	5258.54	-264.25	-263.99	47.88	0.38
MWD	57	5372	1.19	300.07	94	5352.51	-262.76	-262.51	46.25	0.66
MWD	58	5467	1.23	289.17	95	5447.49	-261.92	-261.68	44.43	0.25
MWD	59	5560	1.49	298.49	93	5540.47	-261.00	-260.77	42.43	0.37
MWD	60	5655	1.41	306.4	95	5635.44	-259.71	-259.49	40.40	0.23
MWD	61	5749	1.85	312.64	94	5729.40	-257.99	-257.77	38.35	0.50
MWD	62	5843	2.02	310.62	94	5823.34	-255.87	-255.67	35.98	0.19

MWD	63	5938	1.71	299.1	95	5918.29	-254.07	-253.89	33.47	0.51
MWD	64	6033	1.1	325.91	95	6013.27	-252.62	-252.44	31.72	0.93
MWD	65	6128	0.7	345.86	95	6108.25	-251.30	-251.13	31.07	0.53
MWD	66	6222	1.05	32.09	94	6202.24	-250.01	-249.84	31.39	0.81
MWD	67	6316	0.4	23.3	94	6296.24	-248.98	-248.81	31.97	0.70
MWD	68	6411	0.44	339.62	95	6391.23	-248.34	-248.16	31.98	0.33
MWD	69	6505	1.01	80.17	94	6485.23	-247.86	-247.68	32.67	1.25
MWD	70	6600	0.79	101.79	95	6580.22	-247.86	-247.67	34.13	0.42
MWD	71	6694	0.7	76.83	94	6674.21	-247.87	-247.68	35.33	0.36
MWD	72	6789	0.79	110.14	95	6769.20	-247.97	-247.77	36.51	0.46
MWD	73	6883	1.27	110.58	94	6863.19	-248.57	-248.36	38.09	0.51
MWD	74	6977	1.01	106.8	94	6957.17	-249.18	-248.96	39.86	0.29
MWD	75	7072	0.62	109.87	95	7052.16	-249.61	-249.38	41.15	0.41
MWD	76	7166	0.57	157.25	94	7146.15	-250.21	-249.98	41.80	0.51
MWD	77	7261	0.62	134.39	95	7241.15	-251.01	-250.78	42.35	0.25
MWD	78	7356	1.14	197.5	95	7336.14	-252.27	-252.04	42.44	1.08
MWD	79	7450	1.36	179.75	94	7430.12	-254.28	-254.05	42.16	0.47
MWD	80	7545	0.84	180.45	95	7525.10	-256.10	-255.87	42.16	0.55
MWD	81	7640	0.88	219.47	95	7620.09	-257.36	-257.13	41.69	0.61
MWD	82	7734	0.75	188.54	94	7714.08	-258.52	-258.30	41.14	0.48
MWD	83	7828	1.05	150.83	94	7808.07	-259.88	-259.66	41.47	0.69
MWD	84	7922	0.92	150.65	94	7902.05	-261.30	-261.07	42.26	0.14
MWD	85	8017	1.1	212.18	95	7997.04	-262.73	-262.50	42.15	1.10
MWD	86	8111	0.97	144.15	94	8091.03	-264.14	-263.91	42.13	1.24
MWD	87	8206	0.7	246.46	95	8186.02	-265.03	-264.80	42.07	1.38
MWD	88	8301	2.15	314.48	95	8281.00	-264.00	-263.78	40.27	2.10
MWD	89	8395	4.44	325.73	94	8374.84	-259.74	-259.54	36.96	2.52
MWD	90	8490	3.08	320.55	95	8469.63	-254.71	-254.53	33.27	1.47
MWD	91	8585	1.58	315.1	95	8564.55	-251.80	-251.63	30.72	1.59
MWD	92	8679	1.54	12.84	94	8658.52	-249.64	-249.48	30.09	1.60
MWD	93	8773	1.1	31.3	94	8752.49	-247.64	-247.48	30.84	0.65
MWD	94	8868	0.62	115.23	95	8847.49	-247.09	-246.92	31.78	1.27
MWD	95	8963	0.62	87.29	95	8942.48	-247.29	-247.11	32.75	0.32
MWD	96	9057	0.92	69.97	94	9036.47	-247.01	-246.83	33.97	0.40
MWD	97	9151	1.41	3.00	94	9130.46	-245.60	-245.41	34.74	1.43
MWD	98	9245	1.58	50.20	94	9224.43	-243.63	-243.43	35.80	1.28
MWD	99	9339	1.76	89.04	94	9318.39	-242.79	-242.58	38.24	1.19
MWD	100	9432	1.63	137.29	93	9411.35	-243.75	-243.52	40.56	1.50
MWD	101	9526	1.67	147.40	94	9505.32	-245.89	-245.66	42.21	0.31
MWD	102	9619	2.68	157.42	93	9598.25	-249.05	-248.81	43.77	1.16
MWD	103	9714	3.52	123.06	95	9693.12	-252.71	-252.45	47.07	2.10
MWD	104	9807	2.55	109.87	93	9785.99	-255.00	-254.71	51.41	1.28
MWD	105	9902	1.85	125.87	95	9880.92	-256.63	-256.33	54.64	0.97
MWD	106	9997	2.20	141.07	95	9975.86	-258.96	-258.65	57.03	0.67
MWD	107	10092	2.07	150.65	95	10070.79	-261.89	-261.56	59.01	0.40
MWD	108	10187	1.67	152.94	95	10165.74	-264.62	-264.29	60.48	0.43
MWD	109	10281	1.67	154.70	94	10259.70	-267.09	-266.75	61.69	0.05
MWD	110	10375	1.76	178.34	94	10353.66	-269.77	-269.43	62.32	0.75
MWD	111	10470	2.73	196.09	95	10448.59	-273.40	-273.06	61.73	1.24
MWD	112	10563	2.46	199.43	93	10541.49	-277.40	-277.07	60.46	0.33
MWD	113	10612	2.33	195.39	49	10590.45	-279.35	-279.02	59.84	0.43
MWD	114	10703	2.11	349.98	91	10681.42	-279.48	-279.16	59.06	4.76
MWD	115	10797	18.64	8.26	94	10773.58	-262.80	-262.47	60.93	17.71
MWD	116	10892	29.10	9.49	95	10860.33	-224.92	-224.55	66.94	11.02
MWD	117	10987	42.20	3.08	95	10937.38	-170.05	-169.65	72.49	14.32
MWD	118	11082	48.09	0.97	95	11004.36	-102.80	-102.38	74.80	6.40
MWD	119	11177	54.68	359.82	95	11063.62	-28.62	-28.20	75.28	7.00
MWD	120	11272	65.98	359.56	95	11110.57	53.79	54.21	74.82	11.90
MWD	121	11368	79.52	0.44	96	11138.97	145.26	145.68	74.85	14.13
MWD	122	11399	82.07	1.32	31	11143.93	175.85	176.27	75.32	8.69
MWD	123	11461	86.42	1.49	62	11150.15	237.50	237.93	76.83	7.02
MWD	124	11556	89.76	358.15	95	11153.31	332.42	332.85	76.53	4.97
MWD	125	11651	90.29	358.15	95	11153.27	427.38	427.80	73.46	0.56
MWD	126	11745	93.32	358.07	94	11150.31	521.29	521.69	70.36	3.22
MWD	127	11839	88.92	357.80	94	11148.47	615.20	615.59	66.98	4.69
MWD	128	11934	90.11	358.24	95	11149.28	710.16	710.53	63.70	1.34
MWD	129	12028	88.48	355.52	94	11150.43	804.03	804.37	58.58	3.37
MWD	130	12123	89.67	358.15	95	11151.97	898.89	899.20	53.34	3.04
MWD	131	12217	92.31	357.10	94	11150.34	992.80	993.10	49.44	3.02
MWD	132	12311	91.69	0.97	94	11147.06	1086.72	1087.01	47.86	4.17
MWD	133	12405	90.29	0.79	94	11145.44	1180.69	1180.98	49.31	1.50
MWD	134	12498	91.30	359.82	93	11144.15	1273.67	1273.97	49.80	1.51
MWD	135	12593	87.47	358.59	95	11145.17	1368.64	1368.93	48.48	4.23
MWD	136	12687	87.12	357.71	94	11149.60	1462.50	1462.78	45.45	1.01
MWD	137	12781	91.08	359.03	94	11151.08	1556.44	1556.71	42.78	4.44
MWD	138	12875	92.62	357.89	94	11148.05	1650.37	1650.62	40.26	2.04

MWD	139	12970	90.77	359.03	95	11145.24	1745.30	1745.54	37.71	2.29
MWD	140	13065	91.74	0.62	95	11143.16	1840.27	1840.51	37.41	1.96
MWD	141	13160	92.04	1.05	95	11140.02	1935.20	1935.45	38.80	0.55
MWD	142	13254	87.78	358.59	94	11140.17	2029.17	2029.42	38.50	5.23
MWD	143	13347	87.74	356.48	93	11143.80	2122.03	2122.26	34.51	2.27
MWD	144	13441	89.05	359.91	94	11146.44	2215.95	2216.16	31.55	3.90
MWD	145	13535	92.00	1.67	94	11145.58	2309.91	2310.13	32.84	3.65
MWD	146	13628	93.98	1.67	93	11140.73	2402.72	2402.96	35.55	2.13
MWD	147	13720	90.99	1.85	92	11136.74	2494.57	2494.82	38.37	3.26
MWD	148	13815	87.96	2.55	95	11137.61	2589.46	2589.73	42.02	3.27
MWD	149	13909	86.95	2.28	94	11141.78	2683.26	2683.56	45.98	1.11
MWD	150	14004	85.54	359.82	95	11148.00	2778.02	2778.33	47.71	2.98
MWD	151	14095	89.89	358.86	91	11151.63	2868.92	2869.23	46.67	4.90
MWD	152	14190	91.08	358.59	95	11150.83	2963.90	2964.20	44.55	1.28
MWD	153	14285	90.64	358.59	95	11149.40	3058.87	3059.16	42.22	0.46
MWD	154	14380	92.48	358.86	95	11146.82	3153.82	3154.09	40.10	1.96
MWD	155	14474	93.05	358.68	94	11142.28	3247.70	3247.96	38.09	0.64
MWD	156	14568	93.32	358.59	94	11137.06	3341.54	3341.79	35.85	0.30
MWD	157	14663	89.98	357.28	95	11134.32	3436.44	3436.67	32.43	3.78
MWD	158	14758	89.27	356.04	95	11134.95	3531.30	3531.51	26.89	1.50
MWD	159	14852	90.77	1.41	94	11134.91	3625.25	3625.45	24.80	5.93
MWD	160	14947	92.35	4.57	95	11132.33	3720.04	3720.27	29.76	3.72
MWD	161	15041	89.76	3.34	94	11130.60	3813.76	3814.02	36.24	3.05
MWD	162	15132	90.59	4.57	91	11130.32	3904.50	3904.80	42.51	1.63
MWD	163	15228	88.00	2.81	96	11131.50	4000.25	4000.58	48.69	3.26
MWD	164	15322	87.96	2.99	94	11134.81	4094.04	4094.40	53.44	0.20
MWD	165	15414	87.78	2.81	92	11138.23	4185.83	4186.22	58.09	0.28
PTB	166	15480	87.78	2.81	66	11140.79	4251.68	4252.09	61.33	0.00



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print Report

12/28/2021

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 211H	US Well Number 3001546855
SHL Lot 4 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 1	ID 10400046677

Section 1 - General

Well Completion Report Id: 82479	Submission Date: N/A until DB Work	
BLM Office: Carlsbad Field Office	User: JEFFREY TRLICA	Title: Regulatory Analyst
Federal/Indian: FEDERAL	Lease Number: NMNM138850	Lease Acres:
Agreement in place?: NO	Federal or Indian Agreement:	
Agreement Number:	Agreement Name:	
Keep this Well Completion Report confidential?: NO		
APD Operator: TAP ROCK OPERATING LLC		

Section 2 - Well Information

Field/Pool or Exploratory: Field/Pool	Pool Name: Wolfcamp	Field Name: PURPLE SAGE
Well Type: CONVENTIONAL GAS WELL		
Spud Date: 08-04-2021		
Date Total Measured Depth Reached: 09-14-2021		
Drill & Abandon or Ready To Produce: READY TO PRODUCE		
Well Class: HORIZONTAL		

Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
QUATERNARY	OTHER	None	3009	0	0	NONE	
RUSTLER	ANHYDRITE		2187	870	879	OTHER	Salt

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 211H	US Well Number 3001546855
SHL Lot 4 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 1	ID 10400046677

Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
SALADO	SALT		1635	1421	1431	OTHER	Salt
BASE OF SALT	SALT		-404	3384	3400	OTHER	Salt
LAMAR	LIMESTONE		-616	3582	3598	NONE	
BELL CANYON	SANDSTONE		-635	3611	3628	NATURAL GAS, OIL	
CHERRY CANYON	SANDSTONE		-1754	4778	4797	NATURAL GAS, OIL	
BRUSHY CANYON	SANDSTONE		-2707	5766	5785	NATURAL GAS, OIL	
BONE SPRING	LIMESTONE		-4456	7468	7488	NATURAL GAS, OIL	
BONE SPRING 1ST	SANDSTONE		-5401	8413	8433	NATURAL GAS, OIL	
BONE SPRING 2ND	SANDSTONE		-5751	9060	9080	NATURAL GAS, OIL	
BONE SPRING 3RD	SANDSTONE		-6635	10315	10337	NATURAL GAS, OIL	
WOLFCAMP	OTHER	Shale	-7694	10714	10736	NATURAL GAS, OIL	

Completion and Completed Intervals

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 211H	US Well Number 3001546855
SHL Lot 4 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 1	ID 10400046677

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S8	1	NMNM138850	NMNM138850	NEW		DRG	10-28-2021	11-20-2021	WOLFCA MP	11045	15335	Y	.52	220	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Total Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S8	1	Y	FRAC	207829		Spud well on 8/4/2021 at 23:00 9/14/2021: TD Reached at 15480 ft MD, 11141 ft TVD. Rig Release on 9/17/2021 at 06:00. 10/14/2021: Pressure test casing to 5000 psi for 30 minutes, good test. 10/17/2021 to 10/22/2021: Perforate from 11045 ft to 15335 ft, 1 SPF, .52 inch holes with 220 total shots. 15 stage frac with 9,823,240

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 211H	US Well Number 3001546855
SHL Lot 4 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 1	ID 10400046677

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Tottle Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
							lbs of 100 mesh sand. 10/27/2021: Drill out plugs Plug Back Measured depth at 15419 ft MD, 11138 ft TVD. 10/28/2021: Ready to produce

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S8	1			FLows FROM WELL		SOLD	

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S8	1	12/01/20 21	24	1005	4685	2364	4661	25/64			3200

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 211H	US Well Number 3001546855
SHL Lot 4 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 1	ID 10400046677

Well Location

Survey Type: RECTANGULAR

Survey Number: 11401

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0009913	-103.8424128	3008	STATE	STATE				305	FSL	279	FEL	26S	30E	36	Lot 4
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	GRANT	32.0004286	-103.8421933	-7872	STATE	STATE				100	FSL	347	FWL	26S	30E	36	Lot 4
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0004286	-103.8421933	-7872	STATE	STATE				100	FSL	347	FWL	26S	30E	36	Lot 4
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.006071	-103.8422646	-8137	STATE	STATE				2153	FSL	326	FWL	26S	30E	36	NWNW
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0124864	-103.8421648	-8123	FEDERAL	NMNM138850				330	FSL	360	FWL	26S	30E	25	NWSW
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0126791	-103.8421526	-8133	FEDERAL	NMNM138850				260	FSL	364	FWL	26S	30E	25	NWSW

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 211H	US Well Number 3001546855
SHL Lot 4 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 1	ID 10400046677

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	17.5	0	1124	13.375	54.5	J-55		BUTT		
00	INTERMEDIATE	8.75	0	3311	7.625	29.7	P-110		BUTT		
00	INTERMEDIATE	12.25	0	3601	9.625	40	J-55		BUTT		
00	PRODUCT ION	6.75	0	10331	5.5	20	P-110		OTHER	BTC	
00	INTERMEDIATE	8.75	3311	10569	7.625	29.7	P-110		OTHER	W-411	
00	PRODUCT ION	6.75	10331	15463	5.0	18	P-110		OTHER	W-521	

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield (cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume (bbls)
00	SURFACE		Class C	400	1.72	0	Class C	480	1.33	600	236.2
00	INTERMEDIATE		None	0	0	0					0
00	INTERMEDIATE		Class C	794	1.83	0	Class C	404	1.33	4030	354.5
00	PRODUCT ION		None	0	0	0					0

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 211H	US Well Number 3001546855
SHL Lot 4 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 1	ID 10400046677

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume (bbls)
00	INTERMEDIATE		Class C	751	2.12	0	Class H	164	1.35	8500	323
00	PRODUCTION		None	0	0	0	Class H	606	1.32	5700	142.5

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00									

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report Completed?	Wellbore Diagram
00	YES	NO	NO	YES	NO	NO

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 211H	US Well Number 3001546855
SHL Lot 4 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 1	ID 10400046677

Operator Certification

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: TAP ROCK OPERATING LLC

Signed By: JEFFREY TRLICA

Title: Regulatory Analyst

Signed on: 12/22/2021

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN

State: CO

Zip: 80401

Phone: (720)772-5910

Email address: JTRLICA@TAPRK.COM

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Extension:

Email address:

Attachments

TAPROCK_PERMIAN_NAILED_IT_FED_COM_211H_2_INCH_CURVE_AND_LATERAL_FINAL_20211222075033.pdf

Final_Nailed_It_Fed_Com_211H_Surveys_20211222075053.pdf

Nailed_It_Fed_Com_211H_C_102_As_Drilled_20211021_Signed_20211222075152.pdf

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 69575

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 69575
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 69575

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 69575
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/16/2022