

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-50038
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator SPUR ENERGY PARTNERS LLC		6. State Oil & Gas Lease No.
3. Address of Operator 9655 KATY FREEWAY, SUITE 500, HOUSTON, TX 77024		7. Lease Name or Unit Agreement Name HATCH STATE
4. Well Location Unit Letter <u>E</u> : <u>1584</u> feet from the <u>NORTH</u> line and <u>242</u> feet from the <u>WEST</u> line Section <u>09</u> Township <u>17S</u> Range <u>33E</u> NMPM LEA County		8. Well Number <u>1</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4205' GR		9. OGRID Number 328947
		10. Pool name or Wildcat MALJAMAR; CISCO

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TA Procedure

- MIRU WLU.
- RIH w/ GR/JB/CCL to 3,010'. POOH.
- RIH w/ CIBP & set @ 3,000'. POOH.
- RU kill truck & pressure test csg & CIBP to 500 psi for 30 mins.
- RIH w/ dump bailer & dump bail 12 sx (35') Class C cmt on top of CIBP. POOH.
- RDMO WLU.
- Pressure test csg to 500 psi for 30 mins and record chart.

**Condition of Approval: notify  
 OCD Hobbs office 24 hours  
 prior of running MIT Test & Chart**

Spud Date:

04/27/2022

Rig Release Date:

05/25/2022

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sarah Chapman TITLE REGULATORY DIRECTOR DATE 06/14/2022


Type or print name SARAH CHAPMAN E-mail address: SCHAPMAN@SPURENERGY.COM PHONE: 832-930-8613  
**For State Use Only**

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/1/22  
 Conditions of Appro

API #	30-025-50038	Hatch State No. 1	County, ST	Lea County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	9-17S-28E
Field	Maljamar		Footage	1584 FNL 242 FEL
Spud Date	5/4/2022		Survey	32.8520339, -103.6759565

Formation (TVD)	
San Andres	4445'
Glorieta	5910'
Yeso	5990'
Tubb	7280'
Abo	8040'
Wolfcamp	9930'
Penn	11425'

RKB	N/A
GL	4205'



Surface Hole	17-1/2"
Depth	1475'
Casing	13-3/8" 54.5# J-55 BTC

Downhole Equip	CIBP
Depth	3250'
Cement	65 sks (15 bbl) of 14.8 ppg Class C
TOC	+/- 3,033'

Int. Hole	12-1/4"
Depth	3280'
Casing	9-5/8" 36# J-55 BTC


60 sk cmt plug @ 8,000', 16.4 ppg, 1.07 cuft/sk yield  
TOC @ +/- 7,846'

Prod. Hole	8-3/4"
Depth	12,350'
Casing	OH. Set CIBP after logging and TA

API #	30-025-50038	Hatch State No. 1	County, ST	Lea County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	9-17S-28E
Field	Maljamar		Footage	1584 FNL 242 FEL
Spud Date	5/4/2022		Survey	32.8520339, -103.6759565

Formation (TVD)	
San Andres	4445'
Glorieta	5910'
Yeso	5990'
Tubb	7280'
Abo	8040'
Wolfcamp	9930'
Penn	11425'

RKB	N/A
GL	4205'



Proposed CIBP @ 3,000' w/ 35' of cmt dump bailed  
12 sx 14.8 ppg C, 1.32 cuft/sk

Surface Hole	17-1/2"
Depth	1475'
Casing	13-3/8" 54.5# J-55 BTC

Downhole Equip	CIBP
Depth	3250'
Cement	65 sks (15 bbl) of 14.8 ppg Class C
TOC	+/- 3,033'

Int. Hole	12-1/4"
Depth	3280'
Casing	9-5/8" 36# J-55 BTC

60 sk cmt plug @ 8,000', 16.4 ppg, 1.07 cuft/sk yield  
TOC @ +/- 7,846'

Prod. Hole	8-3/4"
Depth	12,350'
Casing	OH. Set CIBP after logging and TA

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 116741

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 116741
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run TA status MIT/BHT test	7/1/2022