Energy, Mincrals and Natural Resources Revised July 18, 2013	Office	State of New Mexico	Form C-103 ¹					
District Consideration Consideration Division	<u>District I</u> – (575) 393-6161 Energy	, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.					
Desired III. (2007) 334-6178 Company Com	<u>District II</u> – (575) 748-1283	ONSERVATION DIVISION	30-025-37260					
Jook Robbons Rd, Arnes, NM 5-10 Date D	611 S. 1 list St., Artesia, NW 66210		'					
1208 St. Francis Dr., Statis Re, NM S7395 St. Francis Dr., Statis Re, NM S7395 St. Prancis Dr., Statis Re, NM St. St. Practice Proceedings of the Pack St. St. Practice Process of the Pack St. Practi	1000 Rio Brazos Rd., Aztec, NM 87410							
SUNDRY NOTICES AND REPORTS ON WELLS T. Lease Name or Unit Agreement Name STREET RESERVOR. USE "APPLICATION FOR PERMIT" (FORM C-10) FOR SUCH STREET RESERVOR. USE "APPLICATION FOR PERMIT" (FORM C-10) FOR SUCH S. WEIl Number S. WEIL Numb	1220 S. St. Francis Dr., Santa Fe, NM	,						
PROPOSALS) Type of Well: Oil Well Gas Well Other P&A 4	SUNDRY NOTICES AND RI (DO NOT USE THIS FORM FOR PROPOSALS TO DRILI	OR TO DEEPEN OR PLUG BACK TO A	Strait BLJ State Com					
2. Name of Operator EOG Resources, Inc. 3. Address of Operator 104 South Fourth Street, Artesia, NM 88210 4. Well Location Unit Letter J : 1650 feet from the South line and 1650 feet from the East line Section 21 Township 108 Range 34E NMPM Lea County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REMEDIAL WORK ALTERING CASING MULTIPLE COMPL COMMENCE PRILLING OPINS PAND A PULL OR ALTER CASING MULTIPLE COMPL COMMENCE PRILLING OPINS PAND A CASING/CEMENT JOB 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellborre diagram of proposed completion or recompletion. 4/22/22 – MIRU and NU BOP. Set a CIBP at 11,909*. 4/22/22 – MIRU and NU BOP. Set a CIBP at 11,909*. 4/22/22 – MIRU and NU BOP. Set a CIBP at 11,909*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cement plug from 792*. 4/23/22 – Spoted a 25 set Class "It" cem	PROPOSALS.)	_						
BOG Resources, Inc. 1377		Unier P&A						
South Fourth Street, Artesia, NM 88210 X-4 Ranch; Morrow/X-4 Ranch; Atoka	EOG Resources, Inc.		7377					
Well Location	<u> </u>							
Unit Letter J : 1650 feet from the South line and 1650 feet from the East line Section 21 Township 105 Range 34E NMPM Lea County 11. Elevation (Show Whether DR, RKB, RT, GR, etc.) 4203 'GR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A ALTERING CASING COMMENCE DRILLING OPNS PAND A CASING/CEMENT JOB ON HAND A CHANGE PLANS OF THE COMMENCE DRILLING OPNS PAND A CASING/CEMENT JOB OF THE CASING PAND A CASING/CEMENT JOB OF THE CASING PAND A CASING/CEMENT JOB OF THE CASING PAND A CASING P			X-4 Ranch; Morrow/X-4 Ranch; Atoka					
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4203*GR 4		from the South line and	1650 feet from the <u>East</u> line					
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		·	,					
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	11. Elevation		.)					
PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. ATTERING CASING COMMENCE DRILLING OPNS. PAND A CASING/CEMENT JOB	12. Check Appropriate		Report or Other Data					
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING PERFORMENT YELLOW ALTER CASING PAND A PULL OR ALTER CASING MULTIPLE COMPL COMMENCE DRILLING OPNS. PAND A PAND A		,	•					
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB OTHER: OTHER:								
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM	 -							
CLOSED-LOOP SYSTEM OTHER:		COMPL CASING/CEMEN	II JOB					
OTHER: OTHER:								
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 4/22/22 – MIRU and NU BOP. Set a CIBP at 11,909'. 4/25/22 – RIH and tagged CIBP 11,909'. Pressured up to 500 psi, held good. Spotted 25 sx Class "H" cement on top of CIBP to 11,558', tagged. 4/26/22 – Spotted a 25 sx Class "I" cement plug from 9142'-8804' calc TOC. No tag required. Spotted a 25 sx Class "I" cement plug from 7792'-7454' calc TOC. No tag required. Spotted a 25 sx Class "C" cement plug from 7535'-5175' calc TOC. No tag required. 4/2772 – Perforated at 4275'. Attempted to establish rate through perf. Pressured up to 500 psi, held good. Spotted a 30 sx Class "C" cement plug from 4346'-3870', tagged. Perforated at 2803'. Established rate through perf. Squeezed with 45 sx Class "C" cement from 2803'-2650', tagged. 4/28/22 – Perforated at 2046'. Established rate through perf. Squeezed with 45 sx Class "C" cement from 2046'-1896', tagged. Perforated at 473'. Established rate through perf. Squeezed with 45 sx Class "C" cement from 2046'-1896', tagged. Perforated at 473'. Established rate through perf. Squeezed with 45 sx Class "C" cement from 100' and circulated up to surface. 5/10/22 - Cut off wellhead and installed below ground dry hole marker. Cut off anchors and cleaned location. WELL IS PLUGGED AND ABANDONED. Spud Date: Rig Release Date: Rig Release Date: Title Regulatory Specialist DATE May 24, 2022 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: TITLE DATE	OTHER:							
4/25/22 - RIH and tagged CIBP 11,909". Pressured up to 500 psi, held good. Spotted 25 sx Class "H" cement not pof CIBP to 11,558", tagged. 4/26/22 - Spotted a 25 sx Class "H" cement plug from 9142"-8804" calc TOC. No tag required. Spotted a 25 sx Class "C" cement plug from 7553"-515" calc TOC. No tag required. 4/27/22 - Perforated at 4275". Attempted to establish rate through perf. Pressured up to 500 psi, held good. Spotted a 30 sx Class "C" cement plug from 4346"-3870", tagged. Perforated at 2803". Established rate through perf. Squeezed with 45 sx Class "C" cement from 2803"-2650", tagged. 4/28/22 - Perforated at 2046". Established rate through perf. Squeezed with 45 sx Class "C" cement from 2046"-1896", tagged. Perforated at 473". Established rate through perf. Squeezed with 45 sx Class "C" cement from 2046"-1896", tagged. Perforated at 473". Established rate through perf. Squeezed with 60 sx Class "C" cement from 150" and circulated up to surface. 5/10/22 - Perforated at 150". Established rate through perf. Squeezed with 60 sx Class "C" cement from 150" and circulated up to surface. 5/10/22 - Cut off wellhead and installed below ground dry hole marker. Cut off anchors and cleaned location. WELL IS PLUGGED AND ABANDONED. Rig Release Date:	of starting any proposed work). SEE RU							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE May 24, 2022 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: TITLE DATE	4/25/22 – RIH and tagged CIBP 11,909'. Pressured u 4/26/22 – Spotted a 25 sx Class "H" cement plug from 7454' calc TOC. No tag required. Spotted a 25 sx Class 4/27/22 – Perforated at 4275'. Attempted to establish from 4346'-3870', tagged. Perforated at 2803'. Established rate through Established rate through perf. Squeezed with 53 sx C 4/29/22 – Perforated at 150'. Established rate through 5/10/22 - Cut off wellhead and installed below ground	p to 500 psi, held good. Spotted 25 sx Class in 9142'-8804' calc TOC. No tag required. Spass "C" cement plug from 5553'-5175' calc Trate through perf. Pressured up to 500 psi, helished rate through perf. Squeezed with 45 sy th perf. Squeezed with 45 sx Class "C" cement from 473'-275', tagged. Kent perf. Squeezed with 60 sx Class "C" cement perf. Squeezed with 60 sx Class "C" cement	potted a 25 sx Class "H" cement plug from 7792'- FOC. No tag required. eld good. Spotted a 30 sx Class "C" cement plug c Class "C" cement from 2803'-2650', tagged. nt from 2046'-1896', tagged. Perforated at 473'. rry Fortner with NMOCD-Hobbs approved tag. t from 150' and circulated up to surface.					
SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE May 24, 2022 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 APPROVED BY: TITLE DATE	Spud Date:	Rig Release Date:						
Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE								
APPROVED BY: DATE	signature Tina Huerta	TITLE Regulatory Specialist	DATE <u>May 24, 2022</u>					
		E-mail address: tina_huerta@eogrese	ources.com PHONE: <u>575-748-4168</u>					
		TITLE	DATE					

Sec-TWN-RNG: 21-10S-34E

API: 30-025-37260

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 109901

COMMENTS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	109901
	Action Type:
	[C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	7/6/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 109901

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	109901
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Cre By	ated		Condition Date
kfo		Need C103Q and marker pics to release	6/28/2022