Submit 1 Copy To Appropriate District

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240		WELL API NO.			
District II - (575) 748-1283	OIL CONSERVATION DIVISION	30-025-11763			
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	5. Indicate Type of Lease				
1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE FEE			
District IV - (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.			
1220 S. St. Francis Dr., Santa Fe, NM					
87505 SUNDRY NOTICE	S AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name			
(DO NOT USE THIS FORM FOR PROPOSAL	South Justis Unit E				
DIFFERENT RESERVOIR. USE "APPLICAT	ION FOR PERMIT" (FORM C-101) FOR SUCH	8. Well Number #24			
PROPOSALS.)	a Wall Other	5. Well Ivalided #24			
1. Type of Well: Oil Well Ga 2. Name of Operator	s Well Other	9. OGRID Number			
Legacy Reserves Operating LP		240974			
3. Address of Operator		10. Pool name or Wildcat			
P.O. Box 10848, Midland, TX 79702		Justis; Blinebry-Tubb-Drinkard			
4. Well Location					
Unit Letter E:	1650 feet from the Nline and	990feet from theWline			
	Township 25S Range 37E				
	1. Elevation (Show whether DR, RKB, RT, GR, e 3071' GR	ic.)			
	30/1 GR				
12 Charle Ann	propriate Box to Indicate Nature of Notic	e Report or Other Data			
12. Check App	rophate box to indicate Nature of Notice	c, Report of Other Data			
NOTICE OF INTE	ENTION TO:	BSEQUENT REPORT OF:			
	PLUG AND ABANDON 🛛 REMEDIAL W				
TEMPORARILY ABANDON C	CHANGE PLANS COMMENCE D	PAND A □			
	MULTIPLE COMPL CASING/CEME				
DOWNHOLE COMMINGLE	_				
CLOSED-LOOP SYSTEM					
OTHER:	☐ OTHER:				
		and give pertinent dates, including estimated date			
of starting any proposed work).	. SEE RULE 19.15.7.14 NMAC. For Multiple (
proposed completion or recomp					
	ent. Dug out cellar. 05/24/22 ND well head, NU				
	x class C cmt @ 4666-4517'. WOC. 05/25/22 T	agged plug @ 4485'. Perf'd @ 3347'.			
	Pressured up on perfs to 700 PSI. Spotted 30 sx class C cmt @ 3400 to 3241'. WOC. Tagged plug @ 3217'. Perf'd @ 2186'.				
Sqz'd 50 sx class C cmt @ 2186-2086'. WOC. 05/26/22 Tagged plug @ 2069'. Perf'd @ 940'. Sqz'd 50 sx class C cmt @ 940-					
	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940-			
840'. WOC. Tagged plug @ 826'.	086'. WOC. 05/26/22 Tagged plug @ 2069'. Pe Perf'd @ 556'. ND BOP, NU well head, Sqz'd	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sqz'd ff <mark>. 05/27/22</mark> Moved in backhoe and welder. Cu	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sqz'd ff <mark>. 05/27/22</mark> Moved in backhoe and welder. Cu picture text message. Welded on ''Above Grou	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940-120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/nd Dry Hole Marker". Installed 2' concrete			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sqz'd ff <mark>. 05/27/22</mark> Moved in backhoe and welder. Cu	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940-120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/nd Dry Hole Marker". Installed 2' concrete			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sqz'd ff <mark>. 05/27/22</mark> Moved in backhoe and welder. Cu picture text message. Welded on ''Above Grou	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ nd Dry Hole Marker". Installed 2' concrete			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sqz'd ff <mark>. 05/27/22</mark> Moved in backhoe and welder. Cu picture text message. Welded on ''Above Grou	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ nd Dry Hole Marker". Installed 2' concrete			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sqz'd ff <mark>. 05/27/22</mark> Moved in backhoe and welder. Cu picture text message. Welded on ''Above Grou	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ nd Dry Hole Marker". Installed 2' concrete			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sqz'd ff <mark>. 05/27/22</mark> Moved in backhoe and welder. Cu picture text message. Welded on ''Above Grou	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ nd Dry Hole Marker". Installed 2' concrete			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/8 sx cmt on top. Backfille	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sq2'd ff. 05/27/22 Moved in backhoe and welder. Cu bicture text message. Welded on "Above Ground cellar, cut off deadmen, cleaned location, and	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ nd Dry Hole Marker". Installed 2' concrete			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/8 sx cmt on top. Backfille	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sq2'd ff. 05/27/22 Moved in backhoe and welder. Cu bicture text message. Welded on "Above Ground cellar, cut off deadmen, cleaned location, and	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940-120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/nd Dry Hole Marker". Installed 2' concrete			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/ 8 sx cmt on top. Backfille Spud Date:	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sq2'd ff. 05/27/22 Moved in backhoe and welder. Cu bicture text message. Welded on "Above Ground cellar, cut off deadmen, cleaned location, and	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ nd Dry Hole Marker". Installed 2' concrete nd moved off.			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/ 8 sx cmt on top. Backfille Spud Date:	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sqz'd ff <mark>. 05/27/22</mark> Moved in backhoe and welder. Cu bicture text message. Welded on "Above Grou ed cellar, cut off deadmen, cleaned location, and Rig Release Date:	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ nd Dry Hole Marker". Installed 2' concrete nd moved off.			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/ 8 sx cmt on top. Backfille Spud Date: I hereby certify that the information above	086'. WOC. 05/26/22 Tagged plug @ 2069'. Porf'd @ 556'. ND BOP, NU well head, Sq2'd fft. 05/27/22 Moved in backhoe and welder. Cubicture text message. Welded on "Above Ground cellar, cut off deadmen, cleaned location, and Rig Release Date: We is true and complete to the best of my knowled.	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ and Dry Hole Marker". Installed 2' concrete and moved off.			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/ 8 sx cmt on top. Backfille Spud Date:	086'. WOC. 05/26/22 Tagged plug @ 2069'. Po Perf'd @ 556'. ND BOP, NU well head, Sqz'd ff <mark>. 05/27/22</mark> Moved in backhoe and welder. Cu bicture text message. Welded on "Above Grou ed cellar, cut off deadmen, cleaned location, and Rig Release Date:	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ and Dry Hole Marker". Installed 2' concrete and moved off.			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/ 8 sx cmt on top. Backfille Spud Date: I hereby certify that the information above SIGNATURE	NOC. 05/26/22 Tagged plug @ 2069'. Perf'd @ 556'. ND BOP, NU well head, Sqz'd fft. 05/27/22 Moved in backhoe and welder. Cu bicture text message. Welded on "Above Ground cellar, cut off deadmen, cleaned location, and Rig Release Date: Rig Release Date:	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ and Dry Hole Marker". Installed 2' concrete and moved off. dge and belief. DATE 5/31/2022			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/ 8 sx cmt on top. Backfille Spud Date: I hereby certify that the information above SIGNATURE Type or print name Melanie Re	NOC. 05/26/22 Tagged plug @ 2069'. Perf'd @ 556'. ND BOP, NU well head, Sqz'd fft. 05/27/22 Moved in backhoe and welder. Cu bicture text message. Welded on "Above Ground cellar, cut off deadmen, cleaned location, and Rig Release Date: Rig Release Date:	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ and Dry Hole Marker". Installed 2' concrete and moved off.			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/ 8 sx cmt on top. Backfille Spud Date: I hereby certify that the information above SIGNATURE Type or print name Melanie Ro For State Use Only	086'. WOC. 05/26/22 Tagged plug @ 2069'. Poref'd @ 556'. ND BOP, NU well head, Sq2'd fft. 05/27/22 Moved in backhoe and welder. Cubicture text message. Welded on "Above Ground cellar, cut off deadmen, cleaned location, and Rig Release Date: Rig Release Date: TITLE Regulatory Teyes E-mail address: mreyes@legace.	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ and Dry Hole Marker". Installed 2' concrete and moved off. dge and belief. DATE 5/31/2022 yreserves.com PHONE: (432) 221-6358			
840'. WOC. Tagged plug @ 826'. surface. Rigged down & moved of OCD verified cmt @ surface via p form w/ 8 sx cmt on top. Backfille Spud Date: I hereby certify that the information above SIGNATURE Type or print name Melanie Re	086'. WOC. 05/26/22 Tagged plug @ 2069'. Poref'd @ 556'. ND BOP, NU well head, Sq2'd fft. 05/27/22 Moved in backhoe and welder. Cubicture text message. Welded on "Above Ground cellar, cut off deadmen, cleaned location, and Rig Release Date: Rig Release Date: TITLE Regulatory Teyes E-mail address: mreyes@legace.	OC. Tagged plug @ 3217'. Perf'd @ 2186'. erf'd @ 940'. Sqz'd 50 sx class C cmt @ 940- 120 sx class C cmt @ 556' & circulated to t off well head & anchors. Kerry Fortner w/ and Dry Hole Marker". Installed 2' concrete and moved off. dge and belief. DATE 5/31/2022			

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103


Released to Imaging: 7/12/2022 1:17:21 PM

Revised July 18, 2013

WELL API NO.

Received by OCD: 5/31/2022 11:53:10 AM						
Legacy			PLUGGED			
Author:	Abby BCM					
Well Name	South Justis Unit	Well No.	#E24			
Field/Pool	Justis, Blinenry-Tubb-	API#:	30-025-11763			
r leid/i ooi	Drkrd	API#.	30-023-11703			
County	Lea	Location:	Sec 25, T25S, R37E			
State	New Mexico	•	1650 FNL & 990 FWL			
Spud Date	2/4/1999	GL:	3060'			
		-				

							Page 2	of 4
Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TÖC	3
Surface Csg	13 3/8	J55	48#	506	17 1/2	400	0	
Inter Csg	9 5/8		36#	3,297	12 1/4	1,500	1499	
Prod Csg	7		23#	6,115	8 3/4	675	2,886	



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 112045

COMMENTS

Operator:	OGRID:
LEGACY RESERVES OPERATING, LP	240974
15 Smith Road	Action Number:
Midland, TX 79705	112045
	Action Type:
	[C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartine	z DATA ENTRY PM	7/12/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 112045

CONDITIONS

Operator:	OGRID:
LEGACY RESERVES OPERATING, LP	240974
15 Smith Road	Action Number:
Midland, TX 79705	112045
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker pics to release	7/12/2022