Office	State of New N	Texico	Form C-103
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Na	tural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATIO		30-015-00281
<u>District III</u> – (505) 334-6178	1220 South St. Fr	ancis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM		STATE FEE 6. State Oil & Gas Lease No.
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa 1 C, 1 VIVI	07303	6. State Oil & Gas Lease No.
87505			
	TICES AND REPORTS ON WELI		7. Lease Name or Unit Agreement Name
	POSALS TO DRILL OR TO DEEPEN OR I	1 '	Simpson 15 B
PROPOSALS.)	PLICATION FOR PERMIT" (FORM C-101)	FOR SUCH	8. Well Number # <b>134</b>
1. Type of Well: Oil Well	Gas Well  Other		
2. Name of Operator		- 1	9. OGRID Number
Redwood Operating, LLC			330211
3. Address of Operator			10. Pool name or Wildcat
PO Box 1370, Artesia, NM 882	2111370		Atoka; Glorieta-Yeso
4. Well Location		<u> </u>	
Unit Letter <b>B</b> :		line and <b>1650</b>	feet from the <u>E</u> line
Section 15		Range 26E	NMPM County <b>Eddy</b>
Section 15	11. Elevation (Show whether D		Timin M County Day
	· ·	343	
12 Chao	Annroprieto Dov to Indicate	Noture of Notice D	Janort or Other Date
12. Cliec	Appropriate Box to Indicate	Nature of Notice, R	Report of Other Data
NOTICE OF	INTENTION TO:	SUBS	EQUENT REPORT OF:
PERFORM REMEDIAL WORK		REMEDIAL WORK	
	☐ CHANGE PLANS ☐	COMMENCE DRILL	<del></del>
	☐ MULTIPLE COMPL ☐	CASING/CEMENT	
		O/(OIIVO/OLIVILIVI)	
		OTHER:	П
OTHER:			
OTHER:  13 Describe proposed or co	mpleted operations (Clearly state a)	1 pertinent details, and s	give pertinent dates, including estimated date
13. Describe proposed or co			give pertinent dates, including estimated date
13. Describe proposed or co of starting any proposed	work). SEE RULE 19.15.7.14 NM.		give pertinent dates, including estimated date pletions: Attach wellbore diagram of
13. Describe proposed or co	work). SEE RULE 19.15.7.14 NM.		
13. Describe proposed or co of starting any proposed proposed completion or	work). SEE RULE 19.15.7.14 NM. recompletion.	AC. For Multiple Comp	pletions: Attach wellbore diagram of
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin	work). SEE RULE 19.15.7.14 NM. recompletion.  g equipment. ND well head, NU B	AC. For Multiple Comp	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192°	work). SEE RULE 19.15.7.14 NM. recompletion.  g equipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192	AC. For Multiple Comp GOP. POH w// tbg. 06/0-2322' per OCD's app	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH proval. WOC. 06/09/22 Tagged plug @
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla	work). SEE RULE 19.15.7.14 NM. recompletion.  g equipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ss C cmt w/ 2% CACL @2500-17	AC. For Multiple Comp GOP. POH w// tbg. 06/0 -2322' per OCD's app 10'. WOC. Tagged plu	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU E. Spotted 80 sx class C cmt @ 3192 ss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged p	AC. For Multiple Comp OP. POH w// tbg. 06/0 -2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½"	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH proval. WOC. 06/09/22 Tagged plug @ ng @ 1722'. Spotted 75 sx class C cmt @
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ass C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline	AC. For Multiple Comp GOP. POH w// tbg. 06/0 2-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 1/2" . Ran CBL, established	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH proval. WOC. 06/09/22 Tagged plug @ ng @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF.
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ass C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 96-1107'. WOC. 06/13/22 Tagged p	AC. For Multiple Comp GOP. POH w// tbg. 06/6 2-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½" . Ran CBL, established blug @ 1095'. Spotted	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH  proval. WOC. 06/09/22 Tagged plug @  ng @ 1722'. Spotted 75 sx class C cmt @  CIBP @ 1396'. Pump'd 30 bbls MLF.  d top of cmt @ 906'. RD wireline. Spotted
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ass C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 3	AC. For Multiple Comp GOP. POH w// tbg. 06/0 2-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½'' . Ran CBL, established colug @ 1095'. Spotted 375' to surface. Rigged	08/22 Pump'd Brine H20 to kill well. RIH proval. WOC. 06/09/22 Tagged plug @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Gr	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ass C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 30 at off well head & anchors. David bund Dry Hole Marker''. Insalled	AC. For Multiple Comp GOP. POH w// tbg. 06/0 2-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½'' . Ran CBL, established colug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt	08/22 Pump'd Brine H20 to kill well. RIH proval. WOC. 06/09/22 Tagged plug @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ass C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 30 at off well head & anchors. David bund Dry Hole Marker''. Insalled	AC. For Multiple Comp GOP. POH w// tbg. 06/0 2-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½'' . Ran CBL, established colug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH proval. WOC. 06/09/22 Tagged plug @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message.
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Gr	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ass C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 30 at off well head & anchors. David bund Dry Hole Marker''. Insalled	AC. For Multiple Comp GOP. POH w// tbg. 06/0 2-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½'' . Ran CBL, established colug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Gr	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ass C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 30 at off well head & anchors. David bund Dry Hole Marker''. Insalled	AC. For Multiple Comp GOP. POH w// tbg. 06/0 2-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½'' . Ran CBL, established colug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Grecleaned location, and n	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 3 int off well head & anchors. David bound Dry Hole Marker''. Insalled hoved off.	AC. For Multiple Comp GOP. POH w// tbg. 06/0 -2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½" . Ran CBL, established olug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt 2' concrete form w/ 8 s	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Gr	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ass C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 30 at off well head & anchors. David bund Dry Hole Marker''. Insalled	AC. For Multiple Comp GOP. POH w// tbg. 06/0 -2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½" . Ran CBL, established olug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt 2' concrete form w/ 8 s	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @  19 @ 1722'. Spotted 75 sx class C cmt @  CIBP @ 1396'. Pump'd 30 bbls MLF.  d top of cmt @ 906'. RD wireline. Spotted  45 sx class C cmt @ 1000-570'. Perf'd @  d down & moved off. 06/14/22 Moved in  t @ surface via picture text message.  sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability under- bond is retained pending Location cleanup & receipt of  C-103Q (Subsequent Report of Well Plugging) which
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Grecleaned location, and n	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 3 int off well head & anchors. David bound Dry Hole Marker''. Insalled hoved off.	AC. For Multiple Comp GOP. POH w// tbg. 06/0 -2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½" . Ran CBL, established olug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt 2' concrete form w/ 8 s	pletions: Attach wellbore diagram of 08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Grecleaned location, and n	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 3 int off well head & anchors. David bound Dry Hole Marker''. Insalled hoved off.	AC. For Multiple Comp GOP. POH w// tbg. 06/0 -2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½" . Ran CBL, established olug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt 2' concrete form w/ 8 s	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @  19 @ 1722'. Spotted 75 sx class C cmt @  CIBP @ 1396'. Pump'd 30 bbls MLF.  d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @  d down & moved off. 06/14/22 Moved in  t @ surface via picture text message.  sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability under- bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Greleaned location, and no Spud Date:	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 3 int off well head & anchors. David bound Dry Hole Marker''. Insalled hoved off.	AC. For Multiple Compact. For Multiple Compact. For Multiple Compact. For POH w// tbg. 06/62322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½". Ran CBL, established and Establis	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @  19 @ 1722'. Spotted 75 sx class C cmt @  CIBP @ 1396'. Pump'd 30 bbls MLF.  d top of cmt @ 906'. RD wireline. Spotted  45 sx class C cmt @ 1000-570'. Perf'd @  d down & moved off. 06/14/22 Moved in  t @ surface via picture text message.  sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of  C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @  www.emnrd.state.nm.us
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Greleaned location, and no Spud Date:	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 30 int off well head & anchors. David bund Dry Hole Marker''. Insalled hoved off.  Rig Release	AC. For Multiple Compact. For Multiple Compact. For Multiple Compact. For POH w// tbg. 06/62322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½". Ran CBL, established and Establis	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @  19 @ 1722'. Spotted 75 sx class C cmt @  CIBP @ 1396'. Pump'd 30 bbls MLF.  d top of cmt @ 906'. RD wireline. Spotted  45 sx class C cmt @ 1000-570'. Perf'd @  d down & moved off. 06/14/22 Moved in  t @ surface via picture text message.  sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of  C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @  www.emnrd.state.nm.us
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU well backhoe and welder. C Welded on "Above Grecleaned location, and not speed to be seen to be seen the seen to be seen	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 30 the control of the Marker''. Insalled to the cover off.  Rig Release on above is true and complete to the	AC. For Multiple Compactors of the Compactors of	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @ ng @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us  and belief.
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Greleaned location, and no Spud Date:	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 ss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd head, Sqz'd 90 sx class C cmt @ 30 the control of the Marker''. Insalled to the cover off.  Rig Release on above is true and complete to the	AC. For Multiple Compact. For Multiple Compact. For Multiple Compact. For POH w// tbg. 06/62322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½". Ran CBL, established and Establis	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @  19 @ 1722'. Spotted 75 sx class C cmt @  CIBP @ 1396'. Pump'd 30 bbls MLF.  d top of cmt @ 906'. RD wireline. Spotted  45 sx class C cmt @ 1000-570'. Perf'd @  d down & moved off. 06/14/22 Moved in  t @ surface via picture text message.  sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of  C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @  www.emnrd.state.nm.us
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Greleaned location, and not specified the start of the	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd 1 head, Sqz'd 90 sx class C cmt @ 1 it off well head & anchors. David bund Dry Hole Marker''. Insalled inved off.  Rig Release in the same of the sam	AC. For Multiple Compactor, 20P. POH w// tbg. 06/6-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½". Ran CBL, established olug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt 2' concrete form w/ 8 set of my knowledge a lulatoryTechnician	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @ ng @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us  DATE 6/16/2022
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Greleaned location, and not specific that the information of the start of the sta	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd 1 head, Sqz'd 90 sx class C cmt @ 1 it off well head & anchors. David bund Dry Hole Marker''. Insalled inved off.  Rig Release in the same of the sam	AC. For Multiple Compactors of the Compactors of	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @ ng @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us  DATE 6/16/2022
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Greleaned location, and not specified the start of the	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd 1 head, Sqz'd 90 sx class C cmt @ 1 it off well head & anchors. David bund Dry Hole Marker''. Insalled inved off.  Rig Release in the same of the sam	AC. For Multiple Compactor, 20P. POH w// tbg. 06/6-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½". Ran CBL, established olug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt 2' concrete form w/ 8 set of my knowledge a lulatoryTechnician	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @ ng @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF. d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us  DATE 6/16/2022
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Greleaned location, and not specificate the information of the start	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd 1 head, Sqz'd 90 sx class C cmt @ 30 int off well head & anchors. David bund Dry Hole Marker''. Insalled anoved off.  Rig Release	AC. For Multiple Compactors of POH w// tbg. 06/62322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½". Ran CBL, established olug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt 2' concrete form w/ 8 set of my knowledge a ulatoryTechnician less: delilah@mec.com	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @  19 @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF.  d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability underbond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us  and belief.  DATE 6/16/2022
13. Describe proposed or co of starting any proposed proposed completion or 06/07/22 MIRU pluggin w/ tbg, tagged @ 3192' 2500'. Spotted 80 sx cla 1722-1481' per OCD's Pressure tested csg, hel 30 sx class C cmt @ 13 375'. ND BOP, NU wel backhoe and welder. C Welded on "Above Greleaned location, and not specific that the information of the start of the sta	work). SEE RULE 19.15.7.14 NM. recompletion.  In gequipment. ND well head, NU B. Spotted 80 sx class C cmt @ 3192 iss C cmt w/ 2% CACL @2500-17 request. WOC. 06/10/22 Tagged pd 500 PSI. RU Renegade Wireline 26-1107'. WOC. 06/13/22 Tagged pd 1 head, Sqz'd 90 sx class C cmt @ 30 int off well head & anchors. David bund Dry Hole Marker''. Insalled anoved off.  Rig Release	AC. For Multiple Compactor, 20P. POH w// tbg. 06/6-2322' per OCD's app 10'. WOC. Tagged plu lug @ 1455'. Set 5 ½". Ran CBL, established olug @ 1095'. Spotted 375' to surface. Rigged Alvadero verified cmt 2' concrete form w/ 8 set of my knowledge a lulatoryTechnician	pletions: Attach wellbore diagram of  08/22 Pump'd Brine H20 to kill well. RIH broval. WOC. 06/09/22 Tagged plug @  19 @ 1722'. Spotted 75 sx class C cmt @ CIBP @ 1396'. Pump'd 30 bbls MLF.  d top of cmt @ 906'. RD wireline. Spotted 45 sx class C cmt @ 1000-570'. Perf'd @ d down & moved off. 06/14/22 Moved in t @ surface via picture text message. sx cmt. Backfilled cellar, cut off deadmen,  Approved for plugging of well bore only. Liability underbond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us  and belief.  DATE 6/16/2022

Received by OCD: 6/17/2022 8:35:34 AM **PLUGGED** Redwood Operating Author: Abby @ BCM Well Name Well No. Simpson 15 B #134 Field/Pool 30-015-00281 Atoka; Glorieta-Yeso API#: County Eddy Location: Sec 15, T18S, R26E State New Mexico 330 FNL & 1650 FEL Spud Date 12/8/2008 GL: 3343

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC TOC
Surface Csg	8 5/8		24#	1,198	11	500	0
Prod Csg	5 1/2		14#	1,700	7 7/8	130	900

Formation	Top
Queen	307
GRBG	669
San Andres	948
Glorieta	2269
Yeso	2394

4. Perf'd @ 375'. Sqz'd 90 sx class C cmt @ 375' to surface

3. Spotted 45 sx class C cmt @ 1000-570'.

8 5/8 24# CSG @ 1,198

Hole Size: 11

2. Set 5 ½" CIBP @ 1396'. Pump'd 30 bbls MLF. Pressure tested csg, held 500 PSI. RU Renegade Wireline. Ran CBL, established top of cmt @ 906'. RD wireline. Spotted 30 sx class C cmt @ 1396-1107'. WOC & Tagged plug @ 1095'.

Perfs @ 1496-1683'

5 1/2 14# CSG @ 1,700

1. RIH w/ tbg, tagged @ 3192'. Spotted 80 sx class C cmt @ 3192-2322' per OCD's approval. WOC & Tagged plug @ 2500'. Spotted 80 sx class C cmt w/ 2% CACL @2500-1710'. WOC. Tagged plug @ 1722'. Spotted 75 sx class C cmt @ 1722-1481' per OCD's request. WOC. Tagged plug @ 1455'.

32.7542572 -104.3664703

Open Hole to 3240'.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 118281

## **CONDITIONS**

Operator:	OGRID:
Redwood Operating LLC	330211
PO Box 1370	Action Number:
Artesia, NM 88210	118281
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By		Condition Date
gcordero	None	6/29/2022