

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

Energy, Minerals and Natural Resources

Revised August 1, 2011

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.

30-015-22747

5. Indicate Type of Lease

STATE X FEE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

STATE 14 COM.

8. Well Number

001

9. OGRID Number

162683

10. Pool name or Wildcat

PARKWAY; WOLFCAMP, NORTH

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
 DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
 PROPOSALS.)

1. Type of Well: Oil Well Gas Well X Other

2. Name of Operator

CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator

600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location

Unit Letter E : 1980 feet from the NORTH line and 660 feet from the WEST line
 Section 14 Township 19S Range 29E NMPM EDDY County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3,219' – GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

OTHER: ☐**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A X
 CASING/CEMENT JOB ☐

OTHER: WELL PLUGGED AND ABANDONED 06/18/22.

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date
 of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of
 proposed completion or recompletion.

06/01/22: SET 4-1/2" CIBP @ 10,200'; PUMP (30) SXS. CLASS "H" CMT. @ 10,200'; WOC.

06/02/22: TAG TOC @ 10,110'; PUMP (30) SXS. CLASS "H" CMT. @ 10,110' (PER OCD); WOC X TAG TOC @ 9,908'.

06/03/22: PUMP (25) SXS. CLASS "H" CMT. @ 9,203'; WOC X TAG TOC @ 8,980'.

06/05/22: PUMP (40) SXS. CLASS "H" CMT. @ 8,089' (PER OCD); WOC – DID NOT TAG CMT. PLUG.

06/06/22: PUMP (40) SXS. CLASS "H" CMT. @ 8,089' (PER OCD); WOC X TAG TOC @ 7,783'; PRES. TEST 4-1/2" CSG. TO 750#
 - HELD GOOD.06/07/22: PERF. SQZ. HOLES @ 6,000'; ATTEMPT TO EST. INJ. RATE – PRES. UP TO 650# X HOLD; PUMP (25) SXS. CLASS
 "C" CMT. @ 6,050'; WOC – DID NOT TAG CMT. PLUG; PUMP (25) SXS. CLASS "C" CMT. @ 6,050'; WOC.

06/08/22: TAG TOC @ 5,922'; PUMP (25) SXS. CLASS "C" CMT. @ 5,922' (PER OCD); WOC.

06/09/22: TAG TOC @ 5,922'; PUMP (50) SXS. CLASS "C" CMT. W/ 2% CACL @ 5,922'; WOC X TAG TOC @ 5,561'.

06/14/22: CUT X PULL 4-1/2" CSG. @ 2,916.

06/16/22: PUMP (55) SXS. CLASS "C" CMT. @ 2,966'; WOC X TAG TOC @ 2,682'; PUMP (100) SXS. CLASS "C" @ 1,395'; WOC

06/17/22: TAG TOC @ 1,115'; CIRC. TO SURF. (125) SXS. CLASS "C" CMT. @ 370'-3'.

06/18/22: DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

Spud Date:

MIRU PXA EQUIP.: 05/24/22

Rig Release Date:

RDMO PXA EQUIP.: 06/18/22

Approved for plugging of well bore only. Liability under
 bond is retained pending Location cleanup & receipt of
 C-103Q (Subsequent Report of Well Plugging) which
 may be found at OCD Web Page, OCD Permitting @
www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief

SIGNATURE

TITLE: AGENT

DATE: 06/21/22

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM PHONE: 432.687.3033

For State Use Only

APPROVED BY:

TITLE

Staff Manager

DATE 6/28/2022

Conditions of Approval (if any):

CIMAREX

Cimarex Energy Co. of Colorado

State 14 Com No. 001

API # 30-015-22747 Property: 309548-108.01

GL: 3,319' KB: 3,338' (19') Field: Turkey Track

1980' FNL & 660' FWL UL E Sec 14 T19S R29E

AG

9/9/2021

PXA 06/18/22

8-5/8" 24# K-55 ST&C
csg @ 2856' w/ 1200 sx
cmt

Circl'd cmt

PERF. @ 6,000'

TOC @ 7,740'

CIBP + 35' cement @
10,630' (8/2010)CIBP + 35' cement @
11,000' (8/2010)PBTd @ 10,596'
TD @ 11,556'CIRC. (125) SXS. @ 370'-3'
11-3/4" 42# H-40 ST&C csg @ 320' w/ 500 sx cmt
Circl'd cmt

Pump (100) SXS. @ 1,395'-1,115'

Pump (55) SXS. @ 2,966'-2,682'

CUT X PULL 4-1/2" CSG. @ 2,916'

Pump (125) SXS. @ 6,050'-5,561'

Pump (105) SXS. @ 8,089'-7,783'

Pump (25) SXS. @ 9,203'-8,980'

Squeezed perfs

Wolfcamp Perfs: 9,049' to 9,070', 9,118' to 9,133'

9,142' to 9,153' (3 JSPF) (8/2010)

Pump (60) SXS. @ 10,200'-9,908'

SET 4-1/2" CIBP @ 10,200'

Strawn Perfs: 10,263'-274', 10,310'-317', 10,337'-344',

10,416'-419', 10,436'-447', 10,462'-473', 10,500'-517'

(2 SPF, 74 holes) (2/2017)

Atoka Perfs:

10,760'-10,768' (2 SPF) (8/1990)

Morrow Perforations:

11,214'-11,312' (2 SPF) (3/1979)

4-1/2" 11.6# N-80 LT&C csg @ 11,554'
cmt'd w/ 860 sx cmt

DAE 06/21/22

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 119310

CONDITIONS

Operator: CIMAREX ENERGY CO. OF COLORADO 600 N. Marienfeld Street Midland, TX 79701	OGRID: 162683
	Action Number: 119310
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/28/2022