District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Permit or Closure Plan Application

Type of action: Below grade tank registration Permit of a pit or proposed alternative of Closure of a pit, below-grade tank, or pit Modification to an existing permit/or residual Closure plan only submitted for an exist or proposed alternative method Instructions: Please submit one application (Form C-144) per incomplete be advised that approval of this request does not relieve the operator of liability should navironment. Nor does approval relieve the operator of its responsibility to comply with any 1.	proposed alternative method egistration sting permitted or non-permitted pit, below-grade tank, dividual pit, below-grade tank or alternative request doperations result in pollution of surface water, ground water or the
Operator: Harvest Four Corners, LLC	OGRID #: 37388
Address: 1755 Arroyo Dr., Bloomfield, NM 87413	
Facility or well name: Haynie #002	
API Number: 30-045-24181 Haynie #002 - Hilcorp OCD Permit Number	
U/L or Qtr/Qtr NW/NE (B) Section 04 Township 30N Range 11	
Center of Proposed Design: Latitude 16.84612 Longitude	-107.99269NAD83
Surface Owner: Federal State Private Tribal Trust or Indian Allotment	Jorman and Kathy Foster 629 RD 2900 Aztec, NM 87410
2. □ Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A □ Multi-Well Fluid Manager □ Lined □ Unlined Liner type: Thicknessmil □ LLDPE □ HDI □ String-Reinforced Liner Seams: □ Welded □ Factory □ Other Volume	PE PVC Other
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC	
Volume: 45 bbl Type of fluid: Produced water	
Tank Construction material: Metal	
Secondary containment with leak detection Visible sidewalls, liner, 6-inch li	ft and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other _Buried - N	<u>o Liner Evident</u>
Liner type: Thicknessmil	
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the S	anta Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify Four ft high welded fence (hog wire) which may include top rebar rail or barbed wire or combination		
6.		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
☐ Screen ☐ Netting ☐ Other_Expanded metal		
☐ Monthly inspections (If netting or screening is not physically feasible)		
7. Signs: Subsection C of 19.15.17.11 NMAC		
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
☐ Signed in compliance with 19.15.16.8 NMAC No sign – tank scheduled for removal by 12/31/2021		
Signed in compliance with 19.13.10.8 NMAC NO Sign — tank scheduled for removal by 12/31/2021		
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source	
General siting		
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - ☑ NM Office of the State Engineer - iWATERS database search; ☐ USGS; ☑ Data obtained from nearby wells	☐ Yes ⊠ No ☐ NA	
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.	☐ Yes ☐ No	
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	⊠ NA	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality		
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division		
Within an unstable area. (Does not apply to below grade tanks) - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Yes		
Society; Topographic map Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map		
Below Grade Tanks		
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site		
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site □ Yes □		
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)		
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site		


Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Temporary Pit Non-low chloride drilling fluid			
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No		
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No		
Permanent Pit or Multi-Well Fluid Management Pit			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No		
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of			
 initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:			
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:			


Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the description is the subsection of the following items must be attached to the application.	documents are			
attached.	iocuments are			
☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Closure Frant - based upon the appropriate requirements of Subsection C of 17.13.17.7 MMAC and 17.13.17.13 MMAC				
13.				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fl	uid Management Pit			
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)On-site Closure Method (Only for temporary pits and closed-loop systems)				
☐ In-place Burial ☐ On-site Trench Burial				
Alternative Closure Method				
14. Weste Execution and Demoved Cleans Plan Checklist. (10.15.17.12 NMAC) Instructions. Each of the following items must be	attacked to the			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be a	illachea io ine			
closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC				
 ☑ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☑ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 				
 ☑ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☑ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 				
Site Recialitation Fian - based upon the appropriate requirements of Subsection 11 of 15.15.17.15 NWAC				
15.				
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC				
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are				
provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to				
19.15.17.10 NMAC for guidance.	ieuse rejer to			
Ground water is less than 25 feet below the bottom of the buried waste.	□ Vag □ Na			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	∐ Yes ∐ No			
- Nil Office of the State Engineer - TwATERS database search, 0505, Data obtained from hearby wens	□ NA			
Ground water is between 25-50 feet below the bottom of the buried waste				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA			
Ground water is more than 100 feet below the bottom of the buried waste.	∐ Yes ∐ No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	∐ NA			
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa	☐ Yes ☐ No			
lake (measured from the ordinary high-water mark).				
- Topographic map; Visual inspection (certification) of the proposed site				
Within 200 feet from a normanant residence calculation institution on shough in existence at the time of initial amplication				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∐ Yes ∐ No			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence	☐ Yes ☐ No			
at the time of initial application.				
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Written confirmation or verification from the municipality; Written approval obtained from the municipality Yes No				
Within 300 feet of a wetland.				
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance				

Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. - FEMA map 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC	1 NMAC
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain FEMA map 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. by a check mark in the box, that the documents are attached. □ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC □ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC □ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC □ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC	☐ Yes ☐ No ☐ Yes ☐ No ☐ Please indicate,
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain FEMA map 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC	Yes No Please indicate,
Society; Topographic map Within a 100-year floodplain. FEMA map 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC	Yes No Please indicate,
16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC	. Please indicate,
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC	1 NMAC
 □ Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot b □ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 	be achieved)
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	f
Name (Print): Monica Smith Title: Environmental Specialist	i•
Signature: Date: 10/15/2021	
e-mail address: msmith@harvestmidstream.com Telephone: _(505) 632-4625	
18. OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment)	
OCD Representative Signature: CRWhitehead Approval Date: October 2	r 20, 2021
Title: Environmental Specialist OCD Permit Number: BGT 2	
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not consection of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 11/22/20	complete this
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop If different from approved plan, please explain.	p systems only)
21. Closure Report Attachment Checklist: _Instructions: Each of the following items must be attached to the closure report. Please indicate mark in the box, that the documents are attached. ☑ Proof of Closure Notice (surface owner and division) ☐ Proof of Deed Notice (required for on-site closure for private land only)	icate, by a check

22.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements	s and conditions specified in the approved closure plan.
Name (Print): Monica Smith	Title:
Signature: ManicaSmath	Date: 12/29/2021
msmith@harvestmidstream.com e-mailaddress:	Telephone: 505-632-4625

OCD Closure Report Approval: Jaclyn Burdine Jaclyn Burdine, Environmental Specialist-A; 7/20/2022; BGT2





Released to Imaging: 7/20/2022 2:32:39 PMT

Farmington, NM • Durango, CO

animasenvironmental.com

D. Reese

APPROVED BY:

E. McNally

DATE APPROVED:

October 11, 2021

 $NW\frac{1}{4}$, $NE\frac{1}{4}$, SECTION 4, T30N, R11W SAN JUAN COUNTY, NEW MEXICO

N36.846123, W107.992686

Haynie 2

Site Specific Hydrogeology

Depth to groundwater is estimated to be between 50 and 100 feet. This estimation is based on data from Stone and others, 1983 and depth to groundwater data published on the New Mexico State Engineer's NMWRSS Database website. Local topography and proximity to surface hydrologic features are also taken into consideration.

Local aquifers include sandstones within the Nacimiento Formation, which ranges from 0 to 1000 feet deep in this area, as well as shallow aquifers within Quaternary alluvial deposits (Stone et al., 1983). The 1000-foot depth range for Nacimiento aquifers covers an area over 20 miles wide, and depth decreases towards the margin of the San Juan Basin. The site in question is more centrally located, and depth to the aquifer is expected to be closer to 1000 feet. It is well known that groundwater close to the Animas River can be shallow, as the Quaternary deposits near the river itself form shallow aquifers. The proposed site is situated 425 feet northwest of Farmers Ditch, and is approximately 120 feet higher in elevation.

Groundwater data available from the NM State Engineer's NMWRSS Database for wells near the proposed site are attached. The closest well to the proposed site is located 5 10 feet to the south-southeast, and is 120 feet lower in topographic elevation. Depth to groundwater within the well is 86 feet. A well to the southeast has a depth to groundwater of 10 feet below ground surface. This well is approximately 130 feet lower in elevation then the proposed site. Two wells to the north of the proposed site are approximately 80 feet higher in elevation. Depth to groundwater within the wells is 160 and 200 feet below ground surface.

particular purpose of the data.

Received by OCD: 12/29/2021 6:22:03 RM

Page 10 of 36

(with Ownership Information)

PLSS Search: Q16: NW 04: NE Section(s): 4 Township: 30N

Range: 11W

No PODs found.

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any



BGT Siting Criteria - Summary Information Sheet 19.15.17.10(A.8) NMAC

Pit Identifier:	BGT			
API #:	30-045-24181			
Lat/Long:	36.846123, -107.992686			
Qtr/Qtr-Section-Township-Range:	NW/NE (B)-04-30N-11W			
Land Jurisdiction:	Private - Norman and Kathy Foste	r		
County:	San Juan			
Determination made by:	Lany Cupps (Environmental Scien	tist)		
Date:	10/11/2021			
Depth t	o Groundwater Determination			
Is groundwater less than 25 feet below the bot	tom of below grade tank?	Yes 🗌	No 🗹	
Cathodic Report/Site Specific Hydrogeology	H.G. report indicates depth to gro	oundwater is 50-100 ft	: bgs	
Elevation Differential				
Water Wells	None in qtr/qtr			
Cathodic Report Nearby Wells				
Distance to Waterbodies				
Is the BGT within 100 feet of a continuously flow watercourse, lake bed, sinkhole, wetland or pla		Yes 🗌	No 🗹	
Nearest continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark): Farmers Ditch 425 feet to southeast.				
Distance to Water Sources				
Is the BGT within 200 horizontal feet of a spring or livestock consumption?	g or fresh water well used for pub	olic Yes 🗌	No 🗸	
Springs or wells within 200 feet:	No springs or registered wells wit	hin 200 feet.		

Site Name: Haynie #002

Harvest Four Corners LLC Closure Plan - Below Grade Tanks

In accordance with Rule 19.15.17.13 NMAC of the New Mexico Administrative Code (NMAC), the information within this document describes the closure requirements to be used by Harvest Four Corners LLC (Harvest) when closing Below Grade Tanks (BGTs). This is Harvest's standard procedure for all BGTs. A separate closure plan will be submitted for any BGT closure which does not conform to this plan.

Pit Rule Citation (NMAC)	Rule Requirement	Operator Requirements	
19.15.17.13.A		This plan describes Harvest proposed closure methods and the proposed procedures and protocols to implement and complete BGT closure.	
19.15.17.13.C(1)		Prior to commencing BGT closure, Harvest will obtain a NMOCD approved closure plan before any closure activities start. Harvest understands that the NMOCD considers the start of closure for a BGT is when the BGT is being removed from the ground.	
19.15.17.13.C(2)		Harvest will remove liquids and sludge from a BGT prior to commencing closure actions and will dispose the material in a NMOCD approved facility.	
19.15.17.13.C.3(a)	Closure Plan	Following removal of the tank and any liner material, Harvest will test the soils beneath the BGT in accordance with 19.15.17.13.C.3(a) NMAC. Samples will be collected from beneath the liner and/or BGT for obvious stained or wet soils, or any other evidence of contamination.	
19.15.17.13.C.3(b)		If any contaminant concentration is higher than the parameters listed in Table I of 19.15.17.13 NMAC, the NMOCD may require additional delineation upon review of the results and Harvest must receive approval before proceeding with closure.	
19.15.17.13.C.3(c)		Upon completion of BGT removal, if all contaminant concentrations are less than or equal to the parameters listed in Table I of 19.15.17.13 NMAC, the excavation will be backfilled with non-waste contained, uncontaminated, earthen material.	
19.15.17.13.E(1)	Notification	Notice of closure will be given to the surface owner at least 72 hours, but not more than one week, prior to any closure operation via Certified mail. As a variance (if approved with the closure plan), surface owners which are public entities (State, BLM, or Tribal) will be notified by email or phone. The notification of closure will include the following: operators name, well name and API number (if applicable), and location (ULSTR).	
19.15.17.13.E(2)	Notification	Notice of Closure will be given to the NMOCD office at least 72 hours, but not more than one week, prior to any closure operation via Certified mail. As a variance (if approved with the closure plan), the NMOCD district office will be notified by email or phone. The notification of closure will include the following: operators name, well name and API number (if applicable), and location (ULSTR).	
19.15.17.13.F(1)	Reporting	Operator will send the NMOCD a closure report in accordance with 19.15.17.F(1) NMAC within 60 days of closur including the following items: Proof of closure notice, analytical results, backfill information, revegetation, and photo documentation of reclamation. Harvest understands that the NMOCD considers the closure date the day which the BGT is backfilled and re-contoured. Revegetation is still required but, may be addressed in closure report.	
19.15.17.13.G.4(a)		Within 60 days of cessation of operations, Harvest will remove liquids and sludge from a BGT prior to implementing a closure method and will dispose of the material in a NMOCD approved facility. Disposal facilities to be used by Harvest are listed below based on the listed waste types.	
19.15.17.13.G.4(b)	Timing	Within 6 months of cessation of operations, Harvest will dispose, recycle, reuse, or reclaim the BGT in a NMOCD approved manner. If required, Harvest will provide documentation of the disposition of the BGT to the NMOCD. Liner materials will be cleaned to remove soils or contaminated material for disposal as solid waste. Disposal facilities to be used by Harvest are listed below based on the listed waste types.	
19.15.17.13.H.1(a)		Harvest will reclaim the area by substantially restoring the impacted surface area to the condition that existed prior to oil and gas operations by placement of soil cover as described below for 19.15.17.13.H.2 NMAC. The location and associated areas will be recontoured that approximates the original contour and blends with the surrounding topography and revegetate as described below for 19.15.17.13.H.5 NMAC.	
19.15.17.13.H.1(b)	Reclamation	Harvest will submit an alternative plan to be approved by the NMOCD and written approval from the surface owner before submitting the C-144 application.	
19.15.17.13.H.1(c)		If a BGT is removed from an area where production operations will continue, the area will be reclaimed in such a way to minimize dust and erosion to the extent practicable.	
19.15.17.13.H.2		Cover will include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.	
19.15.17.13.H.4		Harvest will construct the soil cover to the existing grade to prevent ponding of water and erosion of the cover material.	

Harvest Four Corners LLC Closure Plan - Below Grade Tanks

Pit Rule Citation (NMAC)	Rule Requirement	Operator Requirements
19.15.17.13.H.5(a) 19.15.17.13.H.5(b) 19.15.17.13.H.5(c) 19.15.17.13.H.5(d) 19.15.17.13.H.5(e)	Reclamation	For those portions of the former BGT area no longer in use with the exception where production operations will continue, the area will be reclaimed as nearly as practicable to their original condition or their final land use. Reclamation will begin as early as practical. The areas will be maintained to minimize dust and topsoils placed and contoured to limit erosion control, maintain stability, and preserve surface-water flow patterns. Harvest will seed the disturbed areas the first favorable growing season following closure of the BGT. Harvest will comply with obligations imposed by other applicable federal or tribal agencies in which their re-vegetation and reclamation requirements provide equal or better protection of fresh water, human health and the environment. Harvest will notify the NMOCD when reclamation and re-vegetation is complete.

Summary of Waste Materials and Disposal Facilities			
Waste Types Disposal Facility			
Steel Tank	San Juan County Landfill; Steel Recycling		
Fiberglass Tank	San Juan County Landfill; Bondad Landfill; Re-use		
Liner (cleaned – absent soil / sludge)	San Juan County Landfill; Bondad Landfill		
Sludge	Envirotech; Industrial Ecosystems Inc.; T-N-T; Bondad Landfill		
Liquids (Water / Hydrocarbons)	Basin Disposal; Key Energy; T-N-T		
Contaminated Soil	Envirotech; Industrial Ecosystems Inc.; T-N-T; Bondad Landfill		
Fencing / Miscellaneous	Re-use or Scrap		

Table 1 Closure Criteria for Soils Beneath Below Grade Tanks, Drying Pads Associated with Closed Loop Systems and Pits where contents are Removed			
Depth Below Bottom of pit to groundwater less than	Constituent	Method	Limit**
10,000 mg/l		COSTO COSTO COSTO	397012955A
	Chloride	EPA 300.0	600 mg/kg
	TPH	EPA SW-846	100 mg/kg
		Method 418.1	
≤50 feet	BTEX	EPA SW-846	50 mg/kg
		8021B or 8260B	
	Benzene	EPA SW-846	10 mg/kg
		8021B or 8260B	
	Chloride	EPA 300.0	10,000 mg/kg
	TPH	EPA SW-846	2,500 mg/kg
		Method 418.1	
	GRO+DRO	EPA SW-846	1,000 mg/kg
51 feet - 100 feet		Method 8015M	
	BTEX	EPA SW-846	50 mg/kg
		8021B or 8260B	
	Benzene	EPA SW-846	10 mg/kg
		8021B or 8260B	
	Chloride	EPA 300.0	20,000 mg/kg
	ТРН	EPA SW-846	2,500 mg/kg
>100 feet		Method 418.1	
	GRO+DRO	EPA SW-846	1,000 mg/kg
		Method 8015M	
	BTEX	EPA SW-846	50 mg/kg
		8021B or 8260B	
	Benzene	EPA SW-846	10 mg/kg
		8021B or 8260B	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 56449

CONDITIONS

Operator:	OGRID:
Harvest Four Corners, LLC	373888
1111 Travis Street	Action Number:
Houston, TX 77002	56449
	Action Type:
	[C-144] Below Grade Tank Plan (C-144B)

CONDITIONS

Created By	Condition	Condition Date
cwhitehead	None	10/20/2021

Monica Smith

From: Monica Smith

Sent: Friday, October 29, 2021 11:02 AM
To: Chris.Whitehead@state.nm.us
Cc: Powell, Brandon, EMNRD

Subject: Harvest Four Corners, LLC - Notice of Scheduled BGT Removal - Haynie #002

Harvest Four Corners, LLC hereby provides notice of intent to remove the following below grade tank (BGT) located on private land:

Location Name: Haynie #002 API Number: 30-045-24181

Tank Description: 45 BBL Produced Water BGT

Legal Description: Qtr/Qtr NWNE (B) Section 04, Township 30N, Range 11W

GPS Coordinates: 36.84612, -107.99269 Closure plan Approved: October 20, 2021

Landowner: Norman and Kathy Foster

Scheduled Start Date/Time: Wednesday November 3, 2021 - 10:00am

Notice will be provided to the private land owner as required.

Please let me know if there you need any additional information.

Thank You,

Monica Smith Harvest Four Corners, LLC <u>msmith@harvestmidstream.com</u> (505) 632-4625 - office (505) 947-1852 - cell

PO Box 61229 Houston, TX 77208

1111 Travis Street Houston, TX 77002 Phone: 713/209-2400 Fax 713/209-2478 harvestmidstream.com



October 29, 2021

Mr. Norman Foster and Mrs. Kathy Foster 629 Rd 2900 Aztec, NM 87410

RE: Notification of Below Grade Tank Closure - Haynie #002

Dear Mr. & Mrs. Foster,

Pursuant to the requirements of the New Mexico Oil Conservation District (OCD), Harvest hereby provides notice of the intent to remove the BGT at the following location:

Haynie #002 API No. 30-045-24181 Qtr/ Qtr NWNE, Section 4, Township 30N, Range 11W

BGT removal is scheduled for November 3, 2021at 10:00am

You may contact me at (505) 632-4625 with any questions regarding this notification.

Sincerely,

Monicasman

Monica Smith

Environmental Specialist

Received by OCD:	12/29/202	21 6	CERTIFIED MAIL (Pomestic Mail Only: No Insurance Coverage Providence)	7 of 36
	<u></u>	<u></u>	(Domestic Mail Only; No Insurance Coverage Provide	ded)
H H H		吕	For delivery information visit our website at www.usps.com	n _®
HE BIC	DESCRIPTION OF THE PROPERTY OF	⇉	OFFICIAL US	
AT DOTT		986	Postage \$	
N C C C C C C C C C C C C C C C C C C C	m	m	Certified Fee	
P OF EN		000	Return Receipt Fee (Endorsement Required)	(
AAT TO AND TO AN			Restricted Delivery Fee (Endorsement Required)	
THE BELLIA	[] []	2250	Total Fostage & Food	
PLAC		m	Sent To	
Control to the contro			or PO Box No. 629 Road 2900	
Released to Imagi	ng: 7/20/2	022	City Chata 7ID: 4	
L			PS Form 3800, August 2006 See Reverse for I	nstructions

Certifical by OCD: 12/29/2021 6:22:03 PM

- A mailing receipt
- A unique identifier for your mailpiece
- A record of delivery kept by the Postal Service for two years

Important Reminders:

- Certified Mail may ONLY be combined with First-Class Mail_® or Priority Mail_®.
- Certified Mail is not available for any class of international mail.
- NO INSURANCE COVERAGE IS PROVIDED with Certified Mail. For valuables, please consider Insured or Registered Mail.
- For an additional fee, a Return Receipt may be requested to provide proof of delivery. To obtain Return Receipt service, please complete and attach a Return Receipt (PS Form 3811) to the article and add applicable postage to cover the fee. Endorse mailpiece "Return Receipt Requested". To receive a fee waiver for a duplicate return receipt, a USPS_® postmark on your Certified Mail receipt is required.
- For an additional fee, delivery may be restricted to the addressee or addressee's authorized agent. Advise the clerk or mark the mailpiece with the endorsement "Restricted Delivery".
- If a postmark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry.

PS FReleased to Imaging: P7/20/2022 2:32:39 PM

so that we can return the card to you.

Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Norman Foster and Kathy Foster
629 Road 2900
Aztec, NM 87410



9590 9402 3393 7227 2695 37

2. Article Number (Transfer from service label)

☐ Adult Signature Restricted Delivery
☐ Certified Mail®
☐ Certified Mail Restricted Delivery
☐ Collect on Delivery

Service Type

□ Adult Signature

B. Received by (Printed Name)

D. Is delivery address different from item 1?

If YES, enter delivery address below:

Collect on Delivery Restricted Delivery

□ Priority Mail Express®
 □ Registered MailTM
 □ Registered Mail Restricted

C. Date of Delivery

T Yes

☐ No

Delivery

Return Receipt for
Merchandise

□ Signature Confirmation™

Merchandise

☐ Signature Confirmation™
☐ Signature Confirmation
Restricted Delivery

Released to Imaging: 7/20/2022 2:32:39 PM

PS Form 3811, July 2015 PSN 7530-02-000-9053

Domestic Return Receipt

Received by OCD: 12/29/29278 122.95 PM





First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

9590 9402 3393 7227 2695 37

United States Postal Service Sender: Please print your name, address, and ZIP+4® in this box
 HaxVest Four Corners, LLC
 A+4n: Kayligh Ruybalid
 1755 Arroyo Drive
 Bloomfield, NM 87413



\$7.96 US POSTAGE

10/29/2021 From 87413 0 lbs 1 ozs



Pitney Bowes

026W0004897572

9059885885

USPS FIRST-CLASS™ MAIL

TRISTEN RUYBALID HARVEST MIDSTREAM 1755 Arroyo Dr Bloomfield NM 87413-9034


Return Receipt Requested

R001

NORMAN FOSTER & KATHY FOSTER 629 ROAD 2900 AZTEC NM 87410-1040




241




Prother









Site Name	Hannic	#2		
Excavation Dim				
		8' o" Wi	idth	Depth
Excavation Diag			s, sample locations, north	arrow, etc.)
TO BE AN	. / .	• ₩2 °₩3		
THE SHARE		0 堆1		
		ĦS		
		. #4 . #5		
		в #4 в #5		
		в #4 ° #5		
Sample Inform	nation			
OCD Witness S	nation Sampling Yes or			
OCD Witness S Agency(s) Repo	nation Sampling Yes or resentative(s)		Location (Floor, Sidewall)	Comments
OCD Witness S	nation Sampling Yes or	Туре	Location	Comments
OCD Witness S Agency(s) Repo	nation Sampling Yes or resentative(s) Sample Date	Type (Composite, Grab)	Location (Floor, Sidewall)	Comments
OCD Witness S Agency(s) Repo	nation Sampling Yes or resentative(s) Sample Date	Type (Composite, Grab)	Location (Floor, Sidewall)	Comments
OCD Witness S Agency(s) Repo	nation Sampling Yes or resentative(s) Sample Date	Type (Composite, Grab)	Location (Floor, Sidewall)	Comments
OCD Witness S Agency(s) Repo	nation Sampling Yes or resentative(s) Sample Date	Type (Composite, Grab)	Location (Floor, Sidewall)	Comments



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: clients.hallenvironmental.com

November 18, 2021

Monica Sandoval

Harvest

1755 Arroyo Dr.

Bloomfield, NM 87413

TEL: (505) 632-4475

FAX

RE: Haynie 2 OrderNo.: 2111262

Dear Monica Sandoval:

Hall Environmental Analysis Laboratory received 1 sample(s) on 11/4/2021 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued November 12, 2021.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order **2111262**

Date Reported: 11/18/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Harvest Client Sample ID: Bottom

 Project:
 Haynie 2
 Collection Date: 11/3/2021 10:15:00 AM

 Lab ID:
 2111262-001
 Matrix: SOIL
 Received Date: 11/4/2021 7:15:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	CAS
Chloride	ND	60	mg/Kg	20	11/6/2021 2:59:29 PM	63796
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	: SB
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	11/8/2021 2:58:32 PM	63789
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	11/8/2021 2:58:32 PM	63789
Surr: DNOP	91.4	70-130	%Rec	1	11/8/2021 2:58:32 PM	63789
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/6/2021 12:25:51 PM	63765
Surr: BFB	98.6	70-130	%Rec	1	11/6/2021 12:25:51 PM	63765
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	11/6/2021 12:25:51 PM	63765
Toluene	ND	0.048	mg/Kg	1	11/6/2021 12:25:51 PM	63765
Ethylbenzene	ND	0.048	mg/Kg	1	11/6/2021 12:25:51 PM	63765
Xylenes, Total	ND	0.097	mg/Kg	1	11/6/2021 12:25:51 PM	63765
Surr: 4-Bromofluorobenzene	99.2	70-130	%Rec	1	11/6/2021 12:25:51 PM	63765

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 5

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: **2111262** *18-Nov-21*

Client: Harvest
Project: Haynie 2

Sample ID: MB-63796 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 63796 RunNo: 82658

Prep Date: 11/5/2021 Analysis Date: 11/6/2021 SeqNo: 2934243 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-63796 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 63796 RunNo: 82658

Prep Date: 11/5/2021 Analysis Date: 11/6/2021 SeqNo: 2934244 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.0 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 5

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2111262

18-Nov-21

Client: Harvest **Project:** Haynie 2

Sample ID: MB-63789 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 63789 RunNo: 82690 Units: mg/Kg Prep Date: 11/5/2021 Analysis Date: 11/8/2021 SeqNo: 2936051 Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Result Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 8.8 10.00 88.4 70 130

Sample ID: LCS-63789 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 63789 RunNo: 82690 Prep Date: 11/5/2021 Analysis Date: 11/8/2021 SeqNo: 2936052 Units: mg/Kg SPK value SPK Ref Val %REC Analyte PQL LowLimit HighLimit %RPD **RPDLimit** Qual

Diesel Range Organics (DRO) 48 10 50.00 95.7 68.9 135 Surr: DNOP 4.6 5.000 91.7 70 130

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 3 of 5

OC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: **2111262**

18-Nov-21

Client: Harvest
Project: Haynie 2

Sample ID: mb SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: G82648 RunNo: 82648

Prep Date: Analysis Date: 11/5/2021 SeqNo: 2933632 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Surr: BFB
 990
 1000
 99.2
 70
 130

Sample ID: 2.5ug gro Ics SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: G82648 RunNo: 82648

Prep Date: Analysis Date: 11/5/2021 SeqNo: 2933633 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: BFB 1100 1000 110 70 130

Sample ID: MB-63765 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 63765 RunNo: 82648

Prep Date: 11/4/2021 Analysis Date: 11/6/2021 SeqNo: 2933643 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 960 1000 95.8 70 130

Sample ID: LCS-63765 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 63765 RunNo: 82648

Prep Date: 11/4/2021 Analysis Date: 11/6/2021 SeqNo: 2933644 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Gasoline Range Organics (GRO)
 22
 5.0
 25.00
 0
 88.9
 78.6
 131

 Surr: BFB
 1100
 1000
 109
 70
 130

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 5

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: **2111262**

18-Nov-21

Client: Harvest
Project: Haynie 2

Sample ID: MB-63765 SampType: MBLK TestCode: EPA Method 8021B: Volatiles PBS Client ID: Batch ID: 63765 RunNo: 82648 Prep Date: 11/4/2021 Analysis Date: 11/6/2021 SeqNo: 2933696 Units: mg/Kg PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Result Benzene ND 0.025 Toluene ND 0.050 ND 0.050 Ethylbenzene Xylenes, Total ND 0.10 Surr: 4-Bromofluorobenzene 0.97 1.000 97.5 70 130

SampType: LCS Sample ID: Ics-63765 TestCode: EPA Method 8021B: Volatiles Client ID: LCSS Batch ID: 63765 RunNo: 82709 Units: mg/Kg Prep Date: 11/4/2021 Analysis Date: 11/9/2021 SeqNo: 2936451 PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 0.025 1.000 0 91.5 80 120 0.91 Benzene Toluene 0.93 0.050 1.000 0 93.0 80 120 0.050 0 93.0 80 120 Ethylbenzene 0.93 1.000 2.8 0.10 3.000 0 92.9 80 120 Xylenes, Total 101 Surr: 4-Bromofluorobenzene 1.0 1.000 70 130

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

Sample Log-In Check List

TEL: 505-345-3975 FAX: 505-345-4107 Website: clients.hallenvironmental.com Client Name: Harvest Work Order Number: 2111262 RcptNo: 1 Received By: Cheyenne Cason 11/4/2021 7:15:00 AM Completed By: Isaiah Ortiz 11/4/2021 11:04:13 AM Reviewed By: 11/4/41 15:57 Chain of Custody 1. Is Chain of Custody complete? Yes 🗸 No 🗌 Not Present 2. How was the sample delivered? Courier Log In 3. Was an attempt made to cool the samples? Yes 🗸 No \square NA 🗌 Were all samples received at a temperature of >0° C to 6.0°C Yes 🗸 NA 🗍 5. Sample(s) in proper container(s)? Yes 🗸 No 🗌 6. Sufficient sample volume for indicated test(s)? Yes 🗸 No 🗌 7. Are samples (except VOA and ONG) properly preserved? Yes 🗸 No 🗌 8. Was preservative added to bottles? Yes 🗌 No 🗸 NA 🗌 9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes No 🗌 NA 🗸 10. Were any sample containers received broken? Yes 🗌 No 🗸 # of preserved bottles checked 11. Does paperwork match bottle labels? Yes 🗸 No 🗌 for pH: (Note discrepancies on chain of custody) (\$2 or >12 unless noted) 12. Are matrices correctly identified on Chain of Custody? Yes 🗸 No \square Adjusted? 13. Is it clear what analyses were requested? Yes 🗸 No 🗌 14. Were all holding times able to be met? Checked by CM 11/4/U Yes 🗸 No 🗌 (If no, notify customer for authorization.) Special Handling (if applicable) 15. Was client notified of all discrepancies with this order? Yes No 🗌 NA 🗸 Person Notified: Date: By Whom: Via: eMail Phone Fax Regarding: Client Instructions:

16. Additional remarks:

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.1	Good	Not Present		oou, buto	Oigned by

Chain-of-Custody Record Turn-Around Time:		Rece	Rece
	HALL E	TAL	ived by
Mailing Address:	Supplied waxaw	DRATOR	0Cl
	4901 Hawkins NIT		D: 12
Froyo Dr. Bloom A. & ld Nim. Project #: -		erque, NM 87109	2/29/
-4953	Analysis	505-345-4107	/2 <i>0</i> 2
QA/QC Package:	(O)	Isanbay	1 6:2
□ Standard □ Level 4 (Full Validation)) / WF	S,BO	2:03
	O SIN	d 280	PM —
	T + O.5 .81 .40	08 /	(N
Sample Temperature: 6.1.2.0.1.51.((GF) (GF) (GF) (GF)	səp	Y or
Date Time Matrix Sample Request ID Container Preservative HEAL No.	X + 似 共 X + MT 8015B (Metho (Metho (8310 8 (8310	D, F) (P, C) AOV) 8 /-ime8)) səlqc
12	TE) TPH TPH SCR (CR)	180 260E	luB 1
Bortom 4 oz Cool		8	iA ∵
88			
		1	
			T
			T
			T
			T
Date: Time: Relinguished by:			T
2'co Amel III. Date	Remarks:	has FUPCH Mid CAPPED 180	
Time: Relinguished by: Recei			Pas
(1001, W/4/2	Sdean@harrest Midstram.com		ge 35 of
This	serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.		f 36

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 69542

CONDITIONS

Operator:	OGRID:
Harvest Four Corners, LLC	373888
1111 Travis Street	Action Number:
Houston, TX 77002	69542
	Action Type:
	[C-144] PIT Generic Plan (C-144)

CONDITIONS

Created B	y Condition	Condition Date
jburdine	e None	7/20/2022