District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Permit or Closure Plan Application

BGT1 Closure Report or proposed alternati Instructions: Please s Please be advised that approval of this reques	Below grade tank registration Permit of a pit or proposed alternative me Closure of a pit, below-grade tank, or pro Modification to an existing permit/or regis Closure plan only submitted for an existing two method white one application (Form C-144) per individuals of the complex of the co	posed alternative method stration ag permitted or non-po- dual pit, below-grade to perations result in polluti	ermitted pit, below-grade tank, ank or alternative request ion of surface water, ground water or the
operator: Simcoe, LLC		OGRID #. 329736	
Address: 1199 Main Ave., Suite 101,	Durango, CO 81301	_ OGRID #	
Facility or well name: Vandewart #002			
•		Number:	
U/L or Qtr/Qtr M Section	Township 29N Ran	ge 8W Count	ty: San Juan
Center of Proposed Design: Latitude 36	13 Township 29N Ran 2.72018051 Longitude	107.6322883	NAD83
	Private Tribal Trust or Indian Allotment		
Lined Unlined Liner type: This String-Reinforced Liner Seams: Welded Factory 3. Below-grade tank: Subsection I of Volume: 95 bbl Tank Construction material: Steel Secondary containment with leak det Visible sidewalls and liner Visit	tion	□ PVC □ Otherbbl Dime	ensions: Lx Wx D
Alternative Method: Submittal of an exception request is requ	ired. Exceptions must be submitted to the San	a Fe Environmental Bu	reau office for consideration of approval.
Chain link, six feet in height, two stra institution or church)	IMAC (Applies to permanent pits, temporary p nds of barbed wire at top (Required if located were wire evenly spaced between one and four feet	rithin 1000 feet of a perr	·

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other		
☐ Monthly inspections (If netting or screening is not physically feasible)		
7. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC		
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
9. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below.</i> Siting criteria does not apply to drying pads or above-grade tanks.	ptable source	
General siting		
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No	
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No	
Below Grade Tanks		
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site		
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)		
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	

 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No			
Temporary Pit Non-low chloride drilling fluid				
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No			
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Permanent Pit or Multi-Well Fluid Management Pit				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa				
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No			
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:				
11.				
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
☐ Previously Approved Design (attach copy of design) API Number: or Permit Number:				

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are		
attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC			
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
☐ Quality Control/Quality Assurance Construction and Installation Plan ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
☐ Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan			
Emergency Response Plan			
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
13.			
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit		
☐ Alternative Proposed Closure Method: ☐ Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (Only for temporary pits and closed-loop systems)			
☐ In-place Burial ☐ On-site Trench Burial			
Alternative Closure Method			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be	attached to the		
closure plan. Please indicate, by a check mark in the box, that the documents are attached.	unucneu io ine		
☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC			
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
15			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC			
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour			
provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F	Please refer to		
19.15.17.10 NMAC for guidance.			
Ground water is less than 25 feet below the bottom of the buried waste.	☐ Yes ☐ No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA		
Ground water is between 25-50 feet below the bottom of the buried waste	☐ Yes ☐ No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA		
Ground water is more than 100 feet below the bottom of the buried waste.			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	│		
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa			
lake (measured from the ordinary high-water mark).	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	103 110		
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence	Yes No		
at the time of initial application.			
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site			
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No		
Within 300 feet of a wetland.			
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	□ V _a -□ N		
	Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance			

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological				
Society; Topographic map Within a 100-year floodplain.	☐ Yes ☐ No			
- FEMA map	☐ Yes ☐ No			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
17. Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli				
Name (Print): Title:				
Signature: Date:				
e-mail address: Telephone:				
18. Report OCD Approval: Permit Application (including closure plan) Closure Plan (only) COD Conditions (see attachment)				
OCD Representative Signature: <u>Jaclyn Burdine</u> Approval Date: <u>07/26/2</u>	2022			
Title: Environmental Specialist-A OCD Permit Number: BGT1				
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.				
Closure Completion Date: 3/21/2022	· · · · · · · · · · · · · · · · · · ·			
	op systems only)			

F	
Operator Closure Certification:	
	osure report is true, accurate and complete to the best of my knowledge and equirements and conditions specified in the approved closure plan.
Name (Print): Sabre Beebe	Title: Field Environmental Coordinator
Signature: Sabre Beebe	Date: 5/3/2022
e-mail address: sabre.beebe@ikavenergy.com	Telephone: (970) 852-5172

SIMCOE, LLC SAN JUAN BASIN, NORTHWEST NEW MEXICO

Well Name: Vandewart #002 Well API# 30-045-24031 Unit Letter M, Section 13, T29N, R8W

BELOW-GRADE TANK CLOSURE PLAN

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on this SIMCOE, LLC well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, SIMCOE, LLC shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety, or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. SIMCOE, LLC shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the SIMCOE, LLC NMOCD approved BGT design attached to the SIMCOE, LLC Design and Construction Plan. SIMCOE, LLC shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the SIMCOE, LLC NMOCD approve BGT Design attached to the SIMCOE, LLC Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. SIMCOE, LLC shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. SIMCOE, LLC shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice was provided and is attached.

2. SIMCOE, LLC shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township, and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number, and API number.

Notice was provided and is attached.

- 3. SIMCOE, LLC shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be utilized are:
 - a. JFJ Land farm, Permit NM-01-010(B) (Solids and Sludge)
 - b. Basin Disposal, Permit NM-01-0005 (Liquids)
 - c. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - d. Simcoe, LLC Operated 13 GCU SWD # 1, API 30-045-28601 (Liquids)
 - e. Simcoe, LLC Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - f. Simcoe, LLC Operated GCU 306 SWD, API30-045-24286 (Liquids)
 - g. Simcoe, LLC Operated GCU 307 SWD, API30-045-24248 (Liquids)
 - h. Simcoe, LLC Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - i. Simcoe, LLC Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. Simcoe, LLC shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for reuse.

5. Simcoe, LLC shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. Simcoe, LLC shall sample the soils beneath the BGT to determine whether a release has occurred. Simcoe, LLC shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH, and chlorides. The testing methods for those constituents are as follows.

Constituents	Testing Method	Closure Criteria (mg/kg)	5PC-TB@5'(95) Results (mg/kg)
Chloride	US EPA Method 300.0	20,000	ND
TPH	US EPA Method SW-846 418.1	2,500	ND
GRO + DRO	US EPA Method SW-846 8015M	1,000	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
Benzene	US EPA Method SW-846 8021B or 8260B	10	ND

Notes: mg/kg- milligram per kilogram; GRO- gasoline range organics; DRO- diesel range organics; TPH- total petroleum hydrocarbons; BTEX- benzene, toluene, ethylbenzene, and total xylenes; ND- analyte not detected. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by whichever concentration level is greatest.

Soils beneath the BGT were sampled for TPH, BTEX, and chloride per the above requirements. TPH, BTEX, and chloride were all non-detect based on laboratory analytical results.

- 7. Simcoe, LLC shall notify the division District III office of its results on form C-141. **Form C-141 is attached.**
- 8. If it is found that a release has occurred, then Simcoe, LLC will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results and field observations reveal no evidence of a release had occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then Simcoe, LLC shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

No evidence of a release. Area backfilled / regraded.

10. Simcoe, LLC shall reclaim the BGT location, and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. Simcoe, LLC shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC. 11. The

soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.

Area backfilled / regraded. No reclamation to be done at this time as former BGT location is located on well pad within area needed for production operations or subsequent drilling.

12. Simcoe, LLC shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be conducted by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-affected by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

Area backfilled / regraded. No reclamation to be done at this time as former BGT location is located on well pad within area needed for production operations or subsequent drilling.

- 13. Simcoe, LLC shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

 Area backfilled / regraded. No reclamation to be done at this time as former BGT location is located on well pad within area needed for production operations or subsequent drilling.
- 14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, Simcoe, LLC shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

 Area backfilled / regraded. No reclamation to be done at this time as former BGT location is located on well pad within area needed for production operations or subsequent drilling.
- 15. Within 60 days of closure completion, Simcoe, LLC shall submit a closure report on NMOCD's form C-144, and will include the following:
 - a. proof of closure notification (surface owner and NMOCD),
 - b. sampling analytical reports: information required by 19.15.17 NMAC,
 - c. disposal facility name and permit number,
 - d. details on back-filling, capping, covering; and, where applicable, re-vegetation application rates and seeding techniques; and,
 - e. site reclamation, photo documentation, disposal facility name, and permit number

Closure report on Form C-144 is included and contains a photo of the location.

16. Simcoe, LLC shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of Form C-144 has been completed.

Sundry Print Report

County or Parish/State: SAN

Page 10 of 27

BUREAU OF LAND MANAGEMENT Well Name: VANDEWART

Well Location: T29N / R8W / SEC 13 /

SWSW / 36.72052 / -107.632309 JUAN / NM

Allottee or Tribe Name: Type of Well: CONVENTIONAL GAS

Well Number: 2

WELL

Lease Number: NMSF078502

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004524031

Well Status: Producing Gas Well

Operator: SIMCOE LLC

Notice of Intent

Sundry ID: 2660626

Type of Submission: Notice of Intent Type of Action: Other

Date Sundry Submitted: 03/08/2022 Time Sundry Submitted: 07:09

Date proposed operation will begin: 03/21/2022

Procedure Description: Notice of Intent to close Below Grade Tank (BGT) on subject well. Work will begin on March 21, 2022 @ 1:30 pm. Closure will be performed per the BGT registration with the NMOCD Closure Plan.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

2022.03.07_Vandewart_002_BGT_Aerial_Map_for_BLM_Sundry_20220308070905.pdf

Received by OCD: 5/6/1202726532134 AMT

Well Location: T29N / R8W / SEC 13 / SWSW / 36.72052 / -107.632309

JUAN / NM

Well Number: 2

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

County or Parish/State: SAN

Page 11 of 27

Lease Number: NMSF078502

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004524031

Well Status: Producing Gas Well

Operator: SIMCOE LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SABRE BEEBE Signed on: MAR 08, 2022 07:09 AM

Name: SIMCOE LLC

Title: Compliance Specialist

Street Address: 1199 MAIN AVENUE SUITE 101 City: DURANGO State: CO

Phone: (970) 769-9523

Email address: SABRE.BEEBE@IKAVENERGY.COM

Field Representative


Representative Name:

Street Address:

State: City: Zip:

Phone:

Email address:



Vandewart 002 API# 30-045-24031 BGT Closure map 36.720184, -107.632298 Scheduled for closure on 3/21/2022 @ 1:30 PM

Emma Millar

From: Sabre Beebe <sabre.beebe@ikavenergy.com>

Sent: March 14, 2022 2:01 PM

To: ocd.enviro@state.nm.us; victoria.venegas@state.nm.us

Cc: Julie Best; Jonathan Divine; Don Buller

Subject: SIMCOE, LLC Vandewart 002 Below Grade Tank (BGT) Closure

SENT VIA E-MAIL

March 14, 2022

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

Well Name: Vandewart 002 API#: 30-045-24031 M-13-29N-08W

San Juan County, NM

To Whom It May Concern:

With regards to the captioned subject well and requirements of the NMOCD Pit Rule 19.15.17.13, this letter is notification that SIMCOE LLC is planning to close a 95 bbl BGT that will no longer be operational at the above well site. We anticipate this work to start on or around March 21, 2022 at 1:30 PM.

Should you have any questions, please feel free to contact SIMCOE LLC.

Sincerely,

Sabre Beebe



Sabre Beebe

Field Environmental Coordinator

Office: (970) 852-5172 Mobile: (970)-769-9523

E-Mail: sabre.beebe@ikavenergy.com

Confidentiality notice:

This e-mail communication (and any attachment/s) are confidential and are intended only for the individual(s) or entity named above and to others who have been specifically authorized to receive it. Any information in this email and attachments may be legally privileged. If you are not the intended recipient, any disclosure, copying, reading,

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party SIMCOE, LLC			OGRID	OGRID 329736			
			Contact	Contact Telephone (970) 852-5172			
				# (assigned by OCD)			
			e., Suite 101 Du	ırango, CO 81	301		
			Location	of Release			
_{atitude} 36	.72018	051		Longitud	_e -107.6322	2883	
			(NAD 83 in de	cimal degrees to 5 de	ecimal places)		
Site Name Va	andewart #	#002		Site Typ	^e Natural Gas W	Vell	
Date Release	Discovered	NA		API# (if	applicable) 30-045-	-24031	
II.'4 I .44	gt.	Т 1.	D			1	
Unit Letter	Section	Township	Range		ounty		
M	13	29N	8W	San	Juan		
urface Owne	r: State	■ Federal T	ribal	Name:	f Release)	
Crude Oil		Volume Release		calculations or speci	Volume Reco	volumes provided below)	
						Volume Recovered (bbls)	
Produced Water Volume Released (bbls) Is the concentration of dissolved chlorid produced water >10,000 mg/l?		hloride in the		Yes No			
Condensate Volume Released (bbls)			Volume Recovered (bbls)				
Natural Gas Volume Released (Mcf)			Volume Recovered (Mcf)				
Other (describe) Volume/Weight Released (provide uni		e units)	Volume/Weight Recovered (provide units)				
Cause of Rele	IPH,	•	hloride were n release has c		sed on laborat	tory analytical results.	


Received by OCD: 5/6/2022 6:32:34 AM State of New Mexico
Page 2 Oil Conservation Division

	Page 15 of 2
cident ID	
istrict RP	
acility ID	

Application ID

Was this a major	If YES, for what reason(s) does the respon	sible party consider this a major release?
release as defined by	if TES, for what reason(s) does the respon	siole party consider this a major release.
19.15.29.7(A) NMAC?		
☐ Yes ■ No		
If YES, was immediate no	otice given to the OCD? By whom? To wh	om? When and by what means (phone, email, etc)?
Not required.		
	Initial Re	sponse
The responsible	party must undertake the following actions immediately	unless they could create a safety hazard that would result in injury
☐ The source of the rele	ease has been stopped.	
☐ The impacted area ha	s been secured to protect human health and	the environment.
Released materials ha	ave been contained via the use of berms or d	kes, absorbent pads, or other containment devices.
☐ All free liquids and re	ecoverable materials have been removed and	managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, explain v	vhy:
		mediation immediately after discovery of a release. If remediation
		fforts have been successfully completed or if the release occurred ease attach all information needed for closure evaluation.
		est of my knowledge and understand that pursuant to OCD rules and
regulations all operators are	required to report and/or file certain release notif	ications and perform corrective actions for releases which may endanger
		CD does not relieve the operator of liability should their operations have at to groundwater, surface water, human health or the environment. In
addition, OCD acceptance o and/or regulations.	f a C-141 report does not relieve the operator of t	esponsibility for compliance with any other federal, state, or local laws
C	eebe	Title: Field Environmental Coordinator
Printed Name: Sabre Be		
Signature: Sabra	Beebe	Date:
email: sabre.beebe@ik	avenergy.com	Telephone: (970) 852-5172
OCD Only		
Received by:		Date:

CLIENT: Simuoe	COTTONWOOD CONSULTING LLC P.O. BOX 1653, DURANGO, COLO. 81303 (970) 764-7356	API#: 30-045-2403 TANK ID (if applicble):		
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER:	PAGE#: of)		
SITE INFORMATION	: SITE NAME: Vandewart #002	DATE STARTED: 3/21/22		
QUAD/UNIT: M SEC: 13 TWP:	29N RNG: 8W PM: NMPM CNTY: Sandum ST: NM	DATE FINISHED: 3/21/22		
1/4-1/4/FOOTAGE: 860 FSL 1	LEASE TYPE: FEDERALY STATE / FEE / INDIAN	ENVIRONMENTAL		
LEASE #: SF 078502	PROD. FORMATION: Dakota CONTRACTOR: Kelly Dilfield	SPECIALIST(S): 14-S		
REFERENCE POINT		OLELDA: A GOOD		
	30. 120419, 101.0			
1) 95 bbl BGT		CE/BEARING FROM P&A:		
2)	GPS COORD.: DISTANCE	CE/BEARING FROM P&A:		
3)	GPS COORD.: DISTANC	CE/BEARING FROM P&A:		
4)	GPS COORD.: DISTANCE	CE/BEARING FROM P&A:		
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB USED:	OVM READING (ppm)		
1) SAMPLEID: SPC-TBD 5'((15) SAMPLE DATE: 3/23/22 SAMPLETIME: 10/0 LAB ANALYSIS: B	TEX, TPH, chloride 0.5		
2) SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	0.6		
3) SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:			
4) SAMPLE ID: 5) SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS: SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:			
	: SOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER			
COHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / COHESIVE / COHESIVE / COHESIVE SOILS): (COSE) FIRM / DENSE / VERY DENSE CONSISTENCY (NON COHESIVE SOILS): (COSE) FIRM / DENSE / VERY DENSE CONSISTENCY (NON COHESIVE SOILS): (COSE) FIRM / DENSE / VERY DENSE CONSISTENCY (NON COHESIVE SOILS): (COSE) FIRM / DENSE / VERY DENSE CONSISTENCY (NON COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CONSISTENCY (NON COHESIVE) SOILS): (COSE) FIRM / DENSE / VERY DENSE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CONSISTENCY OF COURSE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CONSISTENCY OF COURSE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CONSISTENCY OF COURSE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CONSISTENCY OF COURSE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CONSISTENCY OF COURSE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD COOR DETECTED: YES / NO EXPLANATION - ANY AREAS DISPLAYING WETNESS: YES / NO EXPLANATION - ANY AREAS				
DEPTH TO GROUNDWATER: >/00	NEAREST WATER SOURCE: NEAREST SURFACE WATER:	NMOCD TPH CLOSURE STD: 2500 ppm		
Vandewort 2	BGT Located: off /on site PLOT PLAN circle: attached	OWN CALIB. READ. = 100 ppm RF=1.00 OWN CALIB. GAS = 100 ppm TIME: 0900 @Mpm DATE: 3123122 MISCELL. NOTES		
	SSION BG = BELOW GRADE; B = BELOW; T.H. = TEST HOLE; ~= APPROX; W.H. = WELL HEAD; T.B. = TANK TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W. = RETAINING WALL; NA-NOT APPLICABLE O	Permit date(s): OCD Appr. date(s): Tank OVM = Organic Vapor Meter ppm = parts per million BGT Sidewalls Visible: Y N BGT Sidewalls Visible: Y / N		
NOT AVAILABLE; SW-SINGLE WALL; DW-DO	TANK LOCATION, SPD = SAMPLE POINT DESIGNATION, R.W. = RETAINING WALL; NA - NOT APPLICABLE OF UBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOTTOM. ONSITE:	Magnetic declination:		
	OHOITE.			





75 Suttle Street Durango, CO 81303 970.247.4220 Phone 970.247.4227 Fax www.greenanalytical.com

30 March 2022

Kyle Siesser Cottonwood Consulting PO Box 1653 Durango, CO 81302

RE: BTEX/TPH, CI

Enclosed are the results of analyses for samples received by the laboratory on 03/21/22 16:20. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

Debbie Zufelt

Reports Manager

Deldie Zufett

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at http://greenanalytical.com/certifications/

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-13

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-21-14



Durango CO, 81302

dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Cottonwood Consulting PO Box 1653 Project: BTEX/TPH, Cl
Project Name / Number: Vandewart 002
Project Manager: Kyle Siesser

Reported:

03/30/22 10:21

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
5PC-TB@5'(95)	2203190-01	Solid	03/21/22 15:00	03/21/22 16:20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 2 of 7 2203190 GAL FINAL 03 30 22 1021 03/30/22 10:21:48

Released to Imaging: 7/26/2022 10:42:48 AM

seldie Zufett



www.GreenAnalytical.com

Cottonwood Consulting PO Box 1653

Durango CO, 81302

Project: BTEX/TPH, Cl
Project Name / Number: Vandewart 002
Project Manager: Kyle Siesser

Reported: 03/30/22 10:21

5PC-TB@5'(95)

2203190-01 (Sc	- :1\
7.703190-01 (80	1111

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
General Chemistry									
% Dry Solids	93.7			%	1	03/23/22 16:35	EPA160.3/1684		VJW
Soluble (DI Water Extraction)									
Chloride	<10.7	10.7	0.325	mg/kg dry	10	03/25/22 20:38	EPA300.0		AES
Subcontracted Cardinal	Laboratories 1	01 East I	Marland	Hobbs, I	NM 882	240			
Volatile Organic Compounds by EPA	Method 8021								
Benzene*	< 0.050	0.050	0.004	mg/kg	50	03/28/22 15:30	8021B		MS\
Toluene*	< 0.050	0.050	0.006	mg/kg	50	03/28/22 15:30	8021B		MS\
Ethylbenzene*	< 0.050	0.050	0.006	mg/kg	50	03/28/22 15:30	8021B		MS\
Total Xylenes*	< 0.150	0.150	0.014	mg/kg	50	03/28/22 15:30	8021B		MS\
Total BTEX	< 0.300	0.300	0.030	mg/kg	50	03/28/22 15:30	8021B		MS\
Surrogate: 4-Bromofluorobenzene (PID)			105 %	69.9-140		03/28/22 15:30	8021B		MS\
Petroleum Hydrocarbons by GC FID									
GRO C6-C10*	<10.0	10.0	6.25	mg/kg	1	03/28/22 18:31	8015B		MS
DRO >C10-C28*	<10.0	10.0	4.26	mg/kg	1	03/28/22 18:31	8015B		MS
EXT DRO >C28-C36	<10.0	10.0	4.26	mg/kg	1	03/28/22 18:31	8015B		MS
Surrogate: 1-Chlorooctane			81.3 %	66.9-136		03/28/22 18:31	8015B		MS
Surrogate: 1-Chlorooctadecane			79.6 %	59.5-142		03/28/22 18:31	8015B		MS

Green Analytical Laboratories

Dellie Zufett

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



www.GreenAnalytical.com

Cottonwood Consulting PO Box 1653

Durango CO, 81302

Project: BTEX/TPH, Cl
Project Name / Number: Vandewart 002
Project Manager: Kyle Siesser

Reported: 03/30/22 10:21

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes	
Batch B220765 - General Prep - Wet Chem											
Duplicate (B220765-DUP1)	Sou	rce: 2203190-	.01 Prep	ared & Ana	lyzed: 03/2	3/22					
% Dry Solids	93.6		%		93.7			0.0574	20		
	Soluble (DI Water Extraction) - Quality Control										
		Reporting		Spike	Source		%REC		RPD		
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes	
Batch B220767 - IC- Ion Chromatograph											
Blank (B220767-BLK1)			Prep	ared: 03/24/	/22 Analyz	ed: 03/25/2	2				
Chloride	ND	10.0	mg/kg wet								
LCS (B220767-BS1)			Prep	ared: 03/24/	/22 Analyz	ed: 03/25/2	2				
Chloride	244	10.0	mg/kg wet	250		97.7	85-115				
LCS Dup (B220767-BSD1)			Prep	ared: 03/24/	/22 Analyz	ed: 03/25/2	2				
Chloride	244	10.0	mg/kg wet	250		97.5	85-115	0.135	20		

Green Analytical Laboratories

Deldie Zufett

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



www.GreenAnalytical.com

Cottonwood Consulting Project: BTEX/TPH, Cl
PO Box 1653 Project Name / Number: Vandewart 002
Durango CO, 81302 Project Manager: Kyle Siesser

Reported: 03/30/22 10:21

Volatile Organic Compounds by EPA Method 8021 - Quality Control

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2032804 - Volatiles										
Blank (2032804-BLK1)			Prep	ared & Anal	yzed: 03/28	3/22				
Surrogate: 4-Bromofluorobenzene (PID)	0.0528		mg/kg	0.0500		106	69.9-140			
Benzene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
LCS (2032804-BS1)	Prepared & Analyzed: 03/28/22									
Surrogate: 4-Bromofluorobenzene (PID)	0.0518		mg/kg	0.0500		104	69.9-140			
Benzene	1.79	0.050	mg/kg	2.00		89.3	83.4-122			
Ethylbenzene	2.11	0.050	mg/kg	2.00		106	84.2-121			
m,p-Xylene	4.44	0.100	mg/kg	4.00		111	89.9-126			
o-Xylene	2.13	0.050	mg/kg	2.00		106	84.3-123			
Toluene	2.00	0.050	mg/kg	2.00		100	84.2-126			
Total Xylenes	6.57	0.150	mg/kg	6.00		109	89.1-124			
LCS Dup (2032804-BSD1)			Prep	oared & Anal	yzed: 03/28	3/22				
Surrogate: 4-Bromofluorobenzene (PID)	0.0511		mg/kg	0.0500		102	69.9-140			
Benzene	1.84	0.050	mg/kg	2.00		91.8	83.4-122	2.77	12.6	
Ethylbenzene	2.16	0.050	mg/kg	2.00		108	84.2-121	2.54	13.9	
m,p-Xylene	4.56	0.100	mg/kg	4.00		114	89.9-126	2.56	13.6	
o-Xylene	2.18	0.050	mg/kg	2.00		109	84.3-123	2.53	14.1	
Toluene	2.07	0.050	mg/kg	2.00		103	84.2-126	3.08	13.3	
Total Xylenes	6.74	0.150	mg/kg	6.00		112	89.1-124	2.55	13.4	

Green Analytical Laboratories

Deldie Zufett

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Source

www.GreenAnalytical.com

%REC

Cottonwood Consulting PO Box 1653

Durango CO, 81302

Project: BTEX/TPH, Cl
Project Name / Number: Vandewart 002
Project Manager: Kyle Siesser

Reported: 03/30/22 10:21

RPD

Petroleum Hydrocarbons by GC FID - Quality Control

Spike

Reporting

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2032534 - General Prep - Organic	s									
Blank (2032534-BLK1)			Prep	ared: 03/25/	/22 Analyz	ed: 03/28/2	.22			
Surrogate: 1-Chlorooctadecane	44.6		mg/kg	50.0		89.2	59.5-142			
Surrogate: 1-Chlorooctane	46.0		mg/kg	50.0		92.0	66.9-136			
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
GRO C6-C10	ND	10.0	mg/kg							
LCS (2032534-BS1)			Prep	ared: 03/25/	/22 Analyz	ed: 03/28/2	22			
Surrogate: 1-Chlorooctadecane	48.5		mg/kg	50.0		97.0	59.5-142			
Surrogate: 1-Chlorooctane	54.7		mg/kg	50.0		109	66.9-136			
DRO >C10-C28	225	10.0	mg/kg	200		113	77-136			
GRO C6-C10	196	10.0	mg/kg	200		97.9	79.1-128			
Total TPH C6-C28	421	10.0	mg/kg	400		105	82.9-127			
LCS Dup (2032534-BSD1)			Prep	ared: 03/25/	/22 Analyz	ed: 03/28/2	.2			
Surrogate: 1-Chlorooctadecane	46.7		mg/kg	50.0		93.3	59.5-142			
Surrogate: 1-Chlorooctane	53.8		mg/kg	50.0		108	66.9-136			
DRO >C10-C28	235	10.0	mg/kg	200		117	77-136	3.99	17.9	
GRO C6-C10	198	10.0	mg/kg	200		99.2	79.1-128	1.33	21.4	
Total TPH C6-C28	433	10.0	mg/kg	400		108	82.9-127	2.76	17.6	

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit

Green Analytical Laboratories

DET

MDL

Deldie Zufett

Method Detection Limit

Analyte DETECTED

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Released to Imaging: 7/26/2022 10:42:48 AM

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

(970) 247-4220 Fax: (970) 247-4227 service@greenanalytical.com or dzufelt@greenanalytical.com 75 Suttle St Durango, CO 81303

Onnamental Manager & 155 (1988) 155 (1988) 155 (1988) 155 (1988)					
Company Name: Cottonwood Consulting LLC		Bill to (if different):		ANALYSIS	S REQUEST
Address: PO Box 1653		Company:			
City: Durango State: CO Zip:	81302	Attn:			
Phone #: 970-764-7356 Email: ksiesser@cottonwoodconsulting.com	dconsulting.com	Address:			
Additional Report To:		City:			
Project Name: Vandewart 002		State: Zip:			
Project Number:		#			
Sampler Name (Print): 144 6 5185586		Fax or Email:			
FOR LAB USE ONLY	Collected	k one)	# of containers	.0)	
Lab I.D. Sample Name or Location	Date Time	OTHER: No preservation (general) HNO3 HCI	H ₂ SO ₄ Other: Other:	TPH Chloride (300.	
1265-19001 58C-TB@ 5'(95) 3/3	0051 Rt/18/	ω		×	
n contract or to ntal damages, vise.	be limited to the amount paid by g without limitation, business inter ived IBN:	the client for the analyses. All claims including those for neurophons, loss of use, or loss of profits incurred by client, its s	for negligence and any other cant, its subsidiaries, affiliates or su	use whatsoever shall be deemed w ccessors arising out of or related to	gigence and any other cause whatsoever shall be deemed waived unless made in writing and received ubsidiaries, affiliates or successors arising out of or related to the performance of services hereunder ITHONAL REMARKS.
Time: 1630	Received By:	Humpler	ADDITIONAL REMARKS		Report to State? (Circle) Yes No
elinquished By: Date: Recei	Received By:				-
Delivered By: (Circle One)	Temperatu	Temperature at reciept: CHESKED BY:	0.0		1



Vandewart #002 Photographic Log Simcoe LLC



Photo 1: Vandewart #002 well sign, 3/21/2022.



Photo 2: 95 bbls steel tank prior to removal, 3/21/2022.



Vandewart #002 Photographic Log Simcoe LLC



Photo 3: Former location of BGT following removal, 3/21/2022.



Photo 4: Former location of BGT following removal and re-grading, 3/23/2022.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 104799

CONDITIONS

Operator:	OGRID:
SIMCOE LLC	329736
1199 Main Ave., Suite 101	Action Number:
Durango, CO 81301	104799
	Action Type:
	[C-144] Below Grade Tank Plan (C-144B)

CONDITIONS

Created By		Condition Date
jburdine	None	7/26/2022