

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-005-10178
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. K-4495
7. Lease Name or Unit Agreement Name TOBAC SWD G
8. Well Number 16
9. OGRID Number 190595
10 Pool name or Wildcat SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
Endeavor Energy Resources, LP

3. Address of Operator
110 N. Marienfeld Street, Suite 200, Midland, Texas 79701

4. Well Location Unit
Letter G : 1989 feet from the NORTH line and 1977 feet from the EAST line

Section 16	Township 8S	Range 33E	NMPM	County Cha
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4418' GL				

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data


NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: MIT <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of

ANNUAL UIC TEST, ATTACHED IS A COPY OF THE CHART ALONG WITH THE REPORT ON THE BHT. WITNESSED BY GARY ROBINSON ON 10/27/2021.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Sr. Reg. Analyst DATE 10/27/2021

Type or print name Jan South E-mail address: jsouth@eeronline.com PHONE: 432-687-1575

For State Use Only

APPROVED BY: DATE

Conditions of Approval (if any): Accepted for record - NMOCD gc 7/27/2022

10-27-21
Bob Dithman
1000 #
60 min. Check
Emergency Energy Resources
TERRAC SWD 8-16

Wellbore Schematic

Tobac SWD # 1 **EER #: 5082.001.01** **API # 3000510178**

Tobac SWD # 1, 3/29/2022

1989' FNL & 1997' FEL, Unit G	GL Elev:	KOP:	
Section 16, Township 8-S, Range 33-E		EOC:	
County, State: Chaves, NM		Fill Depth:	4,450
Aux ID:		PBTD:	4,500.00
'KB' correction: ; All Depths Corr To:		TD:	9,100.00
		BOP:	

Hole Size

Diameter	Top At	Btm At	Date Drilled
15.0000	0.00	403.00	3/20/1965
9.8750	403.00	3,604.00	3/26/1965
6.7500	3,604.00	9,100.00	4/24/1965

Surface Casing

Date Ran: 3/5/2008

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing		10.7500	32.75	H40	403.00	0.00	403.00

Intermediate Casing

Date Ran: 3/5/2008

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing		7.6250	24.00	H40	3,604.00	0.00	3,604.00

Production Casing

Date Ran: 3/5/2008

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing		4.5000	10.50	J55	4,520.00	0.00	4,520.00

Cement

Top At	Btm At	ID	OD	TOC Per	# - Type	# Sx	Class	Wt.
0.00	403.00	10.750	15.000		1 - Lead	375	C	
Lead: Circ cmt to surf								
2,300.00	3,604.00	7.625	9.875	Est	1 - Lead	300	C	
					2 - Tail	200	C	
Lead: 8% gel; Tail: Reg neat. TOC @ 2,300'.								
3,100.00	4,520.00	4.500	6.750	TS	1 - Lead	200	Incor	
Lead: Incor Neat. TOC @ 3,100'.								
62.00	260.00	4.500	6.750	Calc	1	22	C	
Csg leak.								

Zone and Perfs

San Andres

Perforations

Top	Bottom	Formation	Status	Opened	Closed	# / Ft	Ttl #
4,273.00	4,329.00	San Andres	A	4/18/1966		2	52


Wellbore Plugs and Junk

Top	Bottom	Type	Diameter	Solid	Date
4,520.00	4,610.00	Cement	6.875	Yes	4/28/1965
6,430.00	6,487.00	Cement	6.875	Yes	4/28/1965
7,320.00	7,377.00	Cement	6.875	Yes	4/28/1965
8,900.00	9,100.00	Cement	6.875	Yes	4/28/1965

tubing

Date Ran: 3/5/2008

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Tubing	131	2.3750	4.70	J55	4,147.78	0.00	4,147.78
<i>Duoline tbg</i>							
Packer	1	4.5000			6.00	4,147.78	4,153.78
Arrow set 1 nickel coat OD and ID. EER company own packer.							



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 128602

CONDITIONS

Operator: ENDEAVOR ENERGY RESOURCES, LP 110 North Marienfeld Midland, TX 79701	OGRID: 190595
	Action Number: 128602
	Action Type: [C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	7/27/2022