Displaci I 1873 N. Fresch Dr., Hebrs, 844 81346 Factor: (575) 393-4161 Fact (575) 393-4720

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

and the last of the last of the

YIN

YIN

						obbs District		•		
			Operator N	BRADENH	TEAD TE	ST REPORT			Contra	
	Scoo	17	Obereiot L	AMIC TO THE	1171130 1000		2		API Numb	
			Pro	operty Name	-		150	- 0	5-1	1521
	u	IDPL							#4	ell No.
,				4 Spr	rince Locat	lon.	S		-17	
UL-Lu A	Section 32	Two table	38E		Featrin 660	NiS Line	660		E/W Line	Covaly (EA
			, 170	Y ST	ell Status	24.6	1000			6614
YES	_ (N	O YES		OBSE OBSE	RVED D	SWD QIL	PRODUCE	GAS	6-	DATE 29-22
		(A)Su	riece	(B)[plermi	D	(C)Interm(2)	1	(D)Prod C	EINE	(ElTubing
Pressure			0	6			1	1	-	1200
Flow Chara	eteristics						1	73	M	130
Puf	r		YW	Y	D	Y/N	/	500	MC	ico2
Stendy 1	Flow		YIM	Y/6		'Y/ N			/ N· '	WTR_
Surgi	ts		TION	YIC	The state of the s	Y/N			N	GAS
Down to n	otking		N	0		AIN	-		/ N	'i) peel Pinio fejerati der

Remarks-Picase state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up If applies.

Need take for Prod. ess.

canada lack of turks + Haw prod. ess down in Imm.

YIN

Signature:		ON COMPRESS TO STATE OF THE STA
Delegand and an		OIL CONSERVATION DIVISION
Printed name:		Entered into RBDMS
Title:		Re-test
G-mail Address:		
Date:	Phone.	4
	Witness Leves Kolono-	

INSTRUCTIONS ON BACK OF THIS FORM

al.

Gas or Oil

Water

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify.

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

	Blow or Puff	Yes or No
9	Bled down to Nothing	Yes or No
0	Steady Flow	Yes or No
•	Oil or Gas	Yes or No
9	Water	Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form

In case of pressure:

1. Record pressure reading on gauge.

2. Bleed and note time elapsed to bleed down.

3. Leave valve open for additional observation

4. Note any fluids expelled.

In absence of Pressure:

- 1 Leave valve open for additional observation
- 2 Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 125522

CONDITIONS

Operator:	OGRID:		
SCOUT ENERGY MANAGEMENT LLC	330949		
13800 Montfort Road	Action Number:		
Dallas, TX 75240	125522		
	Action Type:		
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)		

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	8/5/2022