<u>District I</u> 1625 N Fresch Dr., Holbs, 194 81340 Phone. (175) 393-6161 Par. (175) 393-6720

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobba District Office

		nservation Division BRADENHEAD					
500	Operator	Veme			'API Num	her /	
Property Name				30-0	25	2534	
WADU					M	72	
UL - Lot Section	Township Range	* Surface Lo		Street, Add and a second			
M 33	Ads 38E	Fast Sroig	N.S Line	Peer Prom	EAN Line	County	
	***	Well Sta	tuis		or the state of th		
YES TA'D WELL NO	SHUTIN	INJECTO	er v	PRODUCER			
YES NO	YES	NO INI	IM SMD OIF		5 6	DATE - 29-21	
			0/11			Made and Sandara	
and the property of the con-		OBSERVED	DATA				
	[A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Pros	Csng	(E)Tubing	
ressure	0	0		7	30		
low Characteristics		and the same of the same of	1			1300	
Puff	(N)	YOU	YX	!	V) N	CÔ2	
Stendy Flow	YOU	YIN	Y/N	7	YUN	WYR_	
Sarges	YVA	YX	7/N		YN	GAS	
Down to podding	ON	CON	YIN	-	YX	Type of Phala Injected for	
Gas or Oil	YOU	YOU	/ Y/N	-	Y(N)	Wendyol V applies	
Water	Y(N)	Y(N)	YIN		YIN)	1 "	
•							
	ach String (A.B.C.D.E) perti	nent information regarding b	leed down or continuou	s build up if applies.			
temarks Picase state for e	ach string (A.B.C.D.E) perti	nent information regarding b		OIL CONS	ERVATIO)	A DIAIRIOM	
emarks - Piesse state for e grature; inted name;	ach string (A,B,C,D,E) perti	nent information regarding b	E	OIL CONS	ERVATIO)	N DIVISION	
emarks - Piense state for e gnature; inted name;	ach string (A,B,C,D,E) perù	nent information regarding b	E	OIL CONS	ERVATIO)	N DIVISION	
	ach string (A,B,C,D,E) perti	nent information regarding b	E	OIL CONS	ERVATIO)	V DIVISION	

INSTRUCTIONS ON BACK OF THIS FORM



PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify.

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string.

ð	Blow or Puff	Yes or No
9	Bled down to Nothing	Yes or No
0	Steady Flow	Yes or No
0	Oil or Gas	Yes or No
٥	Water	Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure:

Record pressure reading on gauge.

2. Bleed and note time elapsed to bleed down.

3. Leave valve open for additional observation

4. Note any fluids expelled.

In absence of Pressure:

1. Leave valve open for additional observation.

2 Note types of fluids expelled.

3 Note if fluids persist throughout test

Note Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 125517

CONDITIONS

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	125517
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

CONDITIONS

Created By		Condition Date
kfortner	None	8/5/2022