District 5 1825 N Foresch Dr., Hobbs, 1904 81240 Phone (575) 393-4151 Fac (575) 393-9720

## State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

-			ion Division ENHEAD T							
SCOU	T. DDU	HAIOI IVANIE	O I SALES I BALLAN	الم الجاء	Takt	1	<b>a</b> 1	API (VEIO)	her /26	
1	100.1	Property Nat	me		1000	- 100	-01	53	1488	
a	DDO						L2/			
UL - Let Section	Township Rame	-	Surface Loc	The same of		arton II	. 15			
E 32	Township Range		2176		ille	Sent From		E/V Line	County	
			Well Stat		V	636	-	W	(EA	
TA'D WEEL	) SHUT	de (	MIECTO	Carrier Dr.		151				
ES NO	YES		VO IM		SWD OIL PROT		ODUCER GAS		DATE	
	1400		BSERVED	DATA						
ESSUTE	[A\Surface		(wilnterm(1)		(Clutermi2)		(D)Prod Cang		(E)Tubing	
ow Characteristics	10	1			/		100		1350	
Puff	V		/		e fie Pie	/		2		
Steady Flow	YIN		Y/K		Y/N		-	N	CÓ2	
Surges	YAN	100	Y/K		YIA		YOU		WTR CAS	
Down to nothing	ON	-	YIN	y/ N			YOU		Type of Freign	
Gas or Oil	YEN	/	Y/N	Y/N			NA			
Water	YYN	) /	Y/N		Y7:N:		YA			
•										
	each string (A.B.C.D.E	) pertinent inform	ation régerding bi	eed down or	continuou	s build up if a	ppiles.			
marks – Please sin te for e	each string (A.B.C.D.E	) pertinent inform	ation régarding bi	eed down or	continuou			RVATION	A DLA KIUM	
marks - Please sin te for a	each string (A.B.C.D.E	) pertinent inform	ation régerding bi	eed down or		OH. C	Onser		NOISIVION	
marks - Picase sinte for a grature: nked mame;	each string (A.B.C.D.E	) pertinent inform	ation régarding bi	eed down or			Onser		N DIVISION	
grature:  le:  hall Address:	each string (A.B.C.D.E	) pertinent inform	ation régerding bi	eed down or		OH. C	Onser		N DIVISION	
grature: nked name: se: nail Address:	Phone Witness:	) pertinent inform	ation regarding bi	eed down or		OH. C	Onser		V DIVISION	

## PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify.

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string.

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas.
Water

Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Habbs office since this must be recorted on a form

In case of pressure:

1. Record pressure reading on gauge.

2. Bleed and note time elapsed to bleed down

3. Leave valve open for additional observation

4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2 Note types of fluids expelled.
- 3. Note if fluids persist throughout test

Note Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 125534

## **CONDITIONS**

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	125534
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

## CONDITIONS

Created By		Condition Date
kfortner	None	8/5/2022