

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 2 / NWNE / 36.263208 / -107.754866	County or Parish/State: SAN JUAN / NM
Well Number: 622H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM12374	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538203	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2657778

Type of Submission: Subsequent Report

Date Sundry Submitted: 02/18/2022

Date Operation Actually Began: 02/13/2022

Type of Action: Drilling Operations

Time Sundry Submitted: 08:37

Actual Procedure: Intermediate Casing & Cement / Depths have been adjusted for 26' KB of production rig. 2/11/22: Regulatory agencies given 24-hr notice of BOP & surface casing PT, James Retherford 505-320-0756. 2/13/22: H&P 443 accepted on daywork. NU 11" 5K BOPE with installed 11" 5K Cameron wellhead. PT annular and TIW 250 psi low 5 min. 3000 psi high 10 min. Test blind rams, HCR, 4.5" pipe rams, kill valves, check valve, lower kelly, choke manifold and valves, full opening safety valve and inside BOP valve at 250 psi low 5 min. 3000 psi high 10 min. PT pre-set 9.625 inch 36# J55 STC surface casing 1500 psi for 30 min. All tests good and recorded on chart. No regulatory agencies onsite to witness. Drill 8.75" hole from 388' to 4319'. 2/14/22: Drill 8.75" hole from 4319' to 5286'. KOP 4369'. TOH. 2/15/22: RIH with 125 jts of 7" 26# J55 LTC casing set from surface to 5283' MD. RU cementers. 5000 psi test on lines. Test good. Cement with 78% excess on lead 0% excess on tail as follows. Lead: 200 bbls (480 sx) 12.3 ppg, 2.34 yield, 13.1 gps. Tail: 27 bbls (104 sx) 13.5 ppg, 1.47 yield, 7.01 gps. Total 584 sx. TOC: surface BOC: 5283'. Bump plug FCP 1200 psi, pressure up to 1660 psi & hold for 5 min. 48 bbls good cement back to surface. No regulatory agencies onsite to witness. Install 7" packoff, secure & test to 5000 psi, test good. ND BOP, cap well. Rig paused.

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 2 / NWNE / 36.263208 / -107.754866	County or Parish/State: SAN JUAN / NM
Well Number: 622H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM12374	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538203	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: FEB 18, 2022 08:37 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 02/18/2022
Signature: Kenneth Rennick	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 88087

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 88087
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
gramirez	Please submit a follow up sundry with the cement type used for this casing string.	7/1/2022