<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico

Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources

Oil Conservation Division

☐AMENDED REPORT

1220 South St. Francis Dr.

Santa Fe, NM 87505

APPLI	CATIO	N FOR	PERMIT 1 Operator Name	O DRILL, I	RE-ENTE	R, DEEPEN	PLUGBAC	K, OR AD	D A ZONE	
Ext	ex Opera	ting Compa	ny					330423		
Ho	uston, TX		#020					API Numb 30-025-3013	er S	
* Property Code 3. Property 3. Property DK					roperty Name DK			0.1	Vell No.	
				7. Sur	face Locatio	n				
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
Α	25	208	38E		660	N	660	E	Lea	
				T	l Bottom Ho	T				
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
				9. Poo	l Informatio	n				
WC-02	5 G-02	S203825	J;PADDOO	CK Pool N	ame Wildcat	t			98365	
					l Well Inform	mation				
^{11.} Wo	rk Type		^{12.} Well Type		13. Cable/Rotary		14. Lease Type	Control of the Contro		
16. M	ultiple	_	17. Proposed Depth		R 18. Formation		P 19. Contractor			
			7530		2 Olimeton		TBD		When approved	
Depth to Grou	and water		Dista	ance from nearest from	esh water well		Distance	15. Ground Level Elevation 3581 20. Spud Date When approved o nearest surface water Cement Estimated TOC EX Surface		
Туре		e Size	Casing Size 8-5/8	Casing Weig	ght/ft	Setting Depth	Sacks of 0			
	7-7		5-1/2	17#		7530')sx		
			0	/C / T	11111	. 16				
	***************************************		Casii	ng/Cement Pro	gram: Addit	ional Commen	ts			
			22.	Proposed Blov	vout Prevent	tion Program				
	Туре			Working Pressure		Test Pres	ssure	N	Ianufacturer	
	Manua	l		3,000 psi		5,000	psi	To	ownsend	
						1.				
best of my kr	nowledge ar	nd belief.		true and complete t		OIL	CONSERVA	TION DIVIS	SION	
	B) NMAC	have complied , if applica		.9 (A) NMAC 2	App.	proved By:				
Printed name	7 (0000	vid Thoma	as		Title	· raining				
			Representat	tive			23/2022 _E	3581 20. Spud Date When approved to nearest surface water Cement Estimated TOO SX Surface		
			ch@gmail.co					Tana Daid.		
	-11-2		T	2-664-3590	Com	ditions of Approval	Attached			
	1/2	van	1110110132		Con	anons of Approval	2 Macrical			

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 Dist 811 Pho Dist 100

State of New Mexico ent

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

strict II	Energy, Minerals & Natural Resources Departme
1 S. First St., Artesia, NM 88210 one: (575) 748-1283 Fax: (575) 748-9720	OIL CONSERVATION DIVISION
strict III 00 Rio Brazos Road, Aztec, NM 87410	1220 South St. Francis Dr.
one: (505) 334-6178 Fax: (505) 334-6170 strict IV	Santa Fe, NM 87505
20 S. St. Francis Dr., Santa Fe, NM 87505	

<u>District IV</u> 1220 S. St. Francis Dr., Phone: (505) 476-3460		87505 5-3462	THE		Santa Fe, NM		TION DI AT	☐ AME	NDED REPOR
	API Numbe 025-3389	-		2 Pool Code 365	AND ACRE	AGE DEDICA WC-025 G-0	110N PLA1 ³ Pool Name 02 S203825J;PA	ADDOCK	
⁴ Property C 330456					⁵ Property Na	me	⁶ We	ll Number 5	
⁷ OGRID N 330423		Exte	ex Operatin	g Compan	⁸ Operator Na y, 6056 Westheir	me ner Road #625, Ho	ouston, TX 7705		Clevation 3,566
					¹⁹ Surface Lo	ocation			
UL or lot no.	Section 25	Township 20S	Range 38E	Lot Idn	Feet from the 2310	North/South line	Feet from the	East/West line	County Lea
			" Bott	om Hole	Location If I	Different From	Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
No allowable v	vill be as	signed to thi	is completic	on until all	interests have be	en consolidated or	a non-standard ı	ınit has been app	roved by the
							to the best of my kn owns a working int the proposed bottor location prosumt ti interest, or to a vol order heretafore en Signature B. David Printed Name	the information contained howledge and belief, and that erest or undeased mineral into mhole location or has a right to a contract with an owner of nuntary pooling agreement or stered by the division. Thomas Thomas mastech@gma	this organization either teress in the land includin to drill this well at this of such a mineral or work a compulsary pooling 7-11-2022 Date
					14 - 1	3	-11	YOR CERTIFY by that the well locati	EICATION

Certificate Number

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: The Signature:							
Printed Name: B. David Thomas							
Title: Consultant/Operator's Representative							
E-mail Address: davidthomastech@gmail.com							
Date: 7-11-2022							
Phone: 432-664-3590							
OIL CONSERVATION DIVISION							
(Only applicable when submitted as a standalone form)							
Approved By:							
Title:							
Approval Date:							
Conditions of Approval:							

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description <u>Effective May 25, 2021</u>

		Effec	ctive May 25,	2021					
I. Operator: Extex	Operating Co	mpany	OGRID:	330423	Date: _	06/23/2022			
II. Type: ☐ Original ☐ Amendment due to ☐ 19.15.27.9.D(6)(a) NMAC ☐ 19.15.27.9.D(6)(b) NMAC ☐ Other.									
If Other, please describe	e:								
III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.									
Well Name	API	ULSTR	Footages	Anticipated	Anticipated	Anticipated			
DK #5	30-025-33890	I-25-20S-38E	2310 FSL 330 FE	Oil BBL/D L 25	Gas MCF/D 50	Produced Water 50 BBL/D			
DK #6	30-025-34124	P-25-20S-38E	940 FSL 330 FEL	25	50	50			
DK #7	30-025-34381	J-25-20S-38E	2310 FSL 1650 F	EL 25	50	50			
IV. Central Delivery Point Name: DK #5 Tank Btry [See 19.15.27.9(D)(1) NMAC]									
V. Anticipated Schedu proposed to be recompl					rell or set of wells	proposed to be drilled or			

Well Name	API	Spud Date	TD Reached	Completion	Initial Flow	First Production
		-	Date	Commencement Date	Back Date	Date
DK #5	30-025-33890	04/07/1997		08/15/2022	09/01/2022	09/01/2022
DK #6	30-025-34124	09/07/1997		10/01/2022	10/15/2022	10/15/2022
DK #7	30-025-34381	05/06/1998		07/01/2022	07/01/2022	07/01/2022

- VI. Separation Equipment:

 Attach a complete description of how Operator will size separation equipment to optimize gas capture.
- VII. Operational Practices: ☑ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.
- VIII. Best Management Practices:

 Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🖾 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
	-		Start Date	of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system 🗆 v	vill □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well p	prior to the date of first pro	oduction.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segmen	, or portion,	of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused b	y the new wo	ell(s).

	A 1 .	O 1	, 1 ,		1 4.	•	4 41 .	ased line pres	
I I	Affach (Inerator	's nian to	manage	nraduction	in rechange	to the incre	aced line nrec	cure

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided	in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific informati	on
for which confidentiality is asserted and the basis for such assertion.	

(h)

(i)

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🖾 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery;

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

fuel cell production; and

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:				
Printed Name: B. David Thomas				
Title: Consultant/Operator's Respresentative				
E-mail Address: davidthomastech@gmail.com				
Date: 06/23/2022				
Phone: 432-664-3590				
OIL CONSERVATION DIVISION				
(Only applicable when submitted as a standalone form)				
Approved By:				
Title:				
Approval Date:				
Conditions of Approval:				

NATURAL GAS MANAGEMENT PLAN - ATTACHMENTS

DK 567 FACILITY – LEA COUNTY, NM

VI. Separation Equipment:

The DK 567 production facility is an established production facility. The current daily production through the facility is approximately 4 bopd + 10 mcfgpd + 7 bwpd. The facility is sized to handle 800 bopd + 1000 mcfgpd + 500 bwpd. During and upon completion of the planned recompletion work the maximum anticipated production at any given time is estimated to be 75 bopd + 150 mcfgpd + 150 bwpd. The current sizing of the facility is such that the anticipated maximum production can be handled without any adjustments. If the actual maximum production exceeds the capability of the current facility it will be modified to handle such increase.

VII. Operational Practices:

19.15.27.8 (A) Venting and Flaring of Natural Gas

Extex Operating Company understands the requirements of NMAC 19.15.27.8 which states that the venting and flaring of natural gas during drilling, completion or production that constitutes waste as defined in 19.15.2 are prohibited.

19.15.27.8 (B) Venting and Flaring During Drilling Operations

Extex Operating Company shall capture or combust natural gas if technically feasible during drilling operations using best industry practices.

During drilling operations a flare stack with a 100 percent capacity for expected volumes will be set on location of the DK 567 facility at least 100' from the nearest surface hole location, well head, and storage tanks.

In the event of an emergency Extex Operating Company will vent natural gas in order to avoid substantial impact and shall report vented or flared gas to the NM OCD.

19.15.27.8 (C) Venting and Flaring During Completion or Recompletion

As Extex Operating Company has an adequately designed production facility in place, if during recompletion operations, the need to produce oil and gas arises it will direct such oil and gas through the completion equipment at the tank battery. Any gas vented during transition of routing the gas to the production facility will be measured or estimated regardless of the reason or authorization for venting. During the life of the well(s) producing to the DK 567 facility an AVO inspection will be performed weekly (at minimum) to confirm that all production equipment is

operating properly and there are no leaks or releases as allowed in subsection D of 19.15.27.8 NMAC.

19.15.27.8 (D) Venting and Flaring During Production Operations

At any point in the life of the well(s) (production or inactive) an AVO inspection will be performed weekly (at minimum) to confirm that all production equipment is operating properly and there are no leaks except as allowed in subsection D of 19.15.27.8 NMAC. Monitoring of manual liquid unloading for wells on site or in close proximity, taking reasonable actions to stabilize rate and pressure as soon as practical, and take reasonable actions to minimize venting to the maximum extent practicable. Extex Operating Company will measure or estimate volumes of natural gas that is vented, flared or beneficially used during drilling, completion, and production operations, regardless of the reason for such venting or flaring.

19.15.27.8 (E) Performance Standards

All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste. An AVO inspection will be performed weekly (at minimum) to confirm that all production equipment is operating properly and there are no leaks except as allowed in subsection D of 19.15.27.8 NMAC.

19.15.27.8 (F) Measurement or Estimation of Vented and Flared Natural Gas

The volume of natural gas vented or flared from process piping or a flowline piped from the equipment associated with a well and the DK 567 facility will be measured or estimated. Measurement equipment is designed to allow diversion of natural gas around the equipment for the sole purpose of inspecting and servicing the measurement equipment, as noted in NMAC 19.15.27.8 Subsection G.

VIII. Best Management Practices:

Extex Operating Company utilizes best management practices to minimize venting during active and planned maintenance. All gas is sold during normal producing operations. The only time gas will be vented or flared will be during planned maintenance or for emergence reasons. During any required instance of gas venting or flaring the volume of gas will be measured or estimated.

eceived by OCP: 7/11/2022 8:112:12	State of New Me	exico	Page 10 of 12 Form C-103
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources		Revised July 18, 2013 WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION	DIVISION	30-025-33890
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fran	A STATE OF THE PROPERTY OF THE PARTY OF THE	5. Indicate Type of Lease STATE FEE X
<u>District IV</u> – (505) 476-3460	Santa Fe, NM 8	7505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505			330456
SUNDRY NOT	ICES AND REPORTS ON WELLS	3	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLI	OSALS TO DRILL OR TO DEEPEN OR PL CATION FOR PERMIT" (FORM C-101) FO	UG BACK TO A OR SUCH	DK
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other		8. Well Number 5	
Name of Operator Extex Operating Company			9. OGRID Number 330423
Address of Operator			10. Pool name or Wildcat
6056 Westheimer Road #62	5, Houston, TX 77056		Wildcat
4. Well Location Unit Letter :	2310 feet from the S	line and 3	feet from the E line
Section 25		ange 38E	Teet from the inte
	11. Elevation (Show whether DR) 3566 GR		
12. Check	Appropriate Box to Indicate N	ature of Notice,	Report or Other Data
NOTICE OF IN	ITENTION TO:	I SUR	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI	
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL	CASING/CEMENT	「JOB □
CLOSED-LOOP SYSTEM			
OTHER: Recomplete to		OTHER:	
13. Describe proposed or comp	eleted operations. (Clearly state all p	pertinent details, and	give pertinent dates, including estimated date
proposed completion or rec	completion.	C. For Multiple Cor	mpletions: Attach wellbore diagram of
Extex Operating will be reco	ompleting the DK #5 to the Paddock	zone. Extex Operat	ing's planned
procedure to recomplete the - Rig up pulling unit.	well is as follows:		
- Set RBP @ ~5,910'.			
- Perf Paddock fr/~5,604'-5,			
- Treat zone w/acid & amp; f			
 Return well to production i Submit paperwork to Down 	n Paddock zone. nhole Commingle Paddock w/other:	zones currently ones	n in well
p-p	more commission addock wronier.	zones currently oper	in wen.
Spud Date:	Rig Release Da	ite:	
I hereby certify that the information	above is true and complete to the be	est of my knowledge	and belief
SIGNATURE Blavid Heory	right TITLE Consu	ltant/Operator's F	Representative _{DATE} 7-//- 2022
Type or print name B. David Thom For State Use Only	E-mail address	davidthomasted	ch@gmail.comPHONE: 432-664-3590
APPROVED BY:Conditions of Approval (if any):	TITLE		DATE

DK #5 (API# 3002533890) Formation tops

San Andres	4322
Blinebry	5962
Tubb	6622
Drinkard	6848
Abo	7062

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 123986

CONDITIONS

Operator:	OGRID:
Extex Operating Company	330423
5065 Westheimer Road	Action Number:
Houston, TX 77056	123986
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By		Condition Date
pkautz	None	8/23/2022