

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM01244A

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 27. If Unit or CA/Agreement, Name and/or No.
891001066X

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

8. Well Name and No.

BELL LAKE UNIT NORTH 227H

2. Name of Operator

KAISER FRANCIS OIL COMPANY

Contact: ERIC HANSEN

E-Mail: EricH@KFOC.net

9. API Well No.

30-025-47771-00-X1

3a. Address

TULSA, OK 74121-1468

3b. Phone No. (include area code)

Ph: 918-491-4339

10. Field and Pool or Exploratory Area

OJO CHISO

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 6 T23S R34E NWSE 2130FSL 2425FEL
32.332241 N Lat, 103.508560 W Lon

11. County or Parish, State

LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Change to Original A
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	PD

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Kaiser-Francis Oil Company request a SHL move for the Bell Lake Unit North 227H, 228H, 427H, and 428H. Located on pad 9 6-23S-34E Lea County New Mexico.

This includes the following wells:

Bell Lake Unit North 428H
APD ID# 10400050265

Approved SHL 2130' FSL 2575' FEL 6-23S-34E Lea County New Mexico.
Proposed SHL 2095' FSL 2455' FEL 6-23S-34E Lea County New Mexico.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #533507 verified by the BLM Well Information System
For KAISER FRANCIS OIL COMPANY, sent to the Hobbs
Committed to AFMSS for processing by JUANA MEDRANO on 10/09/2020 (21JM0011SE)

Name (Printed/Typed) ERIC HANSEN

Title DRILLING ENGINEER

Signature (Electronic Submission)

Date 10/09/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By (BLM Approver Not Specified)

Title

Date 10/14/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #533507 that would not fit on the form

32. Additional remarks, continued

Bell Lake Unit North 427H
APD ID# 10400050137

Approved SHL 2130' FSL 2545' FEL 6-23S-34E Lea County New Mexico.
Proposed SHL 2115' FSL 2455' FEL 6-23S-34E Lea County New Mexico

Bell Lake Unit North 228H
APD ID# 10400050126

Approved SHL 2130' FSL 2455' FEL 6-23S-34E Lea County New Mexico.
Proposed SHL 2135' FSL 2455' FEL 6-23S-34E Lea County New Mexico.

Bell Lake Unit North 227
APD ID#10400050021

Approved SHL 2130' FSL 2425' FEL 6-23S-34E Lea County New Mexico.
Proposed SHL 2155' FSL 2455' FEL 6-23S-34E Lea County New Mexico.

Revisions to Operator-Submitted EC Data for Sundry Notice #533507

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	NMLC070544A	NMNM01244A
Agreement:		891001066X (NMNM68292X)
Operator:	KAISER FRANCIS OIL COMPANY 6733 SOUTH YALE AVE TULSA, OK 74136 Ph: 918-491-4339	KAISER FRANCIS OIL COMPANY TULSA, OK 74121-1468 Ph: 918-491-4314
Admin Contact:	ERIC HANSEN DRILLING ENGINEER E-Mail: EricH@KFOC.net Ph: 918-491-4339	ERIC HANSEN DRILLING ENGINEER E-Mail: EricH@KFOC.net Ph: 918-491-4339
Tech Contact:	ERIC HANSEN DRILLING ENGINEER E-Mail: EricH@KFOC.net Ph: 918-491-4339	ERIC HANSEN DRILLING ENGINEER E-Mail: EricH@KFOC.net Ph: 918-491-4339
Location: State: County:	NM LEA	NM LEA
Field/Pool:	OJO CHISO BONE SPRING SW	OJO CHISO
Well/Facility:	BELL LAKE UNIT NORTH 227H Sec 6 T23S R34E Mer NMP FSL FEL	BELL LAKE UNIT NORTH 227H Sec 6 T23S R34E NWSE 2130FSL 2425FEL 32.332241 N Lat, 103.508560 W Lon

District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised August 1,

2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As-Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47771	² Pool Code 98259	³ Pool Name Ojo Chiso; Bone Spring, Southwest
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT NORTH	⁶ Well Number 227H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL CO.	⁹ Elevation 3475.2

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	6	23 S	34 E		2155	SOUTH	2455	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	31	22 S	34 E		103	NORTH	2216	WEST	LEA

¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-47827-A
---	-------------------------------	----------------------------------	---

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

6/14/21

Signature

Date

Erica Miles

Printed Name

EricaM@kfoc.net

E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MAY 18, 2021

Date of Survey

Signature and Seal of Professional Surveyor

Certificate Number: F-12797

SURVEY NO. 6997A

Intent ☐ As Drilled ☒

API #		
Operator Name: KAISER-FRANCIS OIL CO.	Property Name: BELL LAKE UNIT NORTH	Well Number 227H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
K	6	23S	34E		2199	SOUTH	2266	WEST	LEA
Latitude 32.3324305					Longitude 103.5101689				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
F	6	23S	34E		2540	NORTH	2223	WEST	LEA
Latitude 32.3339226					Longitude 103.5103102				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
C	31	22S	34E		217	NORTH	2211	WEST	LEA
Latitude 32.3548211					Longitude 103.5103598				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☒

Is this well an infill well?

☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Directional Survey Report

Company: **Kaiser Francis Oil Company**
 Well: **Bell Lake Unit North 227H**
 County: **Lea**
 State: **NM**
 Field: **Ojo Chiso / Wolfcamp, Southwest**
 API: **30-025-47771**
 Rig: **Cactus 171**
 Service Co: **Gordon Technologies, LLC**
 Job #: **GT2010875-WT**
 Survey Calc: **Minimum Curvature**

Well Surface Location
 Latitude: **32.332186**
 Longitude: **-103.508177**
 Reference: **NAD 1927**
 Y (Northing): **485546.80**
 X (Easting): **754871.31**
 Field Engr: **Armando Rangel**
Joseph Montoya
Derik Richard

Report Date: **Oct 29 2020**
 Time: **09:10**
 Mag Reference: **Grid North**
 Mag Correction: **6.06**
 Vert Sect. Azi: **359.53**
 Perm Datum: **Mean Sea Level**
 Depth Ref: **Rotary Table**
 RKB Height: **23.9**
 GL Elev: **3475.2**

Survey						Rectangular Offsets			Course		Closure			Source
	MD	Inc	Azimuth	TVD	VS	NS	EW	Length	DLS	Temp	Distance	Azimuth		
Tie In	0	0	0	0	0	0	0	0	0	0	0	0		
1	146.00	1.01	91.51	145.99	-0.04	-0.03	1.29	146.00	0.69	73.14	1.29	91.51	MWD Run 1	
2	241.00	1.44	99.19	240.97	-0.27	-0.25	3.30	95.00	0.48	80.43	3.31	94.27	MWD Run 1	
3	334.00	1.65	96.57	333.94	-0.63	-0.59	5.79	93.00	0.24	80.43	5.82	95.79	MWD Run 1	
4	427.00	1.27	95.23	426.91	-0.90	-0.83	8.14	93.00	0.41	80.43	8.18	95.85	MWD Run 1	
5	521.00	0.53	108.41	520.89	-1.14	-1.07	9.59	94.00	0.81	87.71	9.65	96.34	MWD Run 1	
6	615.00	0.64	250.12	614.89	-1.46	-1.38	9.51	94.00	1.18	87.71	9.61	98.27	MWD Run 1	
7	708.00	1.49	250.21	707.88	-2.03	-1.97	7.88	93.00	0.91	87.71	8.13	104.01	MWD Run 1	
8	802.00	2.40	243.52	801.82	-3.30	-3.26	4.97	94.00	1.00	95.00	5.95	123.24	MWD Run 1	
9	895.00	2.76	237.74	894.73	-5.33	-5.32	1.34	93.00	0.48	95.00	5.49	165.91	MWD Run 1	
10	989.00	2.76	239.26	988.62	-7.67	-7.69	-2.52	94.00	0.08	95.00	8.09	198.17	MWD Run 1	
11	1082.00	2.75	242.19	1081.51	-9.82	-9.87	-6.42	93.00	0.15	95.00	11.78	213.04	MWD Run 1	
12	1176.00	2.51	248.00	1175.41	-11.61	-11.70	-10.32	94.00	0.38	102.29	15.60	221.43	MWD Run 1	
13	1207.00	2.53	250.59	1206.38	-12.08	-12.18	-11.60	31.00	0.37	102.29	16.82	223.60	MWD Run 1	
14	1276.00	2.05	251.20	1275.33	-12.96	-13.08	-14.20	69.00	0.70	87.71	19.31	227.35	MWD Run 2	
15	1371.00	2.18	255.30	1370.26	-13.94	-14.09	-17.56	95.00	0.21	87.71	22.51	231.26	MWD Run 2	
16	1466.00	2.01	244.90	1465.20	-15.08	-15.25	-20.82	95.00	0.44	95.00	25.81	233.77	MWD Run 2	
17	1561.00	2.30	253.06	1560.13	-16.32	-16.51	-24.15	95.00	0.44	95.00	29.25	235.63	MWD Run 2	
18	1655.00	2.24	246.39	1654.06	-17.57	-17.80	-27.64	94.00	0.29	102.29	32.87	237.21	MWD Run 2	
19	1750.00	3.07	269.66	1748.96	-18.30	-18.56	-31.88	95.00	1.41	102.29	36.89	239.79	MWD Run 2	
20	1845.00	3.34	273.86	1843.81	-18.08	-18.39	-37.19	95.00	0.38	109.57	41.48	243.69	MWD Run 2	
21	1940.00	3.33	269.96	1938.65	-17.85	-18.20	-42.71	95.00	0.24	109.57	46.42	246.91	MWD Run 2	
22	2035.00	3.38	270.49	2033.48	-17.78	-18.18	-48.27	95.00	0.06	109.57	51.58	249.36	MWD Run 2	
23	2130.00	3.36	271.75	2128.32	-17.63	-18.07	-53.85	95.00	0.08	109.57	56.80	251.45	MWD Run 2	
24	2225.00	3.18	273.61	2223.17	-17.33	-17.82	-59.26	95.00	0.22	109.57	61.88	253.26	MWD Run 2	
25	2320.00	3.33	276.10	2318.01	-16.83	-17.36	-64.63	95.00	0.22	116.86	66.93	254.96	MWD Run 2	
26	2414.00	3.15	275.89	2411.86	-16.23	-16.81	-69.92	94.00	0.19	116.86	71.91	256.48	MWD Run 2	
27	2509.00	3.13	279.00	2506.72	-15.52	-16.13	-75.08	95.00	0.18	116.86	76.79	257.87	MWD Run 2	
28	2603.00	3.12	278.86	2600.58	-14.68	-15.34	-80.14	94.00	0.01	116.86	81.59	259.16	MWD Run 2	
29	2698.00	3.10	281.69	2695.44	-13.72	-14.42	-85.21	95.00	0.16	124.14	86.42	260.40	MWD Run 2	
30	2793.00	2.82	277.61	2790.31	-12.85	-13.59	-90.04	95.00	0.37	124.14	91.06	261.42	MWD Run 2	
31	2888.00	2.61	281.76	2885.21	-12.06	-12.84	-94.47	95.00	0.30	124.14	95.34	262.26	MWD Run 2	
32	2983.00	2.25	277.93	2980.12	-11.33	-12.14	-98.44	95.00	0.42	124.14	99.18	262.97	MWD Run 2	
33	3077.00	3.33	267.60	3074.01	-11.16	-12.00	-102.99	94.00	1.26	131.43	103.69	263.35	MWD Run 2	
34	3172.00	3.85	266.89	3168.82	-11.40	-12.29	-108.94	95.00	0.55	124.14	109.63	263.56	MWD Run 2	
35	3267.00	3.69	263.15	3263.62	-11.88	-12.83	-115.15	95.00	0.31	131.43	115.87	263.64	MWD Run 2	
36	3359.00	3.55	261.29	3355.43	-12.62	-13.61	-120.91	92.00	0.20	124.14	121.67	263.58	MWD Run 3	
37	3454.00	3.14	264.96	3450.27	-13.25	-14.29	-126.41	95.00	0.49	124.14	127.21	263.55	MWD Run 3	
38	3549.00	2.26	268.50	3545.16	-13.49	-14.56	-130.87	95.00	0.94	124.14	131.68	263.65	MWD Run 3	
39	3643.00	1.56	281.97	3639.11	-13.25	-14.35	-133.98	94.00	0.88	131.43	134.74	263.89	MWD Run 3	
40	3738.00	2.74	288.78	3734.04	-12.22	-13.35	-137.39	95.00	1.27	131.43	138.04	264.45	MWD Run 3	
41	3833.00	3.00	290.99	3828.92	-10.56	-11.73	-141.86	95.00	0.30	131.43	142.35	265.28	MWD Run 3	
42	3928.00	3.35	296.21	3923.78	-8.41	-9.61	-146.67	95.00	0.48	131.43	146.99	266.25	MWD Run 3	
43	4023.00	3.46	297.85	4018.61	-5.80	-7.04	-151.70	95.00	0.15	124.14	151.86	267.34	MWD Run 3	
44	4118.00	3.70	282.75	4113.43	-3.74	-5.03	-157.22	95.00	1.02	124.14	157.30	268.17	MWD Run 3	
45	4212.00	3.58	288.07	4207.24	-2.11	-3.45	-162.97	94.00	0.38	124.14	163.01	268.79	MWD Run 3	
46	4307.00	3.20	301.74	4302.07	0.25	-1.13	-168.05	95.00	0.94	131.43	168.05	269.61	MWD Run 3	
47	4402.00	2.75	308.79	4396.95	3.10	1.69	-172.08	95.00	0.61	131.43	172.09	270.56	MWD Run 3	
48	4497.00	2.61	318.00	4491.84	6.16	4.72	-175.30	95.00	0.48	131.43	175.37	271.54	MWD Run 3	

49	4592.00	2.44	320.97	4586.75	9.36	7.90	-178.02	95.00	0.23	131.43	178.20	272.54	MWD Run 3
50	4687.00	2.70	327.40	4681.65	12.84	11.36	-180.50	95.00	0.41	138.71	180.86	273.60	MWD Run 3
51	4739.00	2.69	324.23	4733.60	14.87	13.38	-181.88	52.00	0.29	138.71	182.37	274.21	MWD Run 3
52	4782.00	2.71	328.64	4776.55	16.57	15.07	-182.99	43.00	0.49	138.71	183.61	274.71	MWD Run 3
53	4829.00	2.50	322.92	4823.50	18.34	16.83	-184.19	47.00	0.71	138.71	184.96	275.22	MWD Run 3
54	4958.00	2.67	325.15	4952.37	23.08	21.54	-187.60	129.00	0.15	109.57	188.84	276.55	MWD Run 4
55	5053.00	2.60	319.29	5047.27	26.55	24.99	-190.27	95.00	0.29	116.86	191.91	277.48	MWD Run 4
56	5148.00	2.64	307.17	5142.17	29.53	27.95	-193.42	95.00	0.58	116.86	195.43	278.22	MWD Run 4
57	5242.00	3.71	287.02	5236.03	31.77	30.15	-198.06	94.00	1.63	116.86	200.34	278.65	MWD Run 4
58	5337.00	4.79	286.06	5330.77	33.82	32.14	-204.81	95.00	1.14	116.86	207.31	278.92	MWD Run 4
59	5432.00	6.05	272.99	5425.34	35.25	33.50	-213.62	95.00	1.85	124.14	216.23	278.91	MWD Run 4
60	5527.00	6.25	273.34	5519.80	35.90	34.06	-223.78	95.00	0.21	124.14	226.36	278.66	MWD Run 4
61	5621.00	5.77	272.85	5613.28	36.51	34.60	-233.61	94.00	0.51	124.14	236.16	278.42	MWD Run 4
62	5716.00	5.31	271.02	5707.83	36.90	34.91	-242.77	95.00	0.52	124.14	245.27	278.18	MWD Run 4
63	5811.00	4.90	267.32	5802.46	36.86	34.80	-251.22	95.00	0.55	131.43	253.62	277.89	MWD Run 4
64	5906.00	4.92	266.23	5897.11	36.47	34.34	-259.34	95.00	0.10	131.43	261.60	277.54	MWD Run 4
65	6000.00	4.49	264.63	5990.79	35.92	33.74	-267.02	94.00	0.48	131.43	269.15	277.20	MWD Run 4
66	6095.00	4.17	266.58	6085.52	35.43	33.18	-274.17	95.00	0.37	131.43	276.17	276.90	MWD Run 4
67	6190.00	4.44	267.89	6180.25	35.15	32.84	-281.30	95.00	0.30	131.43	283.21	276.66	MWD Run 4
68	6285.00	4.52	266.13	6274.96	34.82	32.45	-288.71	95.00	0.17	131.43	290.52	276.41	MWD Run 4
69	6380.00	4.24	264.46	6369.69	34.29	31.86	-295.94	95.00	0.32	131.43	297.65	276.14	MWD Run 4
70	6474.00	3.92	267.11	6463.45	33.84	31.36	-302.60	94.00	0.40	138.71	304.22	275.92	MWD Run 4
71	6569.00	4.04	266.55	6558.22	33.53	31.00	-309.19	95.00	0.13	138.71	310.74	275.73	MWD Run 4
72	6664.00	3.89	264.44	6652.99	33.07	30.48	-315.74	95.00	0.22	138.71	317.20	275.51	MWD Run 4
73	6759.00	3.48	264.09	6747.79	32.51	29.87	-321.81	95.00	0.43	138.71	323.19	275.30	MWD Run 4
74	6854.00	3.98	261.96	6842.59	31.81	29.12	-327.94	95.00	0.55	138.71	329.23	275.07	MWD Run 4
75	6948.00	4.03	257.95	6936.36	30.71	27.97	-334.40	94.00	0.30	138.71	335.57	274.78	MWD Run 4
76	7043.00	4.27	257.34	7031.11	29.30	26.50	-341.12	95.00	0.26	138.71	342.15	274.44	MWD Run 4
77	7138.00	4.33	255.48	7125.85	27.68	24.82	-348.04	95.00	0.16	138.71	348.93	274.08	MWD Run 4
78	7233.00	4.05	253.81	7220.59	25.90	22.99	-354.73	95.00	0.32	138.71	355.48	273.71	MWD Run 4
79	7328.00	3.94	252.63	7315.36	24.04	21.08	-361.07	95.00	0.14	138.71	361.69	273.34	MWD Run 4
80	7423.00	3.80	245.59	7410.15	21.82	18.80	-367.05	95.00	0.52	138.71	367.53	272.93	MWD Run 4
81	7518.00	3.39	244.37	7504.96	19.34	16.29	-372.45	95.00	0.44	146.00	372.81	272.50	MWD Run 4
82	7613.00	3.08	239.22	7599.81	16.86	13.77	-377.18	95.00	0.45	146.00	377.43	272.09	MWD Run 4
83	7708.00	2.91	232.49	7694.68	14.12	10.99	-381.28	95.00	0.41	138.71	381.44	271.65	MWD Run 4
84	7803.00	3.62	256.25	7789.53	11.98	8.81	-386.11	95.00	1.59	138.71	386.21	271.31	MWD Run 4
85	7898.00	3.23	260.26	7884.36	10.86	7.65	-391.66	95.00	0.48	146.00	391.73	271.12	MWD Run 4
86	7993.00	2.56	257.43	7979.24	9.98	6.73	-396.37	95.00	0.72	146.00	396.43	270.97	MWD Run 4
87	8088.00	2.43	252.57	8074.15	8.95	5.67	-400.36	95.00	0.26	146.00	400.40	270.81	MWD Run 4
88	8182.00	3.10	279.73	8168.04	8.82	5.50	-404.77	94.00	1.54	146.00	404.80	270.78	MWD Run 4
89	8277.00	2.84	287.29	8262.91	9.99	6.63	-409.55	95.00	0.49	146.00	409.60	270.93	MWD Run 4
90	8372.00	4.23	261.86	8357.74	10.24	6.84	-415.26	95.00	2.17	153.29	415.32	270.94	MWD Run 4
91	8467.00	4.40	253.43	8452.47	8.76	5.30	-422.22	95.00	0.69	146.00	422.26	270.72	MWD Run 4
92	8562.00	4.13	251.40	8547.20	6.69	3.17	-428.96	95.00	0.33	146.00	428.97	270.42	MWD Run 4
93	8656.00	3.07	239.98	8641.02	4.39	0.83	-434.35	94.00	1.36	153.29	434.35	270.11	MWD Run 4
94	8751.00	2.13	218.26	8735.92	1.76	-1.83	-437.64	95.00	1.42	146.00	437.65	269.76	MWD Run 4
95	8846.00	3.98	262.91	8830.79	0.01	-3.62	-442.01	95.00	3.03	146.00	442.02	269.53	MWD Run 4
96	8941.00	3.10	264.97	8925.61	-0.58	-4.25	-447.84	95.00	0.94	153.29	447.86	269.46	MWD Run 4
97	9036.00	1.88	272.18	9020.52	-0.71	-4.42	-451.96	95.00	1.32	153.29	451.98	269.44	MWD Run 4
98	9130.00	1.08	289.66	9114.49	-0.34	-4.06	-454.33	94.00	0.97	153.29	454.35	269.49	MWD Run 4
99	9225.00	2.88	341.68	9209.43	2.25	-1.49	-455.92	95.00	2.50	153.29	455.93	269.81	MWD Run 4
100	9320.00	3.27	347.58	9304.30	7.17	3.42	-457.26	95.00	0.53	153.29	457.27	270.43	MWD Run 4
101	9415.00	3.78	345.35	9399.12	12.85	9.09	-458.63	95.00	0.56	153.29	458.72	271.14	MWD Run 4
102	9510.00	3.48	338.02	9493.93	18.57	14.80	-460.50	95.00	0.58	153.29	460.74	271.84	MWD Run 4
103	9622.00	5.29	342.30	9605.59	26.67	22.87	-463.34	112.00	1.64	124.14	463.91	272.83	MWD Run 5
104	9717.00	16.60	349.80	9698.72	44.28	40.45	-467.09	95.00	11.97	131.43	468.84	274.95	MWD Run 5
105	9812.00	21.93	348.89	9788.37	75.12	71.24	-472.92	95.00	5.62	131.43	478.25	278.57	MWD Run 5
106	9907.00	29.36	349.21	9873.95	115.52	111.58	-480.71	95.00	7.82	131.43	493.49	283.07	MWD Run 5
107	10002.00	38.35	348.74	9952.76	167.49	163.47	-490.84	95.00	9.47	131.43	517.35	288.42	MWD Run 5
108	10097.00	46.58	353.57	10022.80	230.88	226.78	-500.48	95.00	9.31	131.43	549.46	294.38	MWD Run 5
109	10192.00	57.16	358.31	10081.39	305.33	301.20	-505.54	95.00	11.80	131.43	588.46	300.79	MWD Run 5
110	10239.00	63.09	358.70	10104.80	346.06	341.92	-506.60	47.00	12.64	131.43	611.18	304.02	MWD Run 5
111	10286.00	62.71	358.44	10126.21	387.90	383.75	-507.64	47.00	0.95	131.43	636.36	307.09	MWD Run 5
112	10381.00	63.23	358.10	10169.38	472.50	468.33	-510.19	95.00	0.63	131.43	692.55	312.55	MWD Run 5
113	10476.00	68.28	356.83	10208.38	559.03	554.83	-514.04	95.00	5.45	131.43	756.36	317.19	MWD Run 5
114	10571.00	72.04	359.60	10240.62	648.34	644.13	-516.80	95.00	4.81	131.43	825.82	321.26	MWD Run 5
115	10666.00	83.50	1.53	10260.71	741.01	736.81	-515.85	95.00	12.22	131.43	899.44	325.00	MWD Run 5
116	10729.00	88.79	0.06	10264.95	803.83	799.63	-514.98	63.00	8.71	131.43	951.12	327.22	MWD Run 5

117	10799.00	90.03	359.16	10265.67	873.82	869.63	-515.46	70.00	2.19	131.43	1010.91	329.34	MWD Run 6
118	10894.00	91.09	359.36	10264.74	968.82	964.61	-516.69	95.00	1.14	138.71	1094.28	331.82	MWD Run 6
119	10989.00	90.95	359.31	10263.05	1063.80	1059.59	-517.79	95.00	0.16	138.71	1179.34	333.96	MWD Run 6
120	11083.00	89.58	359.72	10262.61	1157.80	1153.58	-518.58	94.00	1.52	138.71	1264.79	335.79	MWD Run 6
121	11178.00	90.36	359.72	10262.66	1252.80	1248.58	-519.05	95.00	0.82	138.71	1352.17	337.43	MWD Run 6
122	11273.00	91.57	359.58	10261.06	1347.78	1343.56	-519.63	95.00	1.28	146.00	1440.55	338.86	MWD Run 6
123	11368.00	88.91	358.76	10260.67	1442.77	1438.54	-521.01	95.00	2.93	146.00	1529.99	340.09	MWD Run 6
124	11463.00	87.73	359.68	10263.45	1537.72	1533.49	-522.30	95.00	1.57	153.29	1620.00	341.19	MWD Run 6
125	11558.00	87.73	1.16	10267.21	1632.64	1628.41	-521.60	95.00	1.56	153.29	1709.91	342.24	MWD Run 6
126	11652.00	87.59	2.24	10271.05	1726.49	1722.29	-518.82	94.00	1.16	153.29	1798.74	343.24	MWD Run 6
127	11747.00	87.42	0.31	10275.19	1821.35	1817.17	-516.70	95.00	2.04	153.29	1889.21	344.13	MWD Run 6
128	11842.00	88.34	358.94	10278.70	1916.28	1912.10	-517.33	95.00	1.74	153.29	1980.85	344.86	MWD Run 6
129	11936.00	90.20	359.95	10279.90	2010.27	2006.09	-518.24	94.00	2.25	160.57	2071.94	345.52	MWD Run 6
130	12031.00	92.38	1.11	10277.76	2105.22	2101.05	-517.36	95.00	2.60	153.29	2163.81	346.17	MWD Run 6
131	12126.00	91.04	359.21	10274.93	2200.17	2196.00	-517.09	95.00	2.45	160.57	2256.06	346.75	MWD Run 6
132	12221.00	91.52	358.67	10272.81	2295.14	2290.96	-518.85	95.00	0.76	160.57	2348.98	347.24	MWD Run 6
133	12315.00	92.95	358.48	10269.14	2389.05	2384.86	-521.19	94.00	1.53	160.57	2441.14	347.67	MWD Run 6
134	12410.00	92.55	357.00	10264.58	2483.89	2479.67	-524.93	95.00	1.61	160.57	2534.62	348.05	MWD Run 6
135	12505.00	91.96	357.12	10260.84	2578.73	2574.47	-529.80	95.00	0.63	160.57	2628.42	348.37	MWD Run 6
136	12600.00	88.93	357.96	10260.11	2673.66	2669.37	-533.87	95.00	3.31	160.57	2722.23	348.69	MWD Run 6
137	12695.00	86.67	357.47	10263.75	2768.54	2764.22	-537.66	95.00	2.43	160.57	2816.02	348.99	MWD Run 6
138	12790.00	86.81	357.13	10269.15	2863.31	2858.96	-542.13	95.00	0.39	167.86	2909.90	349.26	MWD Run 6
139	12885.00	87.13	357.41	10274.18	2958.10	2953.72	-546.64	95.00	0.45	167.86	3003.88	349.51	MWD Run 6
140	12980.00	87.00	358.80	10279.04	3052.95	3048.54	-549.78	95.00	1.47	167.86	3097.72	349.78	MWD Run 6
141	13074.00	86.63	359.33	10284.26	3146.80	3142.38	-551.31	94.00	0.69	167.86	3190.38	350.05	MWD Run 6
142	13169.00	86.40	359.64	10290.04	3241.62	3237.20	-552.17	95.00	0.41	167.86	3283.95	350.32	MWD Run 6
143	13264.00	85.10	359.76	10297.08	3336.36	3331.94	-552.66	95.00	1.37	167.86	3377.46	350.58	MWD Run 6
144	13359.00	87.17	358.99	10303.48	3431.14	3426.71	-553.70	95.00	2.32	167.86	3471.15	350.82	MWD Run 6
145	13453.00	90.36	357.45	10305.51	3525.07	3520.63	-556.62	94.00	3.77	167.86	3564.36	351.02	MWD Run 6
146	13548.00	91.85	358.09	10303.68	3620.01	3615.53	-560.31	95.00	1.71	175.14	3658.69	351.19	MWD Run 6
147	13643.00	93.22	357.78	10299.47	3714.88	3710.38	-563.73	95.00	1.48	175.14	3752.96	351.36	MWD Run 6
148	13738.00	91.49	359.07	10295.57	3809.77	3805.26	-566.34	95.00	2.27	182.43	3847.17	351.53	MWD Run 6
149	13833.00	93.25	359.97	10291.64	3904.69	3900.17	-567.14	95.00	2.08	175.14	3941.18	351.73	MWD Run 6
150	13928.00	92.16	359.72	10287.16	3999.58	3995.06	-567.39	95.00	1.18	175.14	4035.15	351.92	MWD Run 6
151	14022.00	91.43	0.47	10284.21	4093.53	4089.01	-567.24	94.00	1.11	175.14	4128.17	352.10	MWD Run 6
152	14117.00	89.58	0.58	10283.38	4188.50	4184.00	-566.37	95.00	1.95	175.14	4222.16	352.29	MWD Run 6
153	14212.00	89.66	359.53	10284.01	4283.50	4279.00	-566.27	95.00	1.11	175.14	4316.30	352.46	MWD Run 6
154	14307.00	89.78	358.36	10284.47	4378.49	4373.98	-568.02	95.00	1.24	175.14	4410.71	352.60	MWD Run 6
155	14402.00	91.15	357.43	10283.70	4473.44	4468.91	-571.51	95.00	1.74	175.14	4505.30	352.71	MWD Run 6
156	14497.00	92.02	356.78	10281.07	4568.32	4563.75	-576.31	95.00	1.14	175.14	4599.99	352.80	MWD Run 6
157	14592.00	90.17	357.50	10279.26	4663.22	4658.61	-581.05	95.00	2.09	175.14	4694.70	352.89	MWD Run 6
158	14686.00	90.78	357.19	10278.48	4757.14	4752.50	-585.40	94.00	0.73	175.14	4788.42	352.98	MWD Run 6
159	14781.00	91.68	356.48	10276.44	4852.02	4847.33	-590.65	95.00	1.21	182.43	4883.19	353.05	MWD Run 6
160	14876.00	92.19	356.79	10273.23	4946.84	4942.12	-596.22	95.00	0.63	175.14	4977.95	353.12	MWD Run 6
161	14971.00	92.61	357.60	10269.25	5041.68	5036.92	-600.86	95.00	0.96	175.14	5072.63	353.20	MWD Run 6
162	15066.00	93.85	357.57	10263.90	5136.47	5131.68	-604.86	95.00	1.31	167.86	5167.20	353.28	MWD Run 6
163	15160.00	91.20	359.46	10259.76	5230.35	5225.54	-607.29	94.00	3.46	175.14	5260.71	353.37	MWD Run 6
164	15255.00	89.92	359.48	10258.83	5325.34	5320.53	-608.17	95.00	1.35	175.14	5355.18	353.48	MWD Run 6
165	15350.00	89.55	1.19	10259.27	5420.33	5415.53	-607.61	95.00	1.84	175.14	5449.51	353.60	MWD Run 6
166	15445.00	88.21	1.82	10261.13	5515.25	5510.47	-605.12	95.00	1.56	175.14	5543.60	353.73	MWD Run 6
167	15540.00	86.27	1.80	10265.70	5610.06	5605.31	-602.12	95.00	2.04	175.14	5637.56	353.87	MWD Run 6
168	15635.00	86.80	2.03	10271.44	5704.81	5700.09	-598.95	95.00	0.61	175.14	5731.47	354.00	MWD Run 6
169	15729.00	87.70	2.48	10275.95	5798.59	5793.90	-595.26	94.00	1.07	175.14	5824.40	354.13	MWD Run 6
170	15824.00	88.13	2.60	10279.41	5893.40	5888.75	-591.05	95.00	0.47	175.14	5918.33	354.27	MWD Run 6
171	15919.00	88.82	2.91	10281.94	5988.21	5983.60	-586.49	95.00	0.80	175.14	6012.28	354.40	MWD Run 6
172	16014.00	88.48	2.11	10284.17	6083.06	6078.48	-582.33	95.00	0.91	175.14	6106.31	354.53	MWD Run 6
173	16108.00	90.36	3.76	10285.13	6176.88	6172.35	-577.52	94.00	2.66	175.14	6199.31	354.65	MWD Run 6
174	16203.00	88.54	2.44	10286.04	6271.68	6267.20	-572.38	95.00	2.37	175.14	6293.28	354.78	MWD Run 6
175	16298.00	87.65	1.76	10289.20	6366.53	6362.08	-568.90	95.00	1.18	175.14	6387.47	354.89	MWD Run 6
176	16393.00	88.54	2.71	10292.35	6461.37	6456.95	-565.20	95.00	1.37	175.14	6481.64	355.00	MWD Run 6
177	16488.00	89.41	2.99	10294.05	6556.20	6551.82	-560.47	95.00	0.96	175.14	6575.75	355.11	MWD Run 6
178	16582.00	89.75	3.13	10294.74	6650.02	6645.68	-555.46	94.00	0.39	175.14	6668.86	355.22	MWD Run 6
179	16677.00	87.65	0.41	10296.90	6744.91	6740.60	-552.52	95.00	3.62	175.14	6763.21	355.31	MWD Run 6
180	16772.00	87.95	358.68	10300.55	6839.83	6835.52	-553.28	95.00	1.85	175.14	6857.88	355.37	MWD Run 6
181	16867.00	87.56	357.76	10304.27	6934.73	6930.40	-556.22	95.00	1.05	175.14	6952.69	355.41	MWD Run 6
182	16962.00	89.64	356.95	10306.59	7029.63	7025.27	-560.61	95.00	2.35	175.14	7047.60	355.44	MWD Run 6
183	17057.00	90.11	356.44	10306.80	7124.51	7120.11	-566.08	95.00	0.73	175.14	7142.58	355.45	MWD Run 6
184	17152.00	90.03	356.34	10306.68	7219.37	7214.92	-572.07	95.00	0.13	175.14	7237.56	355.47	MWD Run 6

185	17247.00	90.84	356.58	10305.96	7314.23	7309.74	-577.93	95.00	0.89	175.14	7332.55	355.48	MWD Run 6
186	17341.00	91.66	356.56	10303.91	7408.08	7403.54	-583.55	94.00	0.87	182.43	7426.51	355.49	MWD Run 6
187	17436.00	92.11	356.66	10300.78	7502.91	7498.33	-589.17	95.00	0.49	182.43	7521.44	355.51	MWD Run 6
188	17531.00	93.79	356.86	10295.89	7597.67	7593.05	-594.53	95.00	1.78	182.43	7616.29	355.52	MWD Run 6
189	17626.00	93.48	359.32	10289.87	7692.44	7687.79	-597.69	95.00	2.60	175.14	7710.99	355.55	MWD Run 6
190	17721.00	92.77	0.59	10284.69	7787.29	7782.65	-597.76	95.00	1.53	175.14	7805.57	355.61	MWD Run 6
191	17816.00	92.91	0.76	10279.98	7882.16	7877.53	-596.65	95.00	0.23	175.14	7900.09	355.67	MWD Run 6
192	17911.00	94.75	1.44	10273.64	7976.90	7972.29	-594.83	95.00	2.06	175.14	7994.45	355.73	MWD Run 6
193	18005.00	95.48	1.60	10265.26	8070.47	8065.88	-592.34	94.00	0.79	175.14	8087.61	355.80	MWD Run 6
194	18100.00	96.23	1.69	10255.57	8164.91	8160.35	-589.63	95.00	0.80	167.86	8181.62	355.87	MWD Run 6
195	18182.00	94.76	2.27	10247.71	8246.46	8241.92	-586.81	82.00	1.93	175.14	8262.78	355.93	MWD Run 6
PTB	18242.00	94.76	2.27	10242.74	8306.18	8301.67	-584.44	60.00	0.00	175.10	8322.21	355.97	MWD Run 6

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 142100

CONDITIONS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 74121146	OGRID: 12361
	Action Number: 142100
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	9/15/2022