

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 7H

Sundry Print Report

Well Name: AZORES FEDERAL Well Location: T24S / R32E / SEC 32 / County or Parish/State: LEA /

NWNE /

Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM120908 Unit or CA Name: Unit or CA Number:

US Well Number: 3002543170 Well Status: Abandoned Operator: COG PRODUCTION

LLC

## **Subsequent Report**

**Sundry ID: 2644754** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/17/2021 Time Sundry Submitted: 01:28

**Date Operation Actually Began:** 10/22/2021

Actual Procedure: 10/22/21 MIRU plugging equipment. Dug out cellar. Let well flow to pit. 10/25/21Pump'd 45 bbls Brine H20 to kill well. Removed well head tree, NU BOP. Worked on freeing tbg. POH w/ 191 jts of 2 7/8" tbg, POH w/ 18 jts of 2 3/8" tbg, & 8 gas lift mandrels. Top of tbg fish @ 6776 +/-'. 10/26/21Tagged top offish @ 6860'. POH. Casing patch @ 6383'. Began RIH w/ 5 1/2" packer. 10/27/21 Set packer @ 6041'. Established an injection rate of 3 bbls/min 0 PSI. Pump'd 100 bbls Brine H20. Sqz'd 200 sx class C cmt w/ 2% CACL @ 6041' to 8064' +/-. 10/28/21Well on vacuum. Sqz'd 100 sx class C cmt w/ 2% CACL & 2 bags L'CM & pushed cmt to 6325'. WOC. Well on vacuum. Pump'd 40 bbls Brine H20, no pressure. Sqz'd 50 sx class C cmt w/ 2% CACL & 1bag LCM. Pressured up to 1500 PSI. Bled down pressure & released packer. Spotted cmt to 5541'. Pump'd 15 bbls Brine H20 & reverse circ'd out of hole. WOC. 10/29/21Tagged plug 4460'. Tag approved by Jim Amos w/ BLM. Pressure tested csg, held 500 PSI. Circ'd well w/ 105 bbls Brine H20 mixed w/ 27 sx MLF. Spotted 25 sx class C cmt @ 4460' & displaced to 4210' w/ 5 sx MLF. WOC. 11/01/21Tagged plug @ 4210'. Spotted 25 sx cmt @ 2795-2545' per Jim Amos' w/ BLM request. Perf'd @ 1143'. Established an injection rate & had circulation in 9 5/8". Sqz'd 70 sx class C cmt @ 1143-805'. WOC. 11/02/21 Pressured up to 500 PSI. Tagged plug @ 780'. Perf'd @ 200'. Established an injection rate & circ'd in 9 5/8. Pressured up on 13 3/8". ND BOP. Sqz'd 70 sx class C cmt w/ 2% CACL 200' & circ'd to surface in 5 1/2" & 9 5/8". Pump'd 10 sx down 13 3/8" to surface. Rigged down & moved off. 11/10/21Moved in backhoe and welder. Cut off well head & anchors. Steven Bailey w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off

Accepted for Record Only

SUBJECT TO LIKE APPROVAL BY BLM

Xx

NMOCD 9/15/22

ceived by OCD: 3/18/2022 6:54:28 AM
Well Name: AZORES FEDERAL
Well Location: T24S / R32E / SEC 32 / County or Parish/State: LEA7

NWNE /

Well Number: 7H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM120908 Unit or CA Name: Unit or CA Number:

US Well Number: 3002543170 Well Status: Abandoned Operator: COG PRODUCTION

LLC

## **SR Attachments**

## **Actual Procedure**

Azores\_Fed\_7H\_Plugging\_Record\_20211117132805.pdf

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: RUTH SHOCKENCY Signed on: NOV 17, 2021 01:28 PM

Name: COG PRODUCTION LLC

Title: Regulatory Analyst

Street Address: 600 W. ILLINOIS AVE.

City: MIDLAND State: TX

Phone: (575) 703-8321

Email address: RUTH.SHOCKENCY@CONOCOPHILLIPS.COM

## **Field Representative**

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927 BLM POC Email Address: jamos@blm.gov

**Disposition:** Accepted **Disposition Date:** 01/03/2022

Signature: James A. Amos

Page 2 of 2

# Plug Abandonment Subsequent Report

210' FNL & 2550' FEL

**OPERATOR NAME:** COG Operating, LLC

LEASE NO.: NMNM120908

WELL NAME & NO.: Azores Federal #7H

**US WELL NUMBER:** 30-025-43170

LOCATION: Sec 32-T24S-R34E

COUNTY: Lea County, NM

10/22/21 MIRU plugging equipment. Dug out cellar. Let well flow to pit. 10/25/21 Pump'd 45 bbls Brine H20 to kill well. Removed well head tree, NU BOP. Worked on freeing tbg. POH w/ 191 jts of 2 7/8" tbg, POH w/ 18 jts of 2 3/8" tbg, & 8 gas lift mandrels. Top of tbg fish @ 6776 +/-'. 10/26/21 Tagged top of fish @ 6860'. POH. Casing patch @ 6383'. Began RIH w/ 5 1/2" packer. 10/27/21 Set packer @ 6041'. Established an injection rate of 3 bbls/min @ 0 PSI. Pump'd 100 bbls Brine H20. Sqz'd 200 sx class C cmt w/ 2% CACL @ 6041' to 8064' +/-. 10/28/21 Well on vacuum. Sqz'd 100 sx class C cmt w/ 2% CACL & 2 bags LCM & pushed cmt to 6325'. WOC. Well on vacuum. Pump'd 40 bbls Brine H20, no pressure. Sqz'd 50 sx class C cmt w/ 2% CACL & 1 bag LCM. Pressured up to 1500 PSI. Bled down pressure & released packer. Spotted cmt to 5541'. Pump'd 15 bbls Brine H20 & reverse circ'd out of hole. WOC. 10/29/21 Tagged plug @ 4460'. Tag approved by Jim Amos w/ BLM. Pressure tested csg, held 500 PSI. Circ'd well w/ 105 bbls Brine H20 mixed w/ 27 sx MLF. Spotted 25 sx class C cmt @ 4460' & displaced to 4210' w/ 5 sx MLF. WOC. 11/01/21 Tagged plug @ 4210'. Spotted 25 sx cmt @ 2795-2545' per Jim Amos' w/ BLM request. Perf'd @ 1143'. Established an injection rate & had circulation in 9 5/8". Sgz'd 70 sx class C cmt @ 1143-805'. WOC. 11/02/21 Pressured up to 500 PSI. Tagged plug @ 780'. Perf'd @ 200'. Established an injection rate & circ'd in 9 5/8. Pressured up on 13 3/8". ND BOP. Sqz'd 70 sx class C cmt w/ 2% CACL @ 200' & circ'd to surface in 5 1/2" & 9 5/8". Pump'd 10 sx down 13 3/8" to surface. Rigged down & moved off. 11/10/21 Moved in backhoe and welder. Cut off well head & anchors. Steven Bailey w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Hole Size:

CSG @ 8 3/4

14,435

KOP @ 8655 EOC @ 9392 EOL @ 14435

Top of thg fish @ 6776

Brine H20 mixed w/ 27 sx MLF.


down pressure & released packer. Spotted remaing cmt to 5541'. WOC.Tagged plug @ 4460'. Circ'd well w/ 105 bbls

Perfs @ 10820-14340


TD @ 14450

**DVT @6092** 

TVD @ 9102



Prod Csg	Inter Csg	Surface Csg	Description
5 1/2	9 5/8	13 3/8	0.D.
P110	J55	J55	Grade
17#	40#	54.5#	Weight
14,435 8 3/4	4,650	855	Depth
8 3/4	4,650 12 1/4	17 1/2	Hole
2,485	1,720	700	Cmt Sx
2,870	0	0	ТОС



d by Tcage					150 F (est.)							BHST (F)	
Updated					8.45				10.05		8.4	HOLE SIZE	
					8.76				12.25*		17.5"		
												24S R/Svy 32E 2,550' FEL 2,272' FWL (est.) 24S R/Svy 32E	
												T/B 24S FNL & 2,55 FNL & 2,27 T/B 24S	
												32 210° 72° 29 3,491° 3,517°	
							*** **********************************					Sec SHL: BHL: Sec GL: KB: ZERO:	
	sx circulated		435 P-110 BTC			1000		x cement		ment SIC			
	6,092' 0 sx cir 0 sx cir	386	@ 14,435 17 ppf P-11		9,102			40 ppf J-55/L-80 0 sx cement	<u> </u>	176 sx cement	@ 855'	II NO. 7H	SVEICH
	Sty Tool @ 6 sty 1: sty 2:	MJ: 8,586°	Production Casing 5.5" 1			Set @ 8,659	Production Tubing	9,625" / Circulated	1	Circulated	2000	Azores Federal No. 7H Paducah South Lea County	CURRENT WELL SKETCH
			Production Casing @ 14,435  5.5 17 ppf P-110		KOP @ 8,665 EOC @ 9,392 EOL @ 14,435 EOL Din Lateral	6-10-10	Proc		nterne		Surface Casing	Áz	400
			68000000000							1	***		-
				777777	32333333333	5555555	"""		833333333 816336003		757977		****
												30-025-43170 6/1/2016 6/16/2016 McVay #8	
												API: 30-025-4 SPUD: 6/1/2016 FRR: 6/16/201 RIG: McVay#	
													1

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

COMMENTS

Action 91217

### **COMMENTS**

Operator:	OGRID:
COG PRODUCTION, LLC	217955
600 W. Illinois Ave	Action Number:
Midland, TX 79701	91217
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### COMMENTS

Created B	Comment	Comment Date
plmartir	ez DATA ENTRY PM	9/16/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 91217

### **CONDITIONS**

Operator:	OGRID:
COG PRODUCTION, LLC	217955
600 W. Illinois Ave	Action Number:
Midland, TX 79701	91217
Γ.	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By		Condition Date
kfortner	Like approval from BLM	9/15/2022