

Well Name: JICARILLA APACHE B	Well Location: T24N / R5W / SEC 30 / NWNW / 36.288423 / -107.407825	County or Parish/State: RIO ARRIBA / NM
Well Number: 7	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC11	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003905334	Well Status: Producing Gas Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2681242

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 07/11/2022	Time Sundry Submitted: 12:29
Date Operation Actually Began: 06/21/2022	

Actual Procedure: The subject well was Plugged & Abandoned on 06/21/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOW_Submittal_BLM_20220711122915.pdf

Well Name: JICARILLA APACHE B	Well Location: T24N / R5W / SEC 30 / NWNW / 36.288423 / -107.407825	County or Parish/State: RIO ARRIBA / NM
Well Number: 7	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC11	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003905334	Well Status: Producing Gas Well	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: JUL 11, 2022 12:29 PM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 07/14/2022
Signature: Kenneth Rennick	

**DJR Operating, LLC
P&A End of Well Report
Jicarilla Apache B 7
API # 30-039-05334
NW/NW, Unit D, Sec 30, T24N, R5W
Rio Arriba County, NM
Spud Date: 6-2-1956
Plug Date: 6-21-2022**

6-16-2022:

MIRU rig and equipment. SITP = 35, SICP = 120, BH = 0. NDWH, NU BOP. Pull 2 3/8" tubing. PU and TIH with 2 3/8" workstring with scraper to 2068'. TOOH.

6-17-2022:

TIH, set cement retainer at 2048'. Load and roll the hole. PT casing, did not test.

P&A Plug 1: Pictured Cliffs perforations. Mix and pump 12 sx through CR.

TOOH. RIH and run CBL log from 2048' to surface. POOH, TIH with 2 3/8" workstring to 2048'.

P&A Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and pump balanced plug of 73 sx from 2048'. WOC. TIH to tag plug 2, tagged soft at 1592', continue in hole to 1655', reversed green cement out. TOOH, WOC over weekend.

6-20-2022:

TIH, tagged Plug 2 at 1655'.

P&A Plug 3: Finish Kirtland, Ojo Alamo plugs with 30 sx from 1655'. TOOH. WOC. Tagged Plug 3 at 1425'.

P&A Plug 4: Nacimiento formation top: Perforate holes at 965'. TIH, set CR at 915'. Mix and pump 42 sx (24 sx under CR, started to pressure up, sting out and place 18 sx above CR). TOOH. WOC.

6-21-2022:

Tagged Plug 4 at 716'.

P&A Plug 5: Surface casing shoe to surface. Mix and pump a balanced plug of 30 sx from 263'. TOOH. WOC. Tagged Plug 5 at 20'.

Cut off WH. Install P&A marker. Top off casing and cellar with 21 sx.

Release rig.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15ft³/sk.

Regulatory Representative: Bill Diers, BLM and Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.2884048 N, Long; 107.4078631 W

DJR Operating, LLC
P&A Marker
Jicarilla Apache B 7
API # 30-039-05334
NW/NW, Unit D, Sec 30, T24N, R5W
Rio Arriba County, NM
Spud Date: 6-2-1956
Plug Date: 6-21-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

DJR Operating, LLC**End of Well Report****Jicarilla Apache B 7**

API # 30-039-05334

NW/NW, Unit D, Sec 30, T24N, R5W

Rio Arriba County, NM

GL 6500'

KB 6510'

Spud Date 6/2/1956

SURF CSG

Hole size 12.25"
 Csg Size: 8.625"
 Wt: 24#
 Grade: N/A
 ID: 8.097"
 Depth 210'
 casing cap ft³/ft: 0.3575
 TOC: Circ. cement
 to surface.

FORMATION TOPS


FORMATION TOPS	Depth
San Jose	Surface
Nacimiento	915'
Ojo Alamo	1520'
Kirtland	1686'
Fruitland	1886'
Pictured Cliffs	2065'
Lewis	2132'
Chacra	2870'

PROD CSG

Hole size 7.875"
 Csg Size: 5.5"
 Wt: 15.5#
 Grade: N/A
 ID: 4.950"
 Depth 2150'
 casing cap ft³/ft: 0.1336
 Csg/csg Ann. ft³/ft: 0.1926
 Csg/OH ft³/ft: 0.1733
 TOC: 1100' (TS)

Pictured Cliffs perms 2065-2124'

PBTD 2140'
 TD 3150'



6-21-2022: Cut off WH, install P&A marker.
 Top off cellar and casing with 21 sx.

6-21-2022: Plug 5: Surface casing shoe to surface: Mix and pump balanced plug of 30 sx from 263'. WOC. Tagged at 20'.

6-20-2022: Plug 4: Nacimiento: Perf holes at 965'. Set CR at 915'. Mix and pump 42 sx (24 sx under CR, started to pressure up, spot 18 sx above CR). WOC. 6-21-2022: Tagged at 716'.

6-20-2022: Tagged Plug 2 at 1655', good tag. Mix Plug 3 of 30 sx from 1655' to finish Kirtland and Ojo Alamo plugs. WOC. Tagged at 1425'.

6-17-2022: Plug 2: Pictured Cliffs, Fruitland, Kirtland, and Ojo Alamo: Mix and place plug of 73 sx from 2048'. WOC. Tagged soft at 1592'. Some green cement, reversed out from 1655'.

6-17-2022: Run CBL from 2048' to surface.

6-17-2022: Plug 1: Pictured Cliffs perms: Set CR at 2048'. Load and roll hole, PT casing, did not test. Mix and pump plug of 12 sx under CR into Pictured Cliffs perms.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 ft³/sk

Regulatory Representative: Bill Diers, BLM and Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.2884048 N, Long; 107.4078631 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 125584

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 125584
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 6/21/22	10/7/2022