

Well Name: JICARILLA APACHE B	Well Location: T24N / R5W / SEC 20 / NESW / 36.296344 / -107.386384	County or Parish/State: RIO ARRIBA / NM
Well Number: 22	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC11	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003927728	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2682333
Type of Submission: Subsequent Report
Date Sundry Submitted: 07/15/2022
Date Operation Actually Began: 07/11/2022
Type of Action: Plug and Abandonment
Time Sundry Submitted: 11:17

Actual Procedure: The subject well was Plugged & Abandoned on 07/11/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure
EOWR_BLM_Submittal_20220715111730.pdf

Well Name: JICARILLA APACHE B

Well Location: T24N / R5W / SEC 20 /
NESW / 36.296344 / -107.386384

County or Parish/State: RIO
ARRIBA / NM

Well Number: 22

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:
JICARILLA APACHE

Lease Number: JIC11

Unit or CA Name:

Unit or CA Number:

US Well Number: 3003927728

Well Status: Abandoned

Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: JUL 15, 2022 11:17 AM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 07/18/2022

Signature: Kenneth Rennick

DJR Operating, LLC
P&A End of Well Report
Jicarilla Apache B 22
API # 30-039-27728
NE/SW, Unit K, Sec 20, T24N, R5W
Rio Arriba County, NM
Spud Date: 12-17-2004
Plug Date: 7-11-2022

7-8-2022:

MIRU rig and equipment. SITP = 140, SICP = 140, BH = 0. NDWH, NU BOP. TOO H with 2 3/8" production tubing. TIH with 2 3/8" workstring and scraper to 2287'. TOO H. TIH with cement retainer, set at 2274'. Load and roll hole, PT casing, good test.

P&A Plug 1: Pictured Cliffs perforations: Mix and pump 10 sx through CR and into Pictured Cliffs perforations. TOO H.

7-11-2022:

P&A Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: TIH with 2 3/8" workstring, mix and pump balanced plug of 47 sx from 2274' to 1669'. Pull up to 1021'.

P&A Plug 3: Nacimiento formation top: Mix and pump balanced plug of 15 sx from 1021' to 828'. Pull up to 325'.

P&A Plug 4: Surface casing shoe to surface. Mix and pump 24 sx balanced plug from 326' to surface.

Cut off WH. TOCs ; 4 1/2" casing = 75', annulus = 25'. Install P&A marker. Top off casings and cellar with 18 sx.

Release rig.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15 cu ft/sx

Regulatory Representative: Jimmie Dobson, BLM and Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.2962241 N, Long; 107.3866615 W

DJR Operating, LLC
P&A Marker
Jicarilla Apache B 22
API # 30-039-27728
NE/SW, Unit K, Sec 20, T24N, R5W
Rio Arriba County, NM
Spud Date: 12-17-2004
Plug Date: 7-11-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

DJR Operating, LLC**End of Well Report****Jicarilla Apache B 22**

API # 30-039-27728

NE/SW, Unit K, Sec 20, T24N, R5W

Rio Arriba County, NM

GL 6660'

KB 6672'

Spud Date 12/17/2004

SURF CSG

Hole size 12.25"
 Csg Size: 8.625"
 Wt: 24#
 Grade: J-55
 ID: 8.097"
 Depth 259'
 casing cap ft³/ft: 0.3575
 TOC:
 Circ. cement to surface.

FORMATION TOPS


San Jose	Surface
Nacimiento	947'
Ojo Alamo	1775'
Kirtland	1948'
Fruitland	2116'
Pictured Cliffs	2299'

PROD CSG

Hole size 7.875"
 Csg Size: 4.5"
 Wt: 10.5#
 Grade: J-55
 ID: 4.052"
 Depth 2421'
 casing cap ft³/ft: 0.0895
 Csg/csg Ann. ft³/ft 0.2471
 Csg/OH ft³/ft 0.2278
 TOC:
 Circulated 30 excess bbls
 cement to surface.

Pictured Cliffs perms
 2300-2316'

PBTD 2374'
 TD 2426'



7-11-2022: Top off: Cut off WH, TOC; 4 1/2" csg at 75', annulus at 25'. Install P&A marker, top off with 18 sx.

7-11-2022: Plug 4: Surface casing shoe to surface: Mix and spot balanced plug of 24 sx from 326' to surface.

7-11-2022: Plug 3: Nacimiento: Mix and spot balanced plug of 15 sx from 1021' to 828'.

7-11-2022: Plug 2: Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo: Mix and pump balanced plug of 47 sx from 2274' to 1669'.

7-8-2022: PT casing, good test.

7-8-2022: Plug 1: Pictured Cliffs perforations: Set CR at 2274'. Mix and pump 10 sx through CR into perforations.

All cement used was Class G, mixed at 15.8 ppg, yield of 1.15 ft³/sx
 Regulatory representative: Jimmie Dobson, BLM and Monica Kuehling, NMOCD via phone
 GPS Coordinates: Lat; 36.2962241 N, Long; 107.3866615 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 126677

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 126677
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 7/11/22	10/7/2022