reived by OCD: 3/31/2022 4:31:54 PM Submit y Copies To Appropriate District Office	State of Fren Mexico		Form C-103		
District I Energy, Minerals and Natural Resources 625 N. French Dr., Hobbs, NM 88240 District II ON CONFERNATION DIVISION		sources WELL API	May 27, 200-		
		20,025,224	30-025-23447		
1301 W. Grand Ave., Artesia, NM 88210 District III	1220 South St. Francis D	5. Indicate	Type of Lease		
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	SIA	STATE FEE		
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		B-2516	6. State Oil & Gas Lease No. B-2516		
SUNDRY NOTICE	S AND REPORTS ON WELLS		me or Unit Agreement Name		
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			nber		
1. Type of Well: Oil Well Gas Well Other		1	T. 1		
2. Name of Operator Rover Operating, LLC		9. OGRID 1	Number		
3. Address of Operator 17304 Preston Rd., Ste. 300 Dallas, To	c 75252	THE VICTOR AND ADDRESS OF THE PROPERTY OF THE	ne or Wildcat B, SA		
4. Well Location					
	feet from the N line and 990	feet from the E line			
	ship 17S Range 33E	NMPM	County LEA		
	. Elevation (Show whether DR, RKB,				
	4188 GL				
it or Below-grade Tank Application or Clo					
t typeDepth to Groundwater_	Distance from nearest fresh water wel	SV89			
t Liner Thickness: mil	Below-Grade Tank; Volume	bbls; Construction Mater	ial		
EMPORARILY ABANDON 🔲 C	LUG AND ABANDON REME HANGE PLANS COM	SUBSEQUENT EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB	ALTERING CASING D		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM PERF	LUG AND ABANDON REME HANGE PLANS COM	EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB	ALTERING CASING		
PERFORM REMEDIAL WORK PERFORM REMEDIAL REMEDIA	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASII	EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB R: t dctails, and give pertinen	ALTERING CASING DANNER PAND A PNR t dates, including estimated date		
PERFORM REMEDIAL WORK PERFORM REMEDIAL REMEDIA	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASI OTHE	EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB R: t dctails, and give pertinen	ALTERING CASING DANNER PAND A PNR t dates, including estimated date		
PERFORM REMEDIAL WORK PERFORM REMEDIAL RE	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASH OTHE	EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB R: t details, and give pertinen pletions: Attach wellbore of	ALTERING CASING PAND A PNR PNR t dates, including estimated dat diagram of proposed completion		
PERFORM REMEDIAL WORK PERFORM REMEDIAL RE	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASH OTHE doperations. (Clearly state all pertinent SEE RULE 1103. For Multiple Comp RIH tag CIBP circ w/P&A mud press to 60' perf @ 2823' sqz 40sx. WOC & tag	EDIAL WORK MENCE DRILLING OPNS. MENCE DRILLING OPNS. MER: It details, and give pertinent pletions: Attach wellbore of mest spot 25sx. PUH to 3760 MER: MER: MER: MER: MER: MER: MER: MER:	ALTERING CASING PAND A PNR PNR t dates, including estimated data diagram of proposed completion y' spot 25sx. 's spot 25sx.		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMEDI	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASH OTHE doperations. (Clearly state all pertinent SEE RULE 1103. For Multiple Comp	EDIAL WORK MENCE DRILLING OPNS. MENCE DRILLING OPNS. MER: It details, and give pertinent pletions: Attach wellbore of mest spot 25sx. PUH to 3760 MER: MER: MER: MER: MER: MER: MER: MER:	ALTERING CASING PAND A PNR PNR t dates, including estimated data diagram of proposed completion y' spot 25sx. 's spot 25sx.		
PERFORM REMEDIAL WORK PERFORM REMEDIAL RE	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASH OTHE doperations. (Clearly state all pertinent SEE RULE 1103. For Multiple Comp RIH tag CIBP circ w/P&A mud press to 60' perf @ 2823' sqz 40sx. WOC & tag	EDIAL WORK MENCE DRILLING OPNS. MENCE DRILLING OPNS. MER: It details, and give pertinent pletions: Attach wellbore of mest spot 25sx. PUH to 3760 MER: MER: MER: MER: MER: MER: MER: MER:	ALTERING CASING PAND A PNR PNR t dates, including estimated data diagram of proposed completion y' spot 25sx. 's spot 25sx.		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMEDI	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASH OTHE doperations. (Clearly state all pertinent SEE RULE 1103. For Multiple Comp RIH tag CIBP circ w/P&A mud press to 60' perf @ 2823' sqz 40sx. WOC & tag	EDIAL WORK MENCE DRILLING OPNS. MENCE DRILLING OPNS. MER: It details, and give pertinent pletions: Attach wellbore of mest spot 25sx. PUH to 3760 MER: MER: MER: MER: MER: MER: MER: MER:	ALTERING CASING PAND A PNR PNR t dates, including estimated data diagram of proposed completion y' spot 25sx. 's spot 25sx.		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMAINS PROPOSED OF THE REMEMBER OF THE REMEMBER REMAINS PROPOSED OF THE REMAINS PROPOSED OF	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASH OTHE doperations. (Clearly state all pertinent SEE RULE 1103. For Multiple Comp RIH tag CIBP circ w/P&A mud press to 60' perf @ 2823' sqz 40sx. WOC & tag	EDIAL WORK MENCE DRILLING OPNS. MENCE DRILLING OPNS. MER: It details, and give pertinent pletions: Attach wellbore of mest spot 25sx. PUH to 3760 MER: MER: MER: MER: MER: MER: MER: MER:	ALTERING CASING PAND A PNR PNR t dates, including estimated data diagram of proposed completion y' spot 25sx. 's spot 25sx.		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMEDI	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASH OTHE doperations. (Clearly state all pertinent SEE RULE 1103. For Multiple Comp RIH tag CIBP circ w/P&A mud press to 60' perf @ 2823' sqz 40sx. WOC & tag	EDIAL WORK MENCE DRILLING OPNS. MENCE DRILLING OPNS. MER: It details, and give pertinent pletions: Attach wellbore of mest spot 25sx. PUH to 3760 MER: MER: MER: MER: MER: MER: MER: MER:	ALTERING CASING PAND A PNR PNR t dates, including estimated data diagram of proposed completion y' spot 25sx. 's spot 25sx.		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMEDI	LUG AND ABANDON REME HANGE PLANS COMI ULTIPLE COMPL CASH OTHE doperations. (Clearly state all pertinent SEE RULE 1103. For Multiple Comp RIH tag CIBP circ w/P&A mud press to 60' perf @ 2823' sqz 40sx. WOC & tag	EDIAL WORK MENCE DRILLING OPNS. MENCE DRILLING OPNS. MER: It details, and give pertinent pletions: Attach wellbore of mest spot 25sx. PUH to 3760 MER: MER: MER: MER: MER: MER: MER: MER:	ALTERING CASING PAND A PNR PNR t dates, including estimated data diagram of proposed completion y' spot 25sx. 's spot 25sx.		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMAINS PROPOSED OF THE REMEDIAL REMAINS PROPOSED OF THE REMAINS PROP	LUG AND ABANDON REME HANGE PLANS COMI CASH ULTIPLE COMPL COTHE I operations. (Clearly state all pertinen SEE RULE 1103. For Multiple Comp RIH tag CIBP circ w/P&A mud press to perf @ 2823' sqz 40sx. WOC & tag 00' WOC & Tag @ 1330' perf @ 410	EDIAL WORK MENCE DRILLING OPNS. MG/CEMENT JOB R: t details, and give pertinent oletions: Attach wellbore of the sest spot 25sx. PUH to 376 of TOC 2710' PUH to 1500' cmt to surf w/120sx. Veri	ALTERING CASING PAND A PNR PNR t dates, including estimated date diagram of proposed completion y spot 25sx. spot 25sx. fied. Cut off WH. RD MO. RR		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMEDI	ANGE PLANS COMPL CASH ULTIPLE COMPL CASH OTHE I operations. (Clearly state all pertinent SEE RULE 1103. For Multiple Complete RIH tag CIBP circ w/P&A mud press to perf @ 2823' sqz 40sx. WOC & tag 00' WOC & Tag @ 1330' perf @ 410	EDIAL WORK MENCE DRILLING OPNS. MG/CEMENT JOB R: t details, and give pertinent oletions: Attach wellbore of the set spot 25sx. PUH to 376 of TOC 2710' PUH to 1500' cmt to surf w/120sx. Veri	ALTERING CASING PAND A PNR the dates, including estimated date diagram of proposed completion of spot 25sx. spot 25sx. fied. Cut off WH. RD MO. RR		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMAINS PROPOSED OF THE REMEDIAL REMAINS PROPOSED OF THE REMAINS PROP	ANGE PLANS COMPL CASH ULTIPLE COMPL CASH OTHE I operations. (Clearly state all pertinent SEE RULE 1103. For Multiple Complete RIH tag CIBP circ w/P&A mud press to perf @ 2823' sqz 40sx. WOC & tag 00' WOC & Tag @ 1330' perf @ 410	EDIAL WORK MENCE DRILLING OPNS. MG/CEMENT JOB R: t details, and give pertinent oletions: Attach wellbore of the sest spot 25sx. PUH to 376 of TOC 2710' PUH to 1500' cmt to surf w/120sx. Veri	ALTERING CASING PAND A PNR PNR t dates, including estimated date diagram of proposed completion y spot 25sx. spot 25sx. fied. Cut off WH. RD MO. RR		
PERFORM REMEDIAL WORK PERFORM REMEDIAL RE	ANGE PLANS COMPL CASH ULTIPLE COMPL CASH OTHE I operations. (Clearly state all pertinent SEE RULE 1103. For Multiple Complete RIH tag CIBP circ w/P&A mud press to perf @ 2823' sqz 40sx. WOC & tag 00' WOC & Tag @ 1330' perf @ 410	EDIAL WORK MENCE DRILLING OPNS. MG/CEMENT JOB R: t details, and give pertinent oletions: Attach wellbore of the set spot 25sx. PUH to 376 of TOC 2710' PUH to 1500' cmt to surf w/120sx. Veri	ALTERING CASING PAND A PNR the dates, including estimated date diagram of proposed completion of spot 25sx. spot 25sx. fied. Cut off WH. RD MO. RR		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMAINS PROPOSED OF THE REMAINS PROPOSED OF T	AND ABANDON REME HANGE PLANS COMI CASH ULTIPLE COMPL COMPL OTHE I operations. (Clearly state all pertinent SEE RULE 1103. For Multiple Comp RIH tag CIBP circ w/P&A mud press to 30' perf @ 2823' sqz 40sx. WOC & tag 00' WOC & Tag @ 1330' perf @ 410 Detween all plugs.	EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB R: It details, and give pertinent oletions: Attach wellbore of the set spot 25sx. PUH to 376 g TOC 2710' PUH to 1500' cmt to surf w/120sx. Veri	ALTERING CASING PAND A PNR PNR t dates, including estimated dat liagram of proposed completion y spot 25sx. spot 25sx. fied. Cut off WH. RD MO. RR		
PERFORM REMEDIAL WORK PERMIPORARILY ABANDON COPULL OR ALTER CASING MODITHER: 13. Describe proposed or completed of starting any proposed work), or recompletion. 1. 3-7-2022 – MIRU. 2. 3-8-2022 – Set CIBP @ 4300°. 3. 3-9-2022 – RIH tag TOC @ 36: 4. 3-10-2022 – Re-spot 25sx @ 15 DHM to be installed.	ANGE PLANS COMICASII HANGE PLANS COMICASII ULTIPLE COMPL CASII OTHE I operations. (Clearly state all pertinent SEE RULE 1103. For Multiple Complete to the best of my setween all plugs. The is true and complete to the best of my seconding to NMOCD guidelines a general according to	EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB R: It details, and give pertinent oletions: Attach wellbore of the set spot 25sx. PUH to 376 or growth to 1500 or community of the surf w/120sx. Verifical permit or an (attached) and permit or an (attached) and community or an extraction of the surf w/120sx.	ALTERING CASING PAND A PNR PNR t dates, including estimated dat liagram of proposed completion y spot 25sx. spot 25sx. fied. Cut off WH. RD MO. RR curther certify that any pit or below-liternative OCD-approved plan .		
PERFORM REMEDIAL WORK PERFORM REMEDIAL RE	AND ABANDON REME HANGE PLANS COMI CASH ULTIPLE COMPL COMPL OTHE I operations. (Clearly state all pertinent SEE RULE 1103. For Multiple Comp RIH tag CIBP circ w/P&A mud press to 30' perf @ 2823' sqz 40sx. WOC & tag 00' WOC & Tag @ 1330' perf @ 410 Detween all plugs.	EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB R: It details, and give pertinent oletions: Attach wellbore of the set spot 25sx. PUH to 376 or growth to 1500 or community of the surf w/120sx. Verifical permit or an (attached) and permit or an (attached) and community or an extraction of the surf w/120sx.	ALTERING CASING PAND A PNR PNR t dates, including estimated dat liagram of proposed completion y spot 25sx. spot 25sx. fied. Cut off WH. RD MO. RR		
PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL WORK PERFORM REMEDIAL REMEDI	ANGE PLANS COMICASII HANGE PLANS COMICASII ULTIPLE COMPL CASII OTHE I operations. (Clearly state all pertinent SEE RULE 1103. For Multiple Complete to the best of my setween all plugs. The is true and complete to the best of my seconding to NMOCD guidelines a general according to	EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB R: t details, and give pertinent oletions: Attach wellbore of the state of	ALTERING CASING PAND A PNR PNR t dates, including estimated dat liagram of proposed completion y spot 25sx. spot 25sx. fied. Cut off WH. RD MO. RR curther certify that any pit or below-liternative OCD-approved plan .		
PERFORM REMEDIAL WORK PERFORM REMEDIAL RE	ANGE PLANS COMPL CASH CASH ULTIPLE COMPL CASH OTHE I operations. (Clearly state all pertinent SEE RULE 1103. For Multiple Complete to graph of the setween all plugs. Petween all plugs. TITLE VI	EDIAL WORK MENCE DRILLING OPNS. NG/CEMENT JOB R: t details, and give pertinent pletions: Attach wellbore of the state of	ALTERING CASING PAND A PNR PNR t dates, including estimated data diagram of proposed completion y' spot 25sx. Spot 25sx		

Conditions of Approval (if any).

Released to Imaging: 10/27/2022 7:23:46 AM

Shell A State #1 Plugging Report

3/7/2022 - MIRU

3/8/2022 - Set CIBP @ 4300'. RIH tag CIBP circ w/P&A mud press test spot 25sx. PUH to 3760' spot 25sx.

3/9/2022 - RIH tag TOC @ 3650' perf @ 2823' sqz 40 sx. WOC & tag TOC 2710' PUH to 1500' spot 25sx.

3/10/2022 - Re-spot 25sx @ 1500' WOC & Tag @ 1330' perf @ 410' cmt to surf w/120sx. Verified. Cut off WH. RD MO. RR. DHM to be installed.

Lease & Well No. Shell A State #1 P&A Former Name Maljamar Field Name County & State Lea H-09-17S-33E 2310 FNL 990 FEL 30-025-23447 Location API No. K.B. Elevation D.F. Elevation 4188' Ground Level Current Completion Surface Casing 8 5/8" 360' 120 sx P&S @ 410' cmt to surf Size (OD) Weight <u>Depth</u> 300 sx Grade Sx. Cmt. TOC @ Surf **Production Casing** Size (OD) 4 1/2" Weight Depth 4,540' Grade Sx. Cmt 375 sx TOC @ Spot 25 sx @ 1500' Spot 25 sx @ 1500' again TOC 1330'


 Formation Tops
 Depth

 Yates
 2,773'

 Queen
 3,764'

 Grayburg
 4,212'

 San Andres
 4,515'



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 95064

COMMENTS

	0.0010
Operator:	OGRID:
ROVER OPERATING, LLC	371484
17304 Preston Road	Action Number:
Dallas, TX 75252	95064
	Action Type:
	[C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	10/27/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 95064

CONDITIONS

Operator:	OGRID:
ROVER OPERATING, LLC	371484
17304 Preston Road	Action Number:
Dallas, TX 75252	95064
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release	10/26/2022