

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 394-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-30528	² Pool Code 71629	³ Pool Name BASIN FRIUTLAND COAL
⁴ Property Code 329037	⁵ Property Name CARRACAS 32B	⁶ Well Number 7-1ST
⁷ GRID No. 330132	⁸ Operator Name MORNINGSTAR OPERATING LLC	⁹ Elevation 7197'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	32	32N	4W		1629'	NORTH	727'	WEST	RIO ARRIBA


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	32	32N	4W		535'	NORTH	1551'	EAST	RIO ARRIBA

¹² Dedicated Acres N/2 SEC. 32 320.00 ACRES	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-13119
--	-------------------------------	----------------------------------	------------------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Connie Blaylock 10/20/2022
Signature Date

Connie Blaylock
Printed Name

cblaylock@mspartners.com
E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

OCTOBER 20, 2022

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393



MorningStar Partners

Rio Arriba County, NM (NAD 27 - True North)

Carracas 32B 7

Carracas 32B 7

ST01

Design: ST01

Standard Survey Report

15 October, 2022


This survey is correct to the best of my knowledge and is supported by actual field data.

Cameron Stevens

Notarized this date 15th of October, 2022.

Carrie Reed

Notary Signature
County of Midland
State of Texas





Survey Report

Company:	MorningStar Partners	Local Co-ordinate Reference:	Well Carracas 32B 7
Project:	Rio Arriba County, NM (NAD 27 - True North)	TVD Reference:	GL 7197'+ 16' KB @ 7213.00usft (Drake #1)
Site:	Carracas 32B 7	MD Reference:	GL 7197'+ 16' KB @ 7213.00usft (Drake #1)
Well:	Carracas 32B 7	North Reference:	True
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM5000

Project	Rio Arriba County, NM (NAD 27 - True North)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico West 3003		

Site	Carracas 32B 7		
Site Position:		Northing:	2,164,090.68 usft
From:	Lat/Long	Easting:	660,552.79 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	36.946048
		Longitude:	-107.283914

Well		Carracas 32B 7				
Well Position	+N/-S	0.00 usft	Northing:	2,164,090.68 usft	Latitude:	36.946048
	+E/-W	0.00 usft	Easting:	660,552.79 usft	Longitude:	-107.283914
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	7,197.00 usft
Grid Convergence:		0.33 °				

Wellbore	ST01				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	10/4/2022	8.55	63.41	49,635.37594317

Design	ST01			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 4,414.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	67.69

Survey Program	Date	10/15/2022		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
2.00	4,414.00	Original Hole MWD Surveys (OH)	MWD+IGRF	OWSG MWD + IGRF or WMM
4,508.00	6,855.00	Legacy MWD (ST01)	MWD+IGRF	OWSG MWD + IGRF or WMM

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2.00	0.00	0.00	2.00	0.00	0.00	0.00	0.00	0.00	0.00	
267.00	1.32	320.76	266.98	2.36	-1.93	-0.89	0.50	0.50	0.00	
359.00	0.09	264.71	358.97	3.18	-2.67	-1.27	1.38	-1.34	-60.92	
449.00	0.09	111.96	448.97	3.15	-2.68	-1.28	0.19	0.00	-169.72	
540.00	0.18	75.42	539.97	3.15	-2.47	-1.09	0.13	0.10	-40.15	
632.00	0.26	18.19	631.97	3.39	-2.27	-0.81	0.24	0.09	-62.21	
722.00	0.09	44.70	721.97	3.63	-2.15	-0.61	0.20	-0.19	29.46	
812.00	0.09	251.71	811.97	3.66	-2.17	-0.62	0.19	0.00	-169.99	



Survey Report

Company:	MorningStar Partners	Local Co-ordinate Reference:	Well Carracas 32B 7
Project:	Rio Arriba County, NM (NAD 27 - True North)	TVD Reference:	GL 7197'+ 16' KB @ 7213.00usft (Drake #1)
Site:	Carracas 32B 7	MD Reference:	GL 7197'+ 16' KB @ 7213.00usft (Drake #1)
Well:	Carracas 32B 7	North Reference:	True
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM5000

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
905.00	0.18	232.77	904.97	3.55	-2.36	-0.83	0.11	0.10	-20.37	
994.00	0.18	182.61	993.97	3.33	-2.48	-1.03	0.17	0.00	-56.36	
1,085.00	0.09	40.41	1,084.97	3.24	-2.44	-1.02	0.28	-0.10	-156.26	
1,175.00	0.18	317.39	1,174.97	3.40	-2.49	-1.01	0.21	0.10	-92.24	
1,265.00	0.18	144.28	1,264.97	3.38	-2.50	-1.03	0.40	0.00	-192.34	
1,357.00	0.26	230.46	1,356.97	3.13	-2.58	-1.19	0.33	0.09	93.67	
1,448.00	0.09	167.83	1,447.96	2.93	-2.72	-1.40	0.26	-0.19	-68.82	
1,539.00	0.35	218.39	1,538.96	2.65	-2.88	-1.66	0.33	0.29	55.56	
1,631.00	0.35	196.97	1,630.96	2.16	-3.13	-2.08	0.14	0.00	-23.28	
1,723.00	0.79	178.10	1,722.96	1.25	-3.19	-2.48	0.51	0.48	-20.51	
1,813.00	0.18	92.80	1,812.95	0.63	-3.03	-2.57	0.88	-0.68	-94.78	
1,905.00	0.09	131.75	1,904.95	0.57	-2.83	-2.41	0.13	-0.10	42.34	
1,999.00	0.70	122.18	1,998.95	0.22	-2.29	-2.04	0.65	0.65	-10.18	
2,091.00	0.62	93.08	2,090.95	-0.11	-1.32	-1.26	0.37	-0.09	-31.63	
2,184.00	0.26	86.70	2,183.94	-0.12	-0.61	-0.61	0.39	-0.39	-6.86	
2,277.00	0.53	57.22	2,276.94	0.12	-0.04	0.01	0.35	0.29	-31.70	
2,370.00	0.26	60.11	2,369.94	0.46	0.51	0.65	0.29	-0.29	3.11	
2,463.00	0.26	113.88	2,462.94	0.48	0.88	1.00	0.25	0.00	57.82	
2,555.00	0.44	48.15	2,554.94	0.63	1.34	1.48	0.44	0.20	-71.45	
2,648.00	0.62	98.37	2,647.93	0.79	2.10	2.25	0.51	0.19	54.00	
2,742.00	0.44	58.84	2,741.93	0.91	2.91	3.04	0.42	-0.19	-42.05	
2,835.00	0.26	48.37	2,834.93	1.23	3.38	3.59	0.20	-0.19	-11.26	
2,927.00	0.26	52.64	2,926.93	1.50	3.70	3.99	0.02	0.00	4.64	
3,018.00	0.35	110.92	3,017.93	1.52	4.12	4.39	0.34	0.10	64.04	
3,050.00	0.88	102.22	3,049.92	1.44	4.46	4.67	1.68	1.66	-27.19	
3,080.00	2.55	96.70	3,079.91	1.31	5.34	5.44	5.59	5.57	-18.40	
3,112.00	4.57	92.46	3,111.85	1.17	7.32	7.22	6.36	6.31	-13.25	
3,143.00	7.12	90.87	3,142.68	1.09	10.48	10.11	8.24	8.23	-5.13	
3,206.00	11.61	90.86	3,204.83	0.94	20.73	19.53	7.13	7.13	-0.02	
3,236.00	12.84	91.78	3,234.15	0.79	27.08	25.35	4.15	4.10	3.07	
3,268.00	13.72	92.27	3,265.29	0.53	34.42	32.05	2.77	2.75	1.53	
3,299.00	14.77	92.33	3,295.34	0.22	42.05	38.98	3.39	3.39	0.19	
3,330.00	15.92	92.17	3,325.23	-0.10	50.24	46.44	3.71	3.71	-0.52	
3,361.00	17.41	92.19	3,354.93	-0.44	59.13	54.53	4.81	4.81	0.06	
3,391.00	19.08	91.73	3,383.42	-0.76	68.51	63.10	5.59	5.57	-1.53	
3,422.00	20.31	91.14	3,412.60	-1.02	78.96	72.66	4.02	3.97	-1.90	
3,453.00	21.72	90.69	3,441.54	-1.20	90.07	82.88	4.58	4.55	-1.45	
3,482.00	23.04	90.76	3,468.36	-1.34	101.11	93.04	4.55	4.55	0.24	
3,513.00	24.71	89.50	3,496.70	-1.36	113.66	104.63	5.63	5.39	-4.06	
3,545.00	26.38	88.99	3,525.57	-1.18	127.46	117.47	5.26	5.22	-1.59	
3,576.00	28.05	88.71	3,553.14	-0.89	141.63	130.69	5.40	5.39	-0.90	
3,607.00	29.81	89.20	3,580.27	-0.62	156.62	144.66	5.73	5.68	1.58	
3,638.00	32.27	90.20	3,606.83	-0.54	172.60	159.48	8.11	7.94	3.23	



Survey Report

Company:	MorningStar Partners	Local Co-ordinate Reference:	Well Carracas 32B 7
Project:	Rio Arriba County, NM (NAD 27 - True North)	TVD Reference:	GL 7197'+ 16' KB @ 7213.00usft (Drake #1)
Site:	Carracas 32B 7	MD Reference:	GL 7197'+ 16' KB @ 7213.00usft (Drake #1)
Well:	Carracas 32B 7	North Reference:	True
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM5000

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
3,670.00	34.47	90.99	3,633.55	-0.73	190.20	175.69	7.01	6.88	2.47
3,701.00	37.28	91.56	3,658.67	-1.13	208.36	192.34	9.13	9.06	1.84
3,732.00	39.04	92.05	3,683.04	-1.74	227.51	209.82	5.76	5.68	1.58
3,764.00	41.15	92.01	3,707.52	-2.47	248.10	228.59	6.59	6.59	-0.13
3,795.00	43.44	91.67	3,730.45	-3.14	268.95	247.63	7.42	7.39	-1.10
3,827.00	45.90	92.15	3,753.21	-3.89	291.43	268.14	7.76	7.69	1.50
3,856.00	48.36	92.65	3,772.94	-4.78	312.67	287.45	8.58	8.48	1.72
3,887.00	51.00	93.05	3,792.99	-5.96	336.27	308.84	8.57	8.52	1.29
3,918.00	53.90	93.09	3,811.88	-7.27	360.81	331.04	9.36	9.35	0.13
3,949.00	56.37	92.84	3,829.60	-8.59	386.21	354.04	8.00	7.97	-0.81
3,980.00	58.21	92.44	3,846.35	-9.79	412.27	377.69	6.03	5.94	-1.29
4,011.00	60.32	92.31	3,862.20	-10.89	438.89	401.90	6.82	6.81	-0.42
4,042.00	63.05	91.92	3,876.90	-11.90	466.16	426.75	8.88	8.81	-1.26
4,073.00	65.77	91.01	3,890.29	-12.61	494.10	452.33	9.16	8.77	-2.94
4,104.00	68.32	90.39	3,902.38	-12.96	522.64	478.60	8.43	8.23	-2.00
4,135.00	70.70	90.15	3,913.23	-13.09	551.68	505.41	7.71	7.68	-0.77
4,166.00	72.63	90.23	3,922.98	-13.19	581.11	532.60	6.23	6.23	0.26
4,197.00	74.66	90.19	3,931.71	-13.30	610.85	560.07	6.55	6.55	-0.13
4,229.00	77.03	89.96	3,939.53	-13.34	641.88	588.76	7.44	7.41	-0.72
4,258.00	79.76	89.66	3,945.37	-13.25	670.28	615.08	9.47	9.41	-1.03
4,290.00	83.01	89.84	3,950.16	-13.11	701.91	644.40	10.17	10.16	0.56
4,321.00	86.00	90.11	3,953.13	-13.10	732.77	672.94	9.68	9.65	0.87
4,351.00	89.08	90.59	3,954.41	-13.28	762.74	700.60	10.39	10.27	1.60
4,383.00	92.07	90.68	3,954.09	-13.63	794.73	730.06	9.35	9.34	0.28
4,414.00	92.77	91.09	3,952.78	-14.11	825.70	758.53	2.62	2.26	1.32
4,508.00	95.27	86.88	3,946.19	-12.46	919.42	845.87	5.20	2.66	-4.48
4,571.00	94.09	79.67	3,941.05	-5.10	981.74	906.31	11.56	-1.87	-11.44
4,635.00	91.10	77.30	3,938.15	7.66	1,044.37	969.10	5.96	-4.67	-3.70
4,699.00	89.38	74.05	3,937.88	23.49	1,106.37	1,032.47	5.75	-2.69	-5.08
4,762.00	88.77	70.45	3,938.90	42.69	1,166.36	1,095.25	5.79	-0.97	-5.71
4,826.00	89.78	66.58	3,939.71	66.12	1,225.89	1,159.23	6.25	1.58	-6.05
4,890.00	90.48	64.47	3,939.56	92.64	1,284.14	1,223.18	3.47	1.09	-3.30
4,953.00	88.29	61.48	3,940.24	121.26	1,340.24	1,285.95	5.88	-3.48	-4.75
5,017.00	88.99	61.57	3,941.76	151.76	1,396.49	1,349.56	1.10	1.09	0.14
5,078.00	89.78	60.60	3,942.41	181.25	1,449.88	1,410.15	2.05	1.30	-1.59
5,139.00	88.77	57.88	3,943.18	212.45	1,502.29	1,470.48	4.76	-1.66	-4.46
5,200.00	89.56	57.61	3,944.07	245.00	1,553.87	1,530.55	1.37	1.30	-0.44
5,262.00	89.87	56.65	3,944.38	278.64	1,605.94	1,591.50	1.63	0.50	-1.55
5,322.00	89.78	57.96	3,944.56	311.05	1,656.43	1,650.52	2.19	-0.15	2.18
5,382.00	89.30	59.11	3,945.05	342.37	1,707.61	1,709.75	2.08	-0.80	1.92
5,444.00	88.37	59.90	3,946.31	373.83	1,761.02	1,771.11	1.97	-1.50	1.27
5,505.00	87.98	58.58	3,948.25	405.01	1,813.41	1,831.41	2.26	-0.64	-2.16
5,565.00	88.29	58.40	3,950.20	436.35	1,864.53	1,890.61	0.60	0.52	-0.30



Survey Report

Company:	MorningStar Partners	Local Co-ordinate Reference:	Well Carracas 32B 7
Project:	Rio Arriba County, NM (NAD 27 - True North)	TVD Reference:	GL 7197'+ 16' KB @ 7213.00usft (Drake #1)
Site:	Carracas 32B 7	MD Reference:	GL 7197'+ 16' KB @ 7213.00usft (Drake #1)
Well:	Carracas 32B 7	North Reference:	True
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM5000

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,626.00	88.46	58.14	3,951.93	468.42	1,916.40	1,950.76	0.51	0.28	-0.43
5,687.00	88.37	59.63	3,953.62	499.93	1,968.60	2,011.02	2.45	-0.15	2.44
5,748.00	87.89	60.07	3,955.61	530.55	2,021.32	2,071.42	1.07	-0.79	0.72
5,810.00	86.97	61.30	3,958.39	560.87	2,075.32	2,132.89	2.48	-1.48	1.98
5,870.00	87.36	61.39	3,961.36	589.61	2,127.91	2,192.45	0.67	0.65	0.15
5,931.00	88.07	61.30	3,963.79	618.84	2,181.40	2,253.03	1.17	1.16	-0.15
5,992.00	89.78	61.13	3,964.93	648.21	2,234.85	2,313.62	2.82	2.80	-0.28
6,051.00	89.38	60.07	3,965.37	677.17	2,286.25	2,372.17	1.92	-0.68	-1.80
6,111.00	88.77	59.90	3,966.33	707.18	2,338.19	2,431.62	1.06	-1.02	-0.28
6,173.00	88.68	59.37	3,967.71	738.51	2,391.67	2,492.99	0.87	-0.15	-0.85
6,235.00	88.86	59.81	3,969.05	769.89	2,445.13	2,554.36	0.77	0.29	0.71
6,296.00	89.08	58.93	3,970.14	800.96	2,497.61	2,614.71	1.49	0.36	-1.44
6,358.00	88.99	59.63	3,971.19	832.63	2,550.90	2,676.03	1.14	-0.15	1.13
6,419.00	88.68	56.73	3,972.43	864.78	2,602.72	2,736.17	4.78	-0.51	-4.75
6,481.00	88.20	54.71	3,974.11	899.69	2,653.93	2,796.80	3.35	-0.77	-3.26
6,541.00	90.57	58.14	3,974.76	932.86	2,703.90	2,855.63	6.95	3.95	5.72
6,605.00	90.18	58.23	3,974.34	966.60	2,758.29	2,918.75	0.63	-0.61	0.14
6,669.00	90.88	58.23	3,973.75	1,000.29	2,812.70	2,981.88	1.09	1.09	0.00
6,732.00	91.36	58.40	3,972.52	1,033.38	2,866.29	3,044.02	0.81	0.76	0.27
6,785.00	90.97	57.79	3,971.44	1,061.38	2,911.28	3,096.27	1.37	-0.74	-1.15
6,855.00	90.97	57.79	3,970.25	1,098.69	2,970.50	3,165.22	0.00	0.00	0.00

PTB 6855.00' MD/3970.25' TVD


Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
6,855.00	3,970.25	1,098.69	2,970.50	PTB 6855.00' MD/3970.25' TVD

Checked By: _____ Approved By: _____ Date: _____



Company: MorningStar Partners
Field: Rio Arriba County, NM (NAD 27 - True North)
Location: Carracas 32B 7
Well Location: Carracas 32B 7
Wellbore: ST01
Plan: Plan 14
GL: GL 7197'+ 16' KB @ 7213.00usft (Drake #1)



Azimuths to True North
Magnetic North: 8.55°

Magnetic Field
Strength: 49635.4nT
Dip Angle: 63.41°
Date: 10/4/2022
Model: IGRF2020



To convert a Magnetic Direction to a True Direction, Add 8.55° East

PROJECT DETAILS: Rio Arriba County, NM (NAD 27 - True North)

Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico West 3003
System Datum: Mean Sea Level

WELL DETAILS: Carracas 32B 7



		GL 7197'+ 16' KB @ 7213.00usft (Drake #1)			7197.00	Slot
+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	
0.00	0.00	2164090.68	660552.79	36.946048	-107.283914	

SECTION DETAILS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Annotation
6669.00	90.88	58.23	3973.75	1000.29	2812.70	0.00	0.00	2982.07	TIP at 6669.00 MD
6731.00	90.88	58.23	3972.80	1032.93	2865.40	0.00	0.00	3043.21	Start DLS 1.56 TFO 150.48
6831.00	89.52	59.00	3972.45	1085.01	2950.76	1.56	150.48	3141.93	Start 669.00 hold at 6831.00 MD
7500.00	89.52	59.00	3978.05	1429.56	3524.19	0.00	0.00	3803.08	TD at 7500.00

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
Carracas 32B 7 ST01 Entry Point	3926.97	8.38	605.36	2164102.54	661158.09	36.946071	-107.281842
Carracas 32B 7 ST01 Rev BHL	3966.00	1426.69	4460.83	2165543.06	665005.32	36.949966	-107.268648



FORMATION TOP DETAILS

TVDPath	MDPath	Formation
0.00	0.00	San Jose
2130.00	2130.06	Nacimiento
3380.00	3387.39	Ojo Alamo
3508.00	3525.47	Kirtland
3787.00	3877.56	Fruitland
3958.00	5802.49	Top Target
3973.00	6442.30	Base Target

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 153952

ACKNOWLEDGMENTS

Operator: MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID: 330132
	Action Number: 153952
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 153952

CONDITIONS

Operator: MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID: 330132
	Action Number: 153952
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	RT expires in 90 days	10/27/2022