

Well Name: BONANZA	Well Location: T22N / R3W / SEC 12 / SWNE /	County or Parish/State: SANDOVAL / NM
Well Number: 5	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC360	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320520	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2700579

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/31/2022

Date Operation Actually Began: 10/17/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 12:15

Actual Procedure: The subject well was Plugged & Abandoned on 10/17/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOW_BLM_Submittal_20221031121517.pdf

Procedure Description

FINAL SURVEYS - CIMAREX PHILLIPS #12-34H GYRO + MWD 0FT TO 17328

PHILLIPS 12-34H 1002A.PDF

CEMENT REPORTS.PDF

Well Name: BONANZA	Well Location: T22N / R3W / SEC 12 / SWNE /	County or Parish/State: SANDOVAL / NM
Well Number: 5	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC360	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320520	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: OCT 31, 2022 12:15 PM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 11/02/2022
Signature: Kenneth Rennick	

DJR Operating, LLC
P&A End of Well Report
Bonanza 5
API # 30-043-20520
SW/NE Unit G, Sec 12, T22N, R3W
Sandoval County, NM
Spud Date: 3-18-1981
Plug Date: 10-17-2022

5-17 & 18-2022:

MIRU. Hot oil tubing and rods. Pull rods and 2 3/8" tubing.
Release rig.

10-11-2022:

MIRU. SITP = N/A, SICP = 170, BH = 0.

10-12-2022:

TIH with scraper to 6790'. TOO. TIH with cement retainer, set CR at 6787'. Load and roll hole. PT casing, good test.

P&A Plug 1: Dakota perforations and formation top: Mix and pump 10 sx through CR, sting out and place 8 sx above CR from 6787' to 6684'. TOO.

10-13-2022:

RIH, run CBL from 6684' to surface; Stage 1 cement TOC at 5060', DV tool at 4930', stage 2 TOC at 4014', DV tool at 2666', stage 3 TOC at 1314'. POH.

TIH to 5758'.

P&A Plug 2: Gallup formation top: Mix and spot a balanced plug of 12 sx from 5758' to 5604'. Pull up to 4958'.

P&A Plug 3: Mancos formation top: Mix and spot a balanced plug of 12 sx from 4958' to 4804'. Pull up to 4162'.

P&A Plug 4: Mesa Verde formation top: Mix and spot a balanced plug of 12 sx from 4162' to 4008. TOO.

10-14-2022:

RIH, perforate holes at 3418'. POH.

TIH with CR, set at 3368'.

P&A Plug 5: Chacra formation top: Mix and pump a plug of 52 sx, (40 sx outside casing, 4 sx under CR, sting out and place 8 sx above CR. TOO.

TIH to 2645'.

P&A Plug 6: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and spot a balanced plug of 39 sx from 2645' to 2143'. TOO.

RIH, perforate holes at 1200'. POH.

TIH with CR, set at 1150'.

P&A Plug 7: Nacimiento formation top: Mix and pump a plug of 52 sx, (40 sx outside casing, 4 sx under CR, sting out and place 8 sx above CR. TOO.

RIH, perforate holes at 256'. POH.

P&A Plug 8: Surface casing shoe to surface: Mix and pump a plug of 90 sx down casing and out BH. Just prior to cement to surface, casing pressured up. SD WOC.

10-17-2022:

TOC in casing at 2'. Cut off WH, TOC in 8 5/8" at 9'. Install P&A marker. Top off with 18 sx. Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Casey Arnett, BLM and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.15339 N, Long; 107.10567 W

DJR Operating, LLC
P&A Marker
Bonanza 5
API # 30-043-20520
SW/NE Unit G. Sec 12, T22N, R3W
Sandoval County, NM
Spud Date: 3-18-1981
Plug Date: 10-17-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

**End of Well Report
DJR Operating, LLC
Bonanza 5**

API # 30-043-20520
SW/NE, Unit G, Sec 12, T22N, R3W
Sandoval County, NM

GL 7177'
KB 7190'
Spud Date 3/18/1981

SURF CSG

Hole size 11"
Csg Size: 8.625"
Wt: 28#
Grade: J-55
ID: 8.097"
Depth 206'
Csg cap ft3: 0.3506
TOC: Surf

FORMATION TOPS

San Jose	Surface
Nacimiento	1150'
Ojo Alamo	2253'
Kirtland	2378'
Fruitland	2510'
Pictured Cliffs	2595'
Lewis	2690'
Chacra	3318'
Mesa Verde	4112'
Mancos	4908'
Gallup	5708'
Dakota	6810'

DV Tool at 2666'


PROD CSG

Hole size 7.875"
Csg Size: 4.5"
Wt: 10.5#
Grade: K-55
ID: 4.052"
Depth 7070'
Csg cap ft3: 0.0895
Csg/Csg Ann ft3: 0.2401
Csg/OH cap ft3: 0.2278

DV Tool at 4930'

Perfs 6818-6928'

PBTD 7036'
TD 7071'



10-17-2022: TOC in casing at 2', cut off WH, TOC in 8 5/8" at 9'. Install P&A marker, top off with 18 sx.

10-14-2022: Plug 8: Surface casing shoe to surface: Perf holes at 256', mix and pump 90 sx down casing and out BH. Pressured up, lost circulation. SD, WOC.

10-14-2022: Plug 7: Nacimiento: Perf holes at 1200'. Set CR at 1150'. Mix and pump plug of 52 sx, 40 sx outside csg, 4 sx under CR and 8 sx above CR.

TOC 1314' (CBL)

10-14-2022: Plug 6: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Mix and pump balanced plug of 39 sx from 2645' to 2143'.

10-14-2022: Plug 5: Chacra: Perf holes at 3418'. Set CR at 3368'. Mix and pump plug of 52 sx, 40 sx outside csg, 4 sx under CR and 8 sx above CR.

TOC 4014' (CBL)

10-13-2022: Plug 4: Mesa Verde: Mix and spot balanced plug of 12 sx from 4162' to 4008'.

10-13-2022: Plug 3: Mancos: Mix and spot balanced plug of 12 sx from 4958' to 4804'.

TOC 5060' (CBL)

10-13-2022: Plug 2: Gallup: Mix and spot balanced plug of 12 sx from 5758' to 5604'.

10-13-2022: Run CBL from 6684' to surface.

10-12+N10:Q61-2022: Plug 1: Dakota perfs and formation top: Set CR at 6787'. PT casing, good test. Mix and pump 10 sx through CR, sting out and place 8 sx above CR from 6787' to 6684'.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx
Regulatory representative: Casey Arnett, BLM and Monica Kuehling, NMOCD via phone
GPS Coordinates: Lat; 36.15339 N, Long; 107.10567 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 156368

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 156368
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Record casing string pressures daily	11/7/2022