

<b>Well Name:</b> JICARILLA CONTRACT 428	<b>Well Location:</b> T23N / R4W / SEC 30 / SESW /	<b>County or Parish/State:</b> SANDOVAL / NM
<b>Well Number:</b> 7	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b> JICARILLA APACHE
<b>Lease Number:</b> JIC428	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3004320289	<b>Well Status:</b> Abandoned	<b>Operator:</b> DJR OPERATING LLC

Subsequent Report

**Sundry ID:** 2692177  
**Type of Submission:** Subsequent Report  
**Date Sundry Submitted:** 09/13/2022  
**Date Operation Actually Began:** 09/07/2022  
**Type of Action:** Plug and Abandonment  
**Time Sundry Submitted:** 11:57

**Actual Procedure:** The subject well was Plugged & Abandoned on 09/07/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR\_BLM\_Submittal\_20220913115730.pdf

<b>Well Name:</b> JICARILLA CONTRACT 428	<b>Well Location:</b> T23N / R4W / SEC 30 / SESW /	<b>County or Parish/State:</b> SANDOVAL / NM
<b>Well Number:</b> 7	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b> JICARILLA APACHE
<b>Lease Number:</b> JIC428	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3004320289	<b>Well Status:</b> Abandoned	<b>Operator:</b> DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

<b>Operator Electronic Signature:</b> SHAW-MARIE FORD	<b>Signed on:</b> SEP 13, 2022 11:57 AM
<b>Name:</b> DJR OPERATING LLC	
<b>Title:</b> Regulatory Specialist	
<b>Street Address:</b> 1 Road 3263	
<b>City:</b> Aztec	<b>State:</b> NM
<b>Phone:</b> (505) 632-3476	
<b>Email address:</b> sford@djrlc.com	

Field

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> KENNETH G RENNICK	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5055647742	<b>BLM POC Email Address:</b> krennick@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 09/19/2022
<b>Signature:</b> Kenneth Rennick	

DJR Operating, LLC  
P&A End of Well Report  
Jicarilla 428 7  
API # 30-043-20289  
SE/SW, Unit N, Sec 30 T23N, R4W  
Sandoval County, NM  
Spud Date: 3-27-1978  
Plug Date: 9-7-2022

8-31-2022: MIRU rig and equipment. SITP = 50, SICP = 0, BH = 0. NDWH, NU BOP. Pull 1 ¼ tubing. Tubing parted and left fish in hole, top of fish at 1947'. Discussions with BLM and NMOCD, decision made to leave fish and pump cement over and around fish. The 1 ¼" production tubing was very corroded and would be very difficult to fish in 2 7/8" casing. TIH with 1 ¼" work string to 1808'. Pumping to establish circulation, only partial returns at surface. SD, well was on a vacuum.

9-1-2022: P&A Plug 1: Pictured Cliffs perforations and Fruitland formation top. Mix and pump 12 sx from 1808'. The well was on a vacuum. WOC. TIH, tagged Plug 1 at 1920'.

Load hole and run CBL from 1920', well taking fluid, could not log above 1410'.

P&A Plug 2: Kirtland formation top. TIH, mix and spot a balanced plug of 20 sx from 1920'. WOC. TOOH.

9-6-2022: TIH, tag Plug 2 at 1797'. PT casing did not test.

P&A Plug 3: Ojo Alamo formation top: Mix and pump balanced plug of 17 sx from 1797'. WOC. Tagged Plug 3 at 1290'.

RIH, run CBL from 1200' to surface. TOC at 550'.

P&A Plug 4: Nacimiento formation top: Mix and pump balanced plug of 15 sx from 771', Pull up and reverse out from 192'. WOC.

9-7-2022: TIH, tagged Plug 4 at 385'. PT casing did not test.

P&A Plug 5: Surface casing shoe to surface: Set WL-set BP at 120'. Perforate holes at 113'. Mix and pump plug of 25 sx down tubing, cement returns out casing and BH. WOC.

Cut off WH. TOC at 58' in casing and 14' in annulus. Install P&A marker. Top off casing and cellar with 18 sx.

Release rig.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15

Regulatory Representative: Wanda Weatherford, BLM and Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.18955762 N, Long; 107.3006478 W

DJR Operating, LLC  
P&A Marker  
Jicarilla 428 7  
API # 30-043-20289  
SE/SW, Unit N, Sec 30 T23N, R4W  
Sandoval County, NM  
Spud Date: 3-27-1978  
Plug Date: 9-7-2022





# United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

## Memorandum

To: Robert Switzer, Environmental Protection Specialist  
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer  
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.

  
Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

# End of Well Report

## DJR Operating, LLC

### Jicarilla Contract 428 7

API # 30-043-20289  
SE/SW, Unit N, Sec 30, T23N, R4W  
Sandoval County, NM

GL 6884'  
KB 6889'  
Spud Date 3/27/1978

SURF CSG

Hole size 9-3/4"  
Csg Size: 7"  
Wt: 23#  
Grade: J-55  
ID: 6.366"  
Depth 63'  
cap cf/ft: 0.2210  
TOC: surface

FORMATION TOPS


San Jose	Surf
Nacimiento	706'
Ojo Alamo	1702'
Kirtland	1900'
Fruitland	1974'
Pictured Cliffs	2164'

PROD CSG

Hole size 5.125"  
Csg Size: 2.875"  
Wt: 6.4#  
Grade: J-55  
ID: 2.441"  
Depth 2290'  
cap cf/ft: 0.0325  
Csg/Csg 0.1760  
Ann, cf/ft: 0.0982  
Csg/OH Ann, cf/ft: 0.0982  
TOC: 1454' (Calc.)

8-31-2022: Parted 1 1/4" production tubing fish, remained in hole. Top at 1947'.

Pictured Cliffs perms 2164-88'  
PBD 2279'  
TD 2320'



9-7-2022: Cut off WH. TOC 58' in casing, 14' in annulus. Install P&A marker, top off with 18 sx.

9-7-2022: Plug 5: Surface casing shoe to surface. Set WL BP at 120', perf holes at 113'. Mix and pump plug of 25 sx via tbg, cement returns out casing and BH. WOC.

9-6-2022: Plug 4: Nacimiento: Mix and spot balanced plug of 15 sx from 771', pull up to 192' and reverse out. WOC. 9-7-2022. Tagged Plug 4 at 385'. Casing did not test.

9-6-2022: Plug 3: Ojo Alamo: Mix and pump balanced plug of 17 sx from 1797'. WOC. Tagged Plug 3 at 1290'.

9-6-2022: Load hole, run CBL from 1200', TOC at 550'.

9-1-2022: Plug 2: Kirtland: Mix and pump balanced plug of 20 sx from 1920'. WOC. 9-6-2022: Tagged Plug 2 at 1797'. Casing did not test.

9-1-2022: Run CBL from 1920' to surface. Couldn't log above 1410', well losing fluid too fast.

9-1-2022: Plug 1: Pictured Cliffs, Fruitland. (8-31-2022: 1 1/4" tbg parted, approval to leave in well.) TIH, mix and pump plug of 12 sx from 1808'. WOC. Tagged Plug 1 at 1920'.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx  
Regulatory representative: Wanda Weatherford, BLM and Monica Kuehling, NMOCD via phone  
GPS Coordinates: Lat; 36.18955762 N, Long; 107.3006478 W

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

COMMENTS

Action 145060

COMMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 145060
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
mkuehling	well pressures not recorded daily - well plugged 9/7/22	12/6/2022

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 145060

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 145060
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	12/6/2022