Peived by OCD: 12/18/2022 4:06:40 PM 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. Eigr St. Attania NM 88210				State of New Mexico Energy Minerals and Natural Resources						Page 1 of Form C-101 Revised July 18, 2013	
811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410				Oil Conservation Division 1220 South St. Francis Dr.						AMENDED REPORT	
Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462							ita Fe, NM 8				
	A	PPLICA		TOR PERI			NTER, DEEI	PEN, PLU	GBACK, OR AD	D A ZONE)er
			SC	O Permia	an. 11 (33078	
		49	25 Gree Da	enville Av	/e., Sui 75206	te 1030			20.025.50	³ API Number	r
⁺ Propert	y Code		(2	14) 390	-4076	5. Property N	Jame		30-025-50		ell No.
332	910					Teague 16	State				1
UL - Lot	Section	Townshi	p F	Range	Lo	7. Surface Lo		/S Line	Feet From	EAVL	
Ν	16	23 S		37 E	Lo	470		S	1665	E/W Line W	County Lea
						Proposed Botton		tion		1	
UL - Lot N	Section 16	Townshi 23 S		Range 37 E	Lot	Idn Feet fro 47(0	/S Line S	Feet From 1665	E/W Line W	County Lea
						^{9.} Pool Inform	nation				
				Те	eague;	Pool Name Glorieta-Paddoo	ck, SW				Pool Code 58595
^{11.} Work			^{12.} W	/ell Type O	^{13.} Cable/Rotary R		ŀ	^{14.} Lease Type ^{15.} Gro		und Level Elevation 3310'	
^{16.} Multi N				osed Depth 500'		^{18.} Format Abo			⁹ Contractor Norton	Contractor 20.	
Depth to Ground water Distan			nce from nearest fresh water well			Distance to nearest surface water					
D opinite Ground				Diotain	ee nom	nearest nesh water w	ven		Distance it	nearest surfaces	water
	CP 004	23		Distan		mi west of CP					snake Canyon
	CP 004		used inst	tead of line	1/3 ed pits.	8 mi west of CP	00423				
145' in 🛛 A closed-loo	CP 004 p system	will be		tead of line	1/3 ed pits. Propos	8 mi west of CP Sed Casing and	00423		≈2 mi we	est of Rattles	snake Canyon
145' in	CP 004. p system Hole	will be	Casing	g Size	1/3 ed pits. Propos Ca	8 mi west of CP Sed Casing and sing Weight/ft	Cement Pr Setting	g Depth	≈2 mi we	est of Rattles	Estimated TOC
145' in A closed-loo Type Surface	CP 004. p system Hole 12.	will be Size 25"	Casing 9.62	g Size	1/3 ed pits. Propos Ca	8 mi west of CP Sed Casing and sing Weight/ft 36# J-55	Cement Pr Setting GL -	g Depth 1010'	≈2 mi we	est of Rattles Cement	Estimated TOC
145' in A closed-loo Type	CP 004. p system Hole 12.	will be	Casing	g Size 25"	1/3 ed pits. Propos	8 mi west of CP Seed Casing and sing Weight/ft 36# J-55 17# L-80	Cement Pr Setting GL - GL -	g Depth 1010' 7498'	≈2 mi we	est of Rattles Cement	Estimated TOC
145' in A closed-loo Type Surface	CP 004 p system Hole 12. 7.8	will be Size 25" 75"	Casing 9.62 5.5	g Size 25" 5# Casing	1/3 ed pits. Propos Ca	8 mi west of CP Sed Casing and sing Weight/ft 36# J-55	Cement Pr Setting GL - GL -	g Depth 1010' 7498'	≈2 mi we	est of Rattles Cement	Estimated TOC
145' in A closed-loo Type Surface Production	CP 004 p system Hole 12. 7.8	will be Size 25" 75"	Casing 9.62 5.5	g Size 25" 5# Casing 1000	1/3 ed pits. Ca (Ca (Cem) (Cem) (Cem) (Cem)	8 mi west of CP 6 ed Casing and sing Weight/ft 36# J-55 17# L-80 ent Program: A	Cement Pr Setting GL - GL -	g Depth 1010' 7498' Comments	≈2 mi we	est of Rattles Cement	Estimated TOC
145' in A closed-loo Type Surface Production	CP 004 p system Hole 12. 7.8	will be Size 25" 75"	Casing 9.62 5.5	^{21.}] g Size 25" 5# 1000 ^{22.}]	1/3 ed pits. Ca g/Cem y' – TD Propos	8 mi west of CP Sed Casing and sing Weight/ft 36# J-55 17# L-80 ent Program: A : brine water	Cement Pr Setting GL - GL -	g Depth 1010' 7498' Comments	≈2 mi we Sacks of 33 80	Cement 31 00	Estimated TOC
145' in A closed-loo Type Surface Production GL – 1000':	CP 004. p system Hole 12. 7.8 fresh-wa	will be Size 25" 75" ater sp	Casing 9.62 5.5 ud mud	^{21.}] g Size 25" 5# 1000 ^{22.}]	1/3 ed pits. Ca g/Cem y' - TD Propos	eni west of CP sed Casing and sing Weight/ft 36# J-55 17# L-80 ent Program: A : brine water ed Blowout Pre	Cement Pr Setting GL - GL -	g Depth 1010' 7498' Comments	≈2 mi we Sacks of 33 80 5	est of Rattles	Estimated TOC GL 5171' (DV)
145' in A closed-loo Type Surface Production GL – 1000': annular ^{23.} I hereby certif of my knowledge	CP 004. p system Hole 12. 7.8 fresh-wa Type & doub	will be Size 25" 75" ater sp ble ram informati f.	Casing 9.62 5.5 ud mud s s	g Size 25" 5# Casing 1000 22. I	1/3 ed pits. Ca Ca g/Cem y' - TD Propos Working 5 e and cor	8 mi west of CP Sed Casing and sing Weight/ft 36# J-55 17# L-80 ent Program: A : brine water ed Blowout Pre Pressure (psi) 5000	Cement Pr Setting GL - GL -	g Depth 1010' 7498' Comments Ogram Test Presso 250	≈2 mi we Sacks of 33 80 5	est of Rattles	Estimated TOC GL 5171' (DV) anufacturer Schaffer
145' in A closed-loo Type Surface Production GL – 1000': annular ^{23.} I hereby certif	CP 004. p system Hole 12. 7.8 fresh-wa Type & doub y that the i and belie that I hav	will be Size 25" 75" ater sp ble ram informati f. ve comp	Casing 9.62 5.5 oud mud s on given a lied with	g Size 25" 5# Casing 1000 22. I	1/3 ed pits. Ca Ca g/Cem y' - TD Propos Working 5 e and cor	8 mi west of CP Sed Casing and sing Weight/ft 36# J-55 17# L-80 ent Program: A : brine water ed Blowout Pre Pressure (psi) 5000	Cement Pr Setting GL - GL - Additional C	g Depth 1010' 7498' Comments Ogram Test Pressi 250 OIL (×2 mi we Sacks of 33 80 s	est of Rattles	Estimated TOC GL 5171' (DV) anufacturer Schaffer
145' in X closed-loo Type Surface Production GL – 1000': annular ^{23.} I hereby certify of my knowledge I further certify 19.15.14.9 (B) N Signature:	CP 004. p system Hole 12. 7.8 fresh-wa fresh-wa wa that the is and belies that I hav MAC .	will be Size 25" 75" ater sp ble ram informati f. ve comp , if appli	Casing 9.62 5.5 oud mud s on given a lied with	g Size 25" 5# Casing 1000 22. I	1/3 ed pits. Ca Ca g/Cem y' - TD Propos Working 5 e and cor	8 mi west of CP Sed Casing and sing Weight/ft 36# J-55 17# L-80 ent Program: A : brine water ed Blowout Pre Pressure (psi) 5000	Cement Pr Setting GL - GL - Additional C	g Depth 1010' 7498' Comments Ogram Test Pressi 250 OIL (×2 mi we Sacks of 33 80 s	est of Rattles	Estimated TOC GL 5171' (DV) anufacturer Schaffer
145' in X closed-loo Type Surface Production GL – 1000': annular ^{23.} I hereby certify of my knowledge I further certify 19.15.14.9 (B) N	CP 004. p system Hole 12. 7.8 fresh-wa fresh-wa wa that the i and belie that I hav MAC ian Woo	will be Size 25" 75" ater sp ble ram informati f. ve comp , if appli	Casing 9.62 5.5 oud mud s on given a lied with	g Size 25" 5# Casing 1000 22. I	1/3 ed pits. Ca Ca g/Cem y' - TD Propos Working 5 e and cor	8 mi west of CP Sed Casing and sing Weight/ft 36# J-55 17# L-80 ent Program: A : brine water ed Blowout Pre Pressure (psi) 5000	Cement Pr Setting GL - GL - Additional C	g Depth 1010' 7498' Comments Ogram Test Presso 250 OIL 0	×2 mi we Sacks of 33 80 33 80 30 5 00 CONSERVATI	est of Rattles	Estimated TOC GL 5171' (DV) anufacturer Schaffer ON
145' in X closed-loo Type Surface Production GL – 1000': annular ^{23.} I hereby certiforting knowledge I further certify 19.15.14.9 (B) N Signature: Printed name: Br	CP 004. p system Hole 12. 7.8 fresh-wa fresh-wa wa that the i and beliet that I hav MAC, ian Woo	will be Size 25" 75" ater sp ble ram informati f. ve comp , if appli bd	Casing 9.62 5.5 oud mud s on given a lied with 1 cable.	21.] g Size 25" 5# Casing 1000 22.] V bove is true	1/3 ed pits. Ca Ca g/Cem y' - TD Propos Working 5 e and cor	8 mi west of CP Sed Casing and sing Weight/ft 36# J-55 17# L-80 ent Program: A : brine water ed Blowout Pre Pressure (psi) 5000	Cement Pr Setting GL - GL - Additional C	g Depth 1010' 7498' Comments Ogram Test Presso 250 OIL 0	×2 mi we Sacks of 33 80 33 80 30 5 00 CONSERVATI	est of Rattles	Estimated TOC GL 5171' (DV) anufacturer Schaffer

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

MA 22:80:0 2202/02/21 :2nigaml ot besaeles


Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

> X AMENDED REPORT (add a zone)

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-50226				² Pool Code 58595		³ Pool Name Teague; Glorieta-Paddock, SW				
⁴ Property 0 332910			⁵ Property Name					⁶ Well Number		
					TEAGUE 16	5 STATE			1	
⁷ OGRID	No.				⁸ Operator	Name			⁹ Elevation	
330782				SCO PERMIAN, LLC					3310.5	
					[™] Surfac	e Location	-			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Ν	16	23 S	37 E		470	SOUTH	1665	WEST	LEA	
			n F	Bottom H	ole Location	If Different Fr	om Surface	0		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
¹² Dedicated Acre 40.00	s ¹³ Joint	or Infill	Consolidation	n Code			¹⁵ Order No.			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Received by OCD: 12/18/2022 4:06:40 PM

	E	nergy, Minerals a Oil Ce 1220 S	te of New Me and Natural Re onservation D South St. Frar nta Fe, NM 87	sources Departm ivision acis Dr.	ent	Ŷ	Subi Via	nit Electronically E-permitting
	N	ATURAL G	AS MANA	GEMENT P	LAN			
This Natural Gas Mana	igement Plan m	ust be submitted w	with each Applica	ation for Permit to	Drill (A	APD) for a	new o	r recompleted well.
			1 – Plan D ffective May 25					
I. Operator: SCO P	ermian, LLC		OGRID:	307892		Date:	06 /	04 /22
II. Type: 🛛 Original	□ Amendment	due to □ 19.15.27	.9.D(6)(a) NMA	.C□ 19.15.27.9.D	(6)(b) l	NMAC 🗆 (Other.	
If Other, please describ	e:							
III. Well(s): Provide the recompleted from a					wells p	proposed to	be dri	illed or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D		ticipated MCF/D	Р	Anticipated roduced Water BBL/D
Teague 16 State 2	30-025-50226	N-16-23s-376	e 470 FSL & 1665 FWL	200	50		200	
IV. Central Delivery I V. Anticipated Schedu proposed to be recompl	۳ I le: Provide the	IM BZ State G- following information	16-23s-37e ition for each ne	w or recompleted v	vell or			7.9(D)(1) NMAC]
Well Name	API	Spud Date	TD Reached Date	Completion Commencement		Initial F Back D		First Production Date
Teague 16 State 1	30-025-50226	6-15-22	6-27-22	7-1-22		7-8-22		7-1522
VI. Separation Equips VII. Operational Prace Subsection A through F VIII. Best Manageme during active and plann	ctices: 🛛 Attac f of 19.15.27.8 nt Practices: 6	h a complete desc NMAC. Z Attach a comple	ription of the ac	tions Operator wi	ll take	to comply	with t	he requirements of

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

Departor certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

□ Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

<u>Section 3 - Certifications</u> <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \square Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. □ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

\sim	$r \wedge r$
Signature:	Vood
Printed Name:	Brian Wood
Title:	Consultant
E-mail Address:	brian@permitswest.com
Date:	6-4-22
Phone:	505 466-8120
	OIL CONSERVATION DIVISION
	(Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Approval Date:	
Conditions of Approval:	

VI. SEPARATION EQUIPMENT

SCO Permian, LLC tentatively plans to install a 4' x 20' heater-treater based on estimated volumes. Associated equipment will include:

fuel safety shut-off valve gas scrubber oil tanks (two 500 bbl) separator (3-phase) vapor recovery tower vapor recovery piping for all tanks water tank (one 500 bbl)



VII. Operational Practices

NMAC 19.15.27.8 (A) Venting & Flaring of Natural Gas

1. SCO Permian, LLC will comply NMAC 19.15.27.8 – venting and flaring of gas during drilling, completion, or production that constitutes waste as defined in 19.15.2 is banned.

NMAC 19.15.27.8 (B) Venting & Flaring During Drilling

- 1. SCO will capture or combust gas if technically feasible during drilling operations using best industry practices.
- 2. A flare stack with a 100% capacity for expected volume will be set on the pad \geq 100 feet from the nearest well head and storage tank.
- 3. In an emergency, SCO will vent gas in order to avoid substantial impact. SCO will report vented or flared gas to the NMOCD.

NMAC 19.15.27.8 (C) Venting & Flaring During Completion or Recompletion

- 1. Facilities will be built and ready from the first day of flowback
- 2. Test separator will be properly separate gas and liquids. Temporary test separator will be used initially to process volumes. In addition, separator will be tied into flowback tanks which will be tied into the gas processing equipment for sale down a pipeline.
- 3. Should the facility not be ready to process gas, or the gas does not meet quality standards, then storage tanks will be set that are tied into gas busters or a temporary flare to manage all gas. This flare would meet the following requirements:
 - a) An appropriate sized flare stack with an automatic igniter
 - b) SCO analyzes gas samples twice a week
 - c) SCO flows the gas into a gathering line as soon as the pipeline specifications are met
 - d) SCO provides the NMOCD with pipeline specifications and natural gas data.

NMAC 19.15.27.8 (D) Venting & Flaring During Production

SCO will not vent or flare natural gas except:

- 1. During an emergency or malfunction
- 2. To unload or clean-up liquid holdup in a well to atmospheric pressure, provided
 - a) SCO does not vent after the well achieves a stabilized rate and pressure
 - b) SCO will be on-site while unloading liquids by manual purging and take all reasonable actions to achieve a stabilized rate and pressure as soon as possible



- c) SCO will optimize the system to minimize gas venting if the well is equipped with a plunger lift or auto control system
- d) Best management practices will be used during downhole well maintenance.
- 3. During the first year of production from an exploratory well provided
 - a) SCO receives approval from the NMOCD
 - b) SCO stays in compliance with NMOCD gas capture requirements
 - c) SCO submits an updated C-129 form to the NMOCD
- 4. During the following activities unless prohibited
 - a) Gauging or sampling a storage tank or low-pressure production vessel
 - b) Loading out liquids from a storage tank
 - c) Repair and maintenance
 - d) Normal operation of a gas-activated pneumatic controller or pump
 - e) Normal operation of a storage tank but not including venting from a thief hatch
 - f) Normal operation of dehydration units
 - g) Normal operations of compressors, engines, turbines, valves, flanges, & connectors
 - h) During a Braden head, packer leaka test, or production test lasting <24 hours
 - i) When natural gas does not meet the gathering line specifications
 - j) Commissioning of lines, equipment, or facilities only for as long as necessary to purge introduced impurities.

NMAC 19.15.27.8 (E) Performance Standards

- 1. SCO used a safety factor to design the separation and storage equipment. The equipment will be routed to a vapor recovery system and uses a flare as back up for startup, shutdown, maintenance, or malfunction of the VRU system.
- 2. SCO will install a flare that will handle the full facility vapor volume in case the VRU fails. It will have an auto-ignition system.
- 3. Flare stacks will be appropriately sized and designed to ensure proper combustion efficiency
 - a) Flare stacks installed or replaced will be equipped with an automatic ignitor or continuous pilot.
 - b) Previously installed flare stacks will be retrofitted within 18 months of May 25, 2021 with an automatic ignitor, continuous pilot, or technology that alerts SCO to flare malfunction.
 - c) Flare stacks replaced after May 25, 2021 will be equipped with an automatic ignitor or continuous pilot if at a well or facility with an average production of ≤60 Mcfd of natural gas.
 - d) Flare stacks will be located >100 feet from well head and storage tanks and securely anchored.
- 4. SCO will conduct an audio/visual/olfactory inspection on all components for leaks and defects every week.



- 5. SCO will make and keep records of AVO inspections available to the NMOCD for at least 5 years.
- 6. SCO may use a remote or automated monitoring technology to detect leaks and releases in lieu of AVO inspections with prior NMOCD approval.
- 7. Facilities will be designed to minimize waste.
- 8. SCO will resolve emergencies as promptly as possible.

NMAC 19.15.27.8 (F) Measuring or Estimating Vented & Flared Natural Gas

- 1. SCO will have meters on both the low pressure and high-pressure sides of the flares. Volumes will be recorded in the SCADA system.
- 3. SCO's measuring equipment will conform to industry standards.
- 4. Measurement system will be designed such that it cannot be bypassed except for inspections and servicing the meters.
- 5. SCO will estimate the volume of vented or flared gas using a methodology that can be independently verified if metering is not practicable due to low flow rate or pressure.
- 6. SCO will estimate the volume of vented and flared gas based on the results of an annual GOR test for wells that do not require measuring equipment reported on form C-116.
- 7. SCO will install measuring equipment whenever the NMOCD determines that metering is necessary.




VIII. Best Management Practices

SCO Permian LLC will minimize venting during maintenance by:

- 1. Designing and operating system to route storage tank and process equipment emissions to the VRU. If the VRU is not operable, then vapors will be routed to the flare.
- 2. Scheduling maintenance for multiple tasks to minimize the need for blowdowns.
- 3. After completion of maintenance, gas will be flared until it meets pipeline specifications.





.

TEAGUE 16 STATE NO. 1

FORMATION TOPS

KB 3322' ELEV

		<u>SS</u>
Queen	3338'	(-16)
Queen Pay	3445'	(-123)
Grayburg	3580'	(-258)
San Andres	3833'	(-511)
Glorieta	4952'	(-1630)
Blinebry	5318'	(-1996)
Tubb	5993'	(-2671)
Drinkard	6140'	(-2818)
Abo	6415'	(-3093)

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

OGRID:		
330782		
Action Number:		
167972		
Action Type:		
[C-101] Drilling Non-Federal/Indian (APD)		

CONDITIONS

Created By	Condition	Condition Date
pkautz	PREVIOUS COA'S APPLY	12/20/2022

Page 14 of 14

.