

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-20176
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name NEW MEXICO BO STATE
8. Well Number 7
9. OGRID Number 298299
10. Pool name or Wildcat VACUUM; ABO REEF

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator CROSS TIMBERS ENERGY, LLC	
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102	
4. Well Location Unit Letter A : 994 feet from the N line and 330 feet from the E line Section 12 Township 18S Range 34E NMPM County LEA	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3972 GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) MIRU 11/7/2022. POOH w/rods and tubing.
- 2) PU bit and RIH. Drill out CIBPs at 8,312' and 8,320'.
- 3) Clean out to 8,590'. POOH w/ bit
- 4) RIH w/ packer. Set packer above top perf and acidize perms 8,048' – 8,578'.
- 5) POOH w/ packer.
- 6) RIH w/ tubing and rods. Return well to production.

Current and Proposed WBDs attached.

Spud Date:

03/05/1963

Rig Release Date:

09/07/2022

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Holly Wood TITLE REGULATORY ANALYST DATE 10/28/2022

Type or print name HOLLY WOOD E-mail address: hwood@mspartners.com PHONE: 817-334-8088

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 12/22/22

Conditions of Approval (if any):

CROSS TIMBERS ENERGY, LLC**NEW MEXICO BO STATE #7**

API: 30-025-20176

995' FNL & 330' FEL, SEC 12-18S-34E

LEA COUNTY, NM

ELEV: GL: 3972'
KB: 3983'13-3/8", 48# H40 CSG
SET @ 302' CMT'D W/
325SX. SQUZ PERFS @ 350'

8-5/8" TOC @ 2410'

4-1/2" TOC @ 2100'

11" HOLE
8-5/8", 24# J55 CSG.
SET @ 3403'. CMT'D
W/ 650 SX.**TUBING (09/06/2022):**159 jts 2-7/8" J-55 YB Tbg
92 jts 2-3/8" J-55 YB Tbg
2-3/8" x 4-1/2" TAC @ 7,950'
8 jts 2-3/8" Tbg
1 jt 2-3/8" TK99
2-3/8" SN @ 8,237'
2-3/8" x 4' Perf Sub
2-3/8" x 16' OPMA**RODS (09/07/2022):**PR w/ 12' liner
(79) 1" D78 Rods
(104) 7/8" D78 Rods
(129) 3/4" D78 Rods
(14) 1-1/4" K Bars
Stabil
RHBO
20x125xRHBCx24x5 Pump w/
12' GA

SQUZ PERFS @ 1,900'

ABO PERFS (2017):

8048' - 8052', 5 SHOTS	8205' - 8209', 5 SHOTS
8071' - 8075', 5 SHOTS	8216' - 8220', 5 SHOTS
8091' - 8095', 5 SHOTS	8230' - 8234', 5 SHOTS
8140' - 8144', 5 SHOTS	8244' - 8248', 5 SHOTS
8151' - 8155', 5 SHOTS	8251' - 8255', 5 SHOTS
8157' - 8161', 5 SHOTS	8259' - 8263', 5 SHOTS
8178' - 8182', 5 SHOTS	8266' - 8270', 5 SHOTS

ABO PERFS (2017):

8286' - 8290', 5 SHOTS	8302' - 8306', 5 SHOTS
8290' - 8294', 5 SHOTS	8307' - 8311', 5 SHOTS

CIBP @ 8312'

CIBP @ 8320'

8343'-8544', 12 SHOTS (1963)

8346' - 8578', 83 shots (1980)

CIBP @ 8600' W/ 1 SK CMT

8620'-8749', 11 SHOTS (1963)

CIBP @ 8875' W/ 1 SK CMT

8914'-8924', 1 SHOT (1963)

8944'-8953', 1 SHOT (1993)

4-1/2", 9.5 & 11# J55 CSG
SET @ 8996'. CMT'D
W/ 1200 SX.

PBSD @ 8970'

TD @ 9000'

CROSS TIMBERS ENERGY, LLC**NEW MEXICO BO STATE #7**

API: 30-025-20176

995' FNL & 330' FEL, SEC 12-18S-34E

LEA COUNTY, NM

PROPOSED WELLBORE SCHEMATICELEV: GL: 3972'
KB: 3983'13-3/8", 48# H40 CSG
SET @ 302' CMT'D W/
325SX. SQUZ PERFS @ 350'

8-5/8" TOC @ 2410'

4-1/2" TOC @ 2100'

11" HOLE
8-5/8", 24# J55 CSG.
SET @ 3403'. CMT'D
W/ 650 SX.**TUBING:**
2-7/8" TBG**RODS:**
Steel Rods w/ Insert pump

SQUZ PERFS @ 1,900'

ABO PERFS (2017):

8048' - 8052', 5 SHOTS	8205' - 8209', 5 SHOTS
8071' - 8075', 5 SHOTS	8216' - 8220', 5 SHOTS
8091' - 8095', 5 SHOTS	8230' - 8234', 5 SHOTS
8140' - 8144', 5 SHOTS	8244' - 8248', 5 SHOTS
8151' - 8155', 5 SHOTS	8251' - 8255', 5 SHOTS
8157' - 8161', 5 SHOTS	8259' - 8263', 5 SHOTS
8178' - 8182', 5 SHOTS	8266' - 8270', 5 SHOTS

ABO PERFS (2017):

8286' - 8290', 5 SHOTS	8302' - 8306', 5 SHOTS
8290' - 8294', 5 SHOTS	8307' - 8311', 5 SHOTS

8343'-8544', 12 SHOTS (1963)

8346' - 8578', 83 shots (1980)

CIBP @ 8600' W/ 1 SK CMT

8620'-8749', 11 SHOTS (1963)

CIBP @ 8875' W/ 1 SK CMT

8914'-8924', 1 SHOT (1963)

8944'-8953', 1 SHOT (1993)

4 1/2", 9.5 & 11# J55 CSG
SET @ 8996'. CMT'D
W/ 1200 SX.

PBSD @ 8970'

TD @ 9000'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 154629

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 154629
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run successful BHT test	12/22/2022