

Well Name: BOB BREWER COM	Well Location: T25N / R12W / SEC 21 / NWSW / 36.38565 / -108.12177	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM51013	Unit or CA Name: BOB BREWER	Unit or CA Number: NMNM76405
US Well Number: 3004526711	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2707060

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/13/2022	Time Sundry Submitted: 10:28
Date Operation Actually Began: 12/07/2022	

Actual Procedure: The subject well was Plugged & Abandoned on 12/07/2022 per the attached End of Well Report, Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

01\_EOWR\_BLM\_Submittal\_20221213102752.pdf

Well Name: BOB BREWER COM	Well Location: T25N / R12W / SEC 21 / NWSW / 36.38565 / -108.12177	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM51013	Unit or CA Name: BOB BREWER	Unit or CA Number: NMNM76405
US Well Number: 3004526711	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD	Signed on: DEC 13, 2022 10:28 AM
Name: DJR OPERATING LLC	
Title: Regulatory Technician	
Street Address: 1 ROAD 3263	
City: AZTEC	State: NM
Phone: (505) 634-6722	
Email address: MCOLLARD@DJRLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 12/16/2022
Signature: Kenneth Rennick	

DJR Operating, LLC  
P&A End of Well Report  
Bob Brewer 1  
API 30-045-26711  
NW/SW Unit L. Sec 21, T25N, R12W  
San Juan County, NM  
Spud Date: 2-27-1986  
Plug Date: 12-7-2022

12-1-2022:

MIRU rig and equipment. SITP = 0, SICP = 0, BH = 0.

12-2-2022:

Pull 2 rods. Hot oil tubing. Pull 70 rods, paraffin started to drag the rods. SD to hot oil again.

12-5-2022:

Hot oil tubing. Pull remaining rods and rod pump. ND WH, NU BOP. Pull 2 3/8" production tubing. PU and TIH with 80 jts 2 3/8" workstring with bit and string mill.

12-6-2022:

TIH with remaining workstring to 4719'. TOO. PU and TIH with retainer. Set retainer at 4711'. Load and roll hole. PT casing, good test.

P&A Plug 1: Gallup perforations and formation top: Mix and pump 25 sx under retainer into Gallup perforations. Sting out and spot balanced plug of 18 sx above retainer from 4711' to 4557'. Pull up to 3764'.

P&A Plug 2: Mancos formation top: Mix and spot balanced plug of 18 sx from 3764' to 3610'. Pull up to 1938'. SDFN.

12-7-2022:

PU and add workstring to have EOT at 1952'.

P&A Plug 3: Mesa Verde and Chacra formation tops: Mix and spot balanced plug of 69 sx from 1952' to 1359'. Pull up to 1189'.

P&A Plug 4: Pictured Cliffs and Fruitland formation tops: Mix and spot a balanced plug of 74 sx from 1189' to 552'. Pull up to 352'.

[NOTE: Mixed and spotted balanced plug of 59 sx from 352' to surface. We realized that we had missed the Kirtland formation top. We immediately tripped back in hole to 504' and proceeded to pump the correct Plug 5 volume, pumping the previous plug of 59 sx to the pit, and placing the new plug of 75 sx from 504' to surface.]

P&A Plug 5: Kirtland, Ojo Alamo and surface casing shoe to surface: Mix and spot balanced plug of 75 sx from 504' to surface. TOO.

ND BOP. Cut off WH. TOC at 100' + in annulus and at surface in casing. Installed P&A marker. Top off annulus and cellar with 60 sx. Released rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Tyler Offerly, BLM, and Monica Kuehling via email.

GPS Coordinates: Lat; 36.385556 N, Long; 108.122250 W

DJR Operating, LLC  
P&A Marker  
Bob Brewer 1  
API 30-045-26711  
NW/SW Unit L. Sec 21, T25N, R12W  
San Juan County, NM  
Spud Date: 2-27-1986  
Plug Date: 12-7-2022



**End of Well Report  
DJR Operating, LLC  
Bob Brewer 1**

API # 30-045-26711  
NW/SW, Unit L, Sec 21, T25N, R12W  
San Juan County, NM

GL 6290'  
KB 6303'  
Spud Date 2/27/1986

**SURF CSG**

Hole size 12.25"  
Csg Size: 8.625"  
Wt: 24#  
Grade: J-55  
ID: 8.097"  
Depth 262'  
Csg cap ft<sup>3</sup>: 0.3576  
TOC: Surf

**FORMATION TOPS**


<b>Nacimiento</b>	<b>Surface</b>
<b>Ojo Alamo</b>	<b>300'</b>
<b>Kirtland</b>	<b>444'</b>
<b>Fruitland</b>	<b>654'</b>
<b>Pictured Cliffs</b>	<b>1124'</b>
<b>Chacra</b>	<b>1466'</b>
<b>Mesaverde</b>	<b>1899'</b>
<b>Mancos</b>	<b>3713'</b>
<b>Gallup</b>	<b>4625'</b>

**PROD CSG**

Hole size 7.875"  
Csg Size: 5.5"  
Wt: 15.5#  
Grade: K-55  
ID: 4.95"  
Depth 4902'  
Csg cap ft<sup>3</sup>: 0.1336  
Csg/Csg Ann: 0.1926  
Csg/OH cap ft<sup>3</sup>: 0.1732  
TOC: Circ cement to surface

Perfs 4738-4812'

PBTD 4858'  
TD 4903'



12-7-2022: Cut off WH. TOC 100' + in annulus and at surface in casing. Install P&A marker . Top off with 60 sx.

12-7-2022: Plug 5: Kirtland, Ojo Alamo and surface casing shoe to surface: Mix and spot balanced plug of 75 sx from 504' to surface.

12-7-2022: Plug 4: Pictured Cliffs and Fruitland: Mix and spot balanced plug of 74 sx from 1189' to 552'.

12-7-2022: Plug 3: Mesa Verde and Chacra: Mix and spot balanced plug of 69 sx from 1952' to 1359'

12-6-2022: Plug 2: Mancos: Mix and spot balanced plug of 18 sx from 3764' to 3610'.

12-6-2022: Plug 1: Gallup: TIH, set CR at 4711'. Load and roll hole, PT casing, good test. Mix and pump 25 sx under CR, sting out and pump balanced plug of 18 sx above CR to 4557'

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx  
Regulatory representative: Tyler Offerly, BLM  
GPS Coordinates: Lat; 36.385556 N, Long; 108.12250 W

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 168131

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 168131
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	no casing string pressures recorded after 12/1/2022 - well plugged 12/7/22	12/28/2022