

Well Name: BISTI GALLUP 20	Well Location: T25N / R12W / SEC 20 / NENW / 36.39274 / -108.136271	County or Parish/State: SAN JUAN / NM
Well Number: 3	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM25448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004533983	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2707054

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/13/2022	Time Sundry Submitted: 10:23
Date Operation Actually Began: 12/01/2022	

**Actual Procedure:** The subject well was Plugged & Abandoned on 12/01/2022 per the attached End of Well Report, Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

01\_EOWR\_BLM\_Submittal\_20221213102234.pdf

Well Name: BISTI GALLUP 20	Well Location: T25N / R12W / SEC 20 / NENW / 36.39274 / -108.136271	County or Parish/State: SAN JUAN / NM
Well Number: 3	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM25448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004533983	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD	Signed on: DEC 13, 2022 10:22 AM
Name: DJR OPERATING LLC	
Title: Regulatory Technician	
Street Address: 1 ROAD 3263	
City: AZTEC	State: NM
Phone: (505) 634-6722	
Email address: MCOLLARD@DJRLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 12/16/2022
Signature: Kenneth Rennick	

DJR Operating, LLC  
P&A End of Well Report  
Bisti Gallup 20-3  
API # 30-045-33983  
NE/NW Unit C. Sec 20, T25N, R12W  
San Juan County, NM  
Spud Date: 1-23-2012  
Plug Date: 12-1-2022

11-28-2022:

MIRU rig and equipment. SITP = 0, SICP = 740, BH = 10. Unseat pump, LD 2 rods. Hot oil with 50 bbl water. Pull 50 7/8" rods. SDFN.

11-29-2022:

SITP = 0, SICP = 25, BH = 0. Finish pulling rods and pump. NDWH, NU BOP. Start pulling 2 3/8" production tubing. Pulled 65 joints, started getting heavy paraffin. SD. RU hot oil unit, pump 60 bbl water. TOOH with remaining 2 3/8" production tubing.

11-30-2022:

SICP = 0, BH = 0. TIH with bit and string mill on workstring to 4775'. TOOH. TIH with retainer, set retainer at 4713'. Load and roll hole, PT casing, good test. P&A Plug 1: Gallup perforations and formation top: Mix and pump plug of 46 sx (25 sx through retainer, sting out and place 21 sx above retainer). Pull up to 3819'. P&A Plug 2: Mancos formation top: Mix and spot balanced plug of 16 sx from 3819' to 3664'. TOOH.

12-1-2022:

TIH with workstring to 1979'. P&A Plug 3: Mesa Verde and Chacra formation tops: Mix and spot balanced plug of 62 sx from 1979' to 1380'. Pull up to 1256'. P&A Plug 4: Pictured Cliffs formation top: Mix and spot balanced plug of 16 sx from 1256' to 1103'. Pull up to 815'. P&A Plug 5: Fruitland and Kirtland formation tops: Mix and spot balanced plug of 32 sx from 815' to 485'. Pull up to 505'. P&A Plug 6: Ojo Alamo formation top, surface casing shoe to surface: Mix and spot balanced plug of 70 sx from 505' to surface. TOOH. Cut off WH. Had to dig deep due to large WH. TOC, 80' in annulus and at surface in casing. Install P&A marker. Top off casings and cellar with 70 sx. Release Rig.

All cement used was Type II/V mixed at 15.0 ppg, yield 1.29 cu ft/sx  
Regulatory representative: Clayton Yazzie, BLM, and Monica Kuehling, NMOCD via phone.  
GPS Coordinates: Lat; 36.392658 N, Long; 108.136364 W

DJR Operating, LLC  
P&A Marker  
Bisti Gallup 20-3  
API # 30-045-33983  
NE/NW Unit C. Sec 20, T25N, R12W  
San Juan County, NM  
Spud Date: 1-23-2012  
Plug Date: 12-1-2022



**End of Well Report  
DJR Operating, LLC  
Bisti Gallup 20-3**

API # 30-045-33983  
NE/NW, Unit C, Sec 20, T25N, R12W  
San Juan County, NM

GL 6298'  
KB 6310'  
Spud Date 1/23/2012

**SURF CSG**

Hole size 12.25"  
Csg Size: 8.625"  
Wt: 24#  
Grade: J-55  
ID: 8.097"  
Depth 368'  
Csg cap ft<sup>3</sup>: 0.3576  
TOC: Surface

**FORMATION TOPS**

Nacimiento	Surface
Ojo Alamo	N/A
Kirtland	585'
Fruitland	810'
Pictured Cliffs	1161'
Chacra	1480'
Mesa Verde	1928'
Mancos	3745'
Gallup	4616'


**PROD CSG**

Hole size 7.875"  
Csg Size: 5.5"  
Wt: 15.5#  
Grade: J-55  
ID: 4.95"  
Depth 5135'  
Csg cap ft<sup>3</sup>: 0.1336  
Csg/Csg 0.1926  
Ann ft<sup>3</sup>:  
Csg/OH cap ft<sup>3</sup>: 0.1732  
TOC: Surface  
DV Tool 3482'  
Cement Circ to surface on both stages.

DV tool at 3482'. TOC @ DV Tool

Perfs 4760-4857'

PBTD 5089'  
TD 5150'



12-1-2022: Cut off WH. TOC 80' in annulus, at surface in casing. Install P&A marker, top off casings and cellar with 70 sx.

12-1-2022: Plug 6: Ojo Alamo to surface: Mix and pump balanced plug of 70 sx from 505' to surface.

12-1-2022: Plug 5: Fruitland and Kirtland: Mix and spot plug of 32 sx from 815' to 485'.

12-1-2022: Plug 4: Pictured Cliffs: Mix and spot balanced plug of 16 sx from 1256' to 1103'.

12-1-2022: Plug 3: Mesa Verde and Chacra: Mix and spot balanced plug of 62 sx from 1979' to 1380'.

11-30-2022: Plug 2: Mancos: Mix and spot balanced plug of 16 sx from 3819' to 3664'.

11-30-2022: Plug 1: Gallup: Set CR at 4713'. Load and roll hole. PT casing, good test. Mix and pump 25 sx through CR and into perforations, sting out and spot balanced plug of 21 sx above CR.

All cement used was Type II/V mixed at 15.0 ppg, yield 1.29 cuft/sx  
Regulatory representative: Clayton Yazzie, BLM and Monica Kuehling, NMOCD via phone  
GPS Coordinates: Lat; 36.392658 N, Long; 108.136364 W

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 168119

CONDITIONS

Operator:  DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID:  371838
	Action Number:  168119
	Action Type:  [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 12/1/22	12/28/2022