

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-40415
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Red Hills West 16 State
8. Well Number #6H
9. OGRID Number 217817
10. Pool name or Wildcat Jennings; Upper Bone Spring Shale
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3202' GR

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator ConocoPhillips Company	
3. Address of Operator 913 N. Eldridge Parkway Houston, TX 77079	
4. Well Location Unit Letter C : 180 feet from the N line and 2010 feet from the W line Section 16 Township 26S Range 32E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3202' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

06/15/22 MIRU plugging equipment. Dug out cellar. Had waterflow in hole. RU pump & pump'd 60 bbls H2O, pressured up to 100 PSI. 06/16/22 pumped brine H2O to kill well. Still had waterflow. 06/17/22 Pump'd 200 bbls down 7", placed well on vacuum. ND tree, NU BOP. POH w/ tbg. 06/20/22 RIH w/ guage ring to 9425'. POH. RIH w/ 4 1/2 scrapper to 9668'. POH. 06/22/22 Set 4 1/2 CIBP @ 9668'. Pump'd 30 bbls heavy mud. POH w/ tbg, had 22 bad jts. 06/22/22 Set 4 1/2 CIBP @ 9665'. Pump'd hole w/ MLF. Spotted 75 sx class H cmt @ 9665' & displaced to 9016'. WOC. 06/23/22 Tagged plug @ 9205'. Pressure tested csg, held 500 PSI. Circ'd hole w/ 345 bbls MLF. Spotted 40 sx class H cmt @ 9205-8985'. Spotted 30 sx class H cmt @ 8342-8122'. Spotted 30 sx class C cmt @ 7218-7036'. 06/24/22 Spotted 40 sx class C cmt @ 5978-5732'. Perf'd @ 4603'. Established inj rate but pressured up to 1000 & 950 PSI. Spotted 100 sx class C cmt @ 4672-4075'. WOC. 06/27/22 Tagged plug @ 4207'. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 4207-4057'. Perf'd @ 2052'. Pressured up on perfs to 800 PSI.. Spotted 45 sx class C cmt @ 2123-1838'. WOC. 06/28/22 Tagged plug @ 1887'. Perf'd @ 1519'. Pressured up to 800 PSI. Spotted 35 sx class C cmt w/ 2% CACL @ 1578-1363'. WOC & Tagged plug @ 1400'. Perf'd @ 200'. Pressured up to 850 PSI. Perf'd @ 100'. Pressured up to 700 PSI. Spotted 50 sx class C cmt @ 270' to surface. 06/29/22 Tagged cmt @ 25'. Spotted 15 sx class C cmt @ 25' to surface. **07/06/22** Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 8 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE _____ TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 1/10/23

Conditions of Approval (if any): 575-263-6633










ConocoPhillips		Current	
Author:	LSG		
Well Name	RedHills West 16 St 6H	Well No.	6H
Field	Avalon	API #:	30-025-40415
County	Lea	Location	Sec 16, T26S, R32E
State	NM		
Spud Date	1/10/2013	GL	3202'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13.375"	J55	54.5	905'	17 1/2	930	surf
Inter Csg	9.625"	J55	36	4553'	12	1,469	surf
Prod Csg	7"	P110	29	9719'	8 3/4	540	5885'
Liner	4.5"	P110	11.6	13985'	6 1/8	SwellPkrs	TOL@ 9236'

Formation Tops	
Rustler	868'
Salado	964'
Castile	2768'
Del	4431'
Ramsey	4469'
Ford	4530'
Olds	4543'
Cherry	5398'
Brushy	7118'
Bone Spring	8278'
B.S. 1st Top	8493'
B.S. 1st Base	8793'
Avalon	8793'



32.0498047
-103.682106

ConocoPhillips

PLUGGED

Author: LSG

Well Name RedHills West 16 St 6H

Field Avalon

County Lea

State NM

Spud Date 1/10/2013


Well No. 6H

API #: 30-025-40415

Location Sec 16, T26S, R32E

GL 3202'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13.375"	J55	54.5	905'	17 1/2	930	surf
Inter Csg	9.625"	J55	36	4553'	12	1,469	surf
Prod Csg	7"	P110	29	9719'	8 3/4	540	5885'
Liner	4.5"	P110	11.6	13985'	6 1/8	SwellPkrs	TOL@ 9236'



9. Perf'd @ 200'. Pressured up to 850 PSI. Perf'd @ 100'. Pressured up to 700 PSI. Spotted 50 sx class C cmt @ 270' to surface. Tagged cmt @ 25'. Spotted 15 sx class C cmt @ 25' to surface.

13.375" csg set @ 905' with 930 cmt sx

8. Perf'd @ 1519'. Pressured up to 800 PSI. Spotted 35 sx class C cmt w/ 2% CACL @ 1578-1363'. WOC & Tagged plug @ 1400'.

7. Perf'd @ 2052'. Pressured up on perfs to 800 Psi. Spotted 45 sx class C cmt @ 2123- WOC & Tagged plug @ 1887'.

9.625" csg set @ 4553' with 1,469 cmt sx

6. Perf'd @ 4603'. Established inj rate but pressured up to 1000 & 950 PSI. Spotted 100 sx class C cmt @ 4672-4075'. WOC & Tagged plug @ 4207'. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 4207-4057'.

Perf @ 5858' and sqz 1310 sx cmt behind 7" csg. TOC unknown

TOC @ 5885' by temp survey
5. Spotted 40 sx class C cmt @ 5978-5732'.
Weatherford csg patch f/ 5840' to 5878'

4. Spotted 30 sx class C cmt @ 7218-7036'.

3. Spotted 30 sx class H cmt @ 8342-8122'.

2. Spotted 40 sx class H cmt @ 9205-8985'.
Top of 4.5" csg hanger @ 9236'

7" csg set @ 9719' with 540 cmt sx

1. Set 4 ½ CIBP @ 9668'. Pump'd 30 bbls heavy mud. Set 4 ½ CIBP @ 9665'. Pump'd hole w/ MLF. Spotted 75 sx class H cmt @ 9665' & displaced to 9016'. WOC. Tagged plug @ 9205'. Pressure tested Top Perfs @ 9852'

Btm Perfs @ 13,960'

4.5" csg set @ 13985' with SwellPkrs cmt sx

TDPB: 13,985'
TD: 13,985'

Formation Tops	
Rustler	868'
Salado	964'
Castile	2768'
Del	4431'
Ramsey	4469'
Ford	4530'
Olds	4543'
Cherry	5398'
Brushy	7118'
Bone Spring	8278'
B.S. 1st Top	8493'
B.S. 1st Base	8793'
Avalon	8793'
T/Salt	2002
B/Salt	4180

32.0498047
-103.68211

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 123472

COMMENTS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 123472
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	1/10/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 123472

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 123472
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	See attached COA	1/10/2023