Form 3160-5 (June 2019)

### UNITED STATES DEPARTMENT OF THE INTERIOR DUBEALL OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

		Е	хрı	res	s:	O	cto	)
5.	Lease	Serial No.					_	

BURI	EAU OF LAND MANAGEMENT		5. Lease Serial No.	IMNM0542015
Do not use this f	IOTICES AND REPORTS ON W form for proposals to drill or to Use Form 3160-3 (APD) for suc	re-enter an	6. If Indian, Allottee of	or Tribe Name
SUBMIT IN T	TRIPLICATE - Other instructions on pag	e 2	7. If Unit of CA/Agre	ement, Name and/or No.
1. Type of Well Oil Well Gas W	/ell Other		8. Well Name and No	OVATION FED COM 1318/234H
2. Name of Operator NOVO OIL AND	GAS NORTHERN DELAWARE LLC		9. API Well No. 3001	549081
	llevard Suite 206, Oklahoi 3b. Phone No. (405) 404-04		10. Field and Pool or Purple Sage/Wolfd	Exploratory Area
4. Location of Well <i>(Footage, Sec., T.,R</i> SEC 13/T23S/R28E/NMP	2.,M., or Survey Description)		11. Country or Parish, EDDY/NM	State
12. CHE	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF N	OTICE, REPORT OR OTI	HER DATA
TYPE OF SUBMISSION		TYPE OF	ACTION	
✓ Notice of Intent	Acidize Deep Alter Casing Hydr		Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity
Subsequent Report  Final Abandonment Notice	Change Plans Plug	and Abandon	Recomplete Temporarily Abandon Water Disposal	<b>V</b> Other
the proposal is to deepen directiona the Bond under which the work wil completion of the involved operatio completed. Final Abandonment Not is ready for final inspection.)  Request to change the Surface County, NM. There will be no a	peration: Clearly state all pertinent details, i lly or recomplete horizontally, give subsurfal be perfonned or provide the Bond No. on fons. If the operation results in a multiple contices must be filed only after all requirement be Hole Location to 460' FSL & 310' FWL additional surface disturbance with the continuous performance with the continu	ace locations and measurable with BLM/BIA. Requippletion or recompletion s, including reclamation, from 400' FSL & 225	ed and true vertical depths of the direct subsequent reports mu in a new interval, a Form 3 have been completed and the direct subsequent reports and the direct subsequent repo	of all pertinent markers and zones. Attach ast be filed within 30 days following 160-4 must be filed once testing has been the operator has detennined that the site
14. I hereby certify that the foregoing is JUSTIN CARTER / Ph: (405) 286-3	true and correct. Name (Printed/Typed) 3375	Landman Title		
Signature		Date	02/01/2	022
	THE SPACE FOR FEDI	ERAL OR STATE	OFICE USE	
Approved by		A	Field Monages Lands Of	00/00/0000
CODY LAYTON / Ph: (575) 234-59	959 / Approved	Title	Field Manager Lands &	02/02/2022 Date
	ned. Approval of this notice does not warran equitable title to those rights in the subject leduct operations thereon.		BAD	
	3 U.S.C Section 1212, make it a crime for ar		willfully to make to any de	epartment or agency of the United States

(Instructions on page 2)

### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

### **Additional Information**

### **Location of Well**

0. SHL: SWSW / 400 FSL / 225 FWL / TWSP: 23S / RANGE: 28E / SECTION: 13 / LAT: 32.299368 / LONG: -104.0489261 ( TVD: 0 feet, MD: 0 feet )
PPP: SWSE / 330 FSL / 2640 FEL / TWSP: 23S / RANGE: 28E / SECTION: 13 / LAT: 32.299097 / LONG: -104.040689 ( TVD: 10553 feet, MD: 13299 feet )
PPP: SESW / 330 FSL / 1320 FWL / TWSP: 23S / RANGE: 28E / SECTION: 13 / LAT: 32.299145 / LONG: -104.0449959 ( TVD: 10530 feet, MD: 11971 feet )
PPP: SESE / 461 FSL / 217 FEL / TWSP: 23S / RANGE: 28E / SECTION: 14 / LAT: 32.299535 / LONG: -104.0503566 ( TVD: 10075 feet, MD: 10100 feet )
BHL: SESE / 330 FSL / 130 FEL / TWSP: 23S / RANGE: 29E / SECTION: 18 / LAT: 32.298759 / LONG: -104.015933 ( TVD: 10686 feet, MD: 20953 feet )

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

### State of New Mexico

# Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT


### WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number		<sup>2</sup> Pool Code	<sup>3</sup> Pool Name				
30-015-49081		98220	Purple Sage; Wolfcamp Gas Pool				
<sup>4</sup> Property Code		<sup>5</sup> Pr	operty Name	<sup>6</sup> Well Number			
		OVATION FED COM 1318					
<sup>7</sup> OGRID No.		8 O <sub>I</sub>	perator Name	<sup>9</sup> Elevation			
372920		NOVO OIL & GAS NO	RTHERN DELAWARE, LLC	2973.6			


<sup>10</sup> Surface Location


					" Surrac	e Location			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	13	23 S	28 E		460	SOUTH	310	WEST	EDDY
<sup>11</sup> Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	ot Idn Feet from the North/South line Feet from the E		East/West line	County	
P	P 18 23 S		29 E		330	SOUTH	130	EAST	EDDY
12 Dedicated Acres	s 13 Joint	or Infill	14 Consolidation	n Code	<sup>15</sup> Order No.				
636.12									

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.




Inten	t	As Dril	led									
API#												
NO	rator Nai VO OIL AWAR	& GAS N	NORTHE	ERN		Property OVATIO			OM 13	18		Well Number 234H
Kick (	Off Point	(KOP)										
UL	Section	Township	Range	Lot	Feet	From	N/S	Feet	F	rom E/W	County	
Latitu	ıde				Longitu	ıde					NAD	
First TUL	Fake Poir	t (FTP)  Township 23S	Range 28E	Lot	Feet 330	From		Feet		rom E/W	County	
Latitu			200		Longitu	0   SOUTH   330   WEST   Ongitude   04.0485884					NAD 83	
UL	ake Poin	Township	Range	Lot	Feet	From N/S	Feet		From E/			
P Latitu	18 <sup>ude</sup> 298773	23S	29E		Longitu	SOUTH  de   0165799			EAST	NAD 83		
Is this	s well the	defining v	vell for th	e Hori:	<u> </u>	pacing Uni			]	155		
If infi Spaci	ll is yes p ng Unit.	infill well? lease prov	ide API if	availak	J ole, Ope	rator Namo	e and v	vell n	umber f	or Defin	ing well fo	or Horizontal
API#												
Ope	rator Nai	me:				Property	Name	:				Well Number
						-						KZ 06/29/2018





## SECTION 13, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO LOCATION VERIFICATION MAP



NOVO OIL & GAS NORTHERN DELAWARE, LLC

OVATION FED COM 1318 234H

LOCATED 460 FT. FROM THE SOUTH LINE
AND 310 FT. FROM THE WEST LINE OF

SECTION 13, TOWNSHIP 23 SOUTH,

RANGE 28 EAST, N.M.P.M.


EDDY COUNTY, STATE OF NEW MEXICO

JANUARY 12, 2022

SURVEY NO. 7791C

 ${\it MADRON~SURVEYING,~INC.} ~^{\it 301~SOUTH~CANAL} {\it CARLSBAD,~NEW~MEXICO}$ 

## SECTION 13, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO VICINITY MAP



DISTANCES IN MILES

NOT TO SCALE

### DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF CR 736 (OAK ROAD) AND CR 741 (FISHERMAN LANE) ABOUT 3 MILES EAST OF LOVING GO NORTH ON CR 741 ABOUT 0.30 OF A MILE TO CALICHE LEASE ROAD ON THE LEFT, GO NORTH 0.4 OF A MILE TO CHEVRON WELLPAD CANDIE 13 #1 FOR THE NORTHEAST PAD CORNER FOR THIS LOCATION.


NOVO OIL & GAS NORTHERN DELAWARE, LLC
OVATION FED COM 1318 234H
LOCATED 460 FT. FROM THE SOUTH LINE
AND 310 FT. FROM THE WEST LINE OF
SECTION 13, TOWNSHIP 23 SOUTH,
RANGE 28 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO

JANUARY 12, 2022

SURVEY NO. 7791C

 $MADRON \quad SURVEYING, \quad INC. \quad {\tiny 5055} \quad {\tiny 234-3341} \quad CARLSBAD, \quad NEW \quad MEXICO$ 

### SECTION 13, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO AERIAL PHOTO



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH DEC. 2019

NOVO OIL & GAS NORTHERN DELAWARE, LLC

OVATION FED COM 1318 234H

LOCATED 460 FT. FROM THE SOUTH LINE
AND 310 FT. FROM THE WEST LINE OF

SECTION 13, TOWNSHIP 23 SOUTH,

RANGE 28 EAST, N.M.P.M.


EDDY COUNTY, STATE OF NEW MEXICO

JANUARY 12, 2022

SURVEY NO. 7791C

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO





NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH DEC. 2019


NOVO OIL & GAS NORTHERN DELAWARE, LLC
OVATION FED COM 1318 234H
LOCATED 460 FT. FROM THE SOUTH LINE
AND 310 FT. FROM THE WEST LINE OF
SECTION 13, TOWNSHIP 23 SOUTH,
RANGE 28 EAST, N.M.P.M.

JANUARY 12, 2022

EDDY COUNTY, STATE OF NEW MEXICO

SURVEY NO. 7791C

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO



WELL DATA FROM NMOCD GIS - 7/27/21

SH SURFACE LOCATION

BH BOTTOM OF HOLE


(X) WELLS WITHIN 1 MILE


 NOVO OIL & GAS NORTHERN DELAWARE, LLC
OVATION FED COM 1318 234H
LOCATED 460 FT. FROM THE SOUTH LINE
AND 310 FT. FROM THE WEST LINE OF
SECTION 13, TOWNSHIP 23 SOUTH,
RANGE 28 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO

JANUARY 12, 2022

SURVEY NO. 7791C

 $MADRON \quad SURVEYING, \quad INC. \quad {\tiny 5075} \quad {\tiny 234-3341} \quad CARLSBAD, \quad NEW \quad MEXICO$ 






ACCESS ROAD TO THE OVATION PAD Q

(OVATION FED COM 1318 223H, 233H, 213H, 234H, 134H, 136H, 243H, 224H, & 214H)

NOVO OIL & GAS NORTHERN DELAWARE, LLC CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO



SEE NEXT SHEET (2-4) FOR DESCRIPTION



GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 1-4

### SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING TE OF NEW MEXICO.

ERTIFICATE IS EXECUTED AT CARLSBAD, ANUARY 2022 NEW M MADRON SURVEYING, INC.

7301 SOUTH CANAL ( CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SURVEY NO. 7791C

MADRON SURVEYING, INC. 301 S. (575) *NEW MEXICO* 

ACCESS ROAD TO THE OVATION PAD Q

(OVATION FED COM 1318 223H, 233H, 213H, 234H, 134H, 136H, 243H, 224H, & 214H)

NOVO OIL & GAS NORTHERN DELAWARE, LLC CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO JANUARY 12, 2022

### DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING FEE LAND IN SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NE/4 NW/4 OF SAID SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M., WHENCE THE WEST QUARTER CORNER OF SAID SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. BEARS S42°16'14"W, A DISTANCE OF 2005.63 FEET;

THENCE N40'38'52"W A DISTANCE OF 485.97 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N41'44'24"W A DISTANCE OF 261.53 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N48'09'53"W A DISTANCE OF 202.11 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N32'14'48"W A DISTANCE OF 128.50 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE ND0'28'41"W A DISTANCE OF 72.27 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N30'15'04"E A DISTANCE OF 91.72 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N39'18'11"E A DISTANCE OF 115.33 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N22'08'56"E A DISTANCE OF 79.84 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N13'26'10"W A DISTANCE OF 16.65 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHWEST CORNER OF SAID SECTION 24, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. BEARS N89'53'22"W, A DISTANCE OF 799.02 FEET;

SAID STRIP OF LAND BEING 1453.92 FEET OR 88.11 RODS IN LENGTH, CONTAINING 1.001 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NE/4 NW/4 6.13 L.F. 0.37 RODS 0.004 ACRES NW/4 NW/4 1447.79 L.F. 87.74 RODS 0.997 ACRES

### SURVEYOR CERTIFICATE

NEW M

### GENERAL NOTES

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 2-4

MADRON SURVEYING, INC. 301 SC (575)

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING ATE OF NEW MEXICO.

ERTIFICATE IS EXECUTED AT CARLSBAD,

MADRON SURVEYING, INC. 7301 SOUTH CANAL ( CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341


SURVEY NO. 7791C

*NEW MEXICO* 

ACCESS ROAD TO THE OVATION PAD Q

(OVATION FED COM 1318 223H, 233H, 213H, 234H, 134H, 136H, 243H, 224H, & 214H)

NOVO OIL & GAS NORTHERN DELAWARE, LLC
CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING
SECTION 13, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO



SEE NEXT SHEET (4-4) FOR DESCRIPTION



GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 3-4

ET: 3–4 MADRON SURVEYING(

### SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING A THE STATE OF NEW MEXICO.

IN WINES WIFE OF THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO THEN 151 BAY OF VANUARY 2022 MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

301 SOUTH CANAL
CARLSBAD, NEW MEXICO 88220
Phone (575) 234–3341

SURVEY NO. 77910

MADRON SURVEYING, INC. (575) 23 TOPES NAS BAD, NEW MEXICO

ACCESS ROAD TO THE OVATION PAD Q (OVATION FED COM 1318 223H, 233H, 213H, 234H, 134H, 136H, 243H, 224H, & 214H)

NOVO OIL & GAS NORTHERN DELAWARE, LLC CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 13, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO JANUARY 12, 2022

### DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING FEE LAND IN SECTION 13, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE SW/4 SW/4 OF SAID SECTION 13, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M., WHENCE THE SOUTHWEST CORNER OF SAID SECTION 13, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. BEARS N89'53'22'W, A DISTANCE OF 799.02 FEET;

THENCE N13'26'10"W A DISTANCE OF 34.83 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N66'06'36"W A DISTANCE OF 126.18 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N89'39'56"W A DISTANCE OF 75.02 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTHWEST CORNER OF SAID SECTION 13, TOWNSHIP 23 SOUTH, RANGE 28 EAST, N.M.P.M. BEARS S82 02 56 W, A DISTANCE OF 606.36 FEET;

SAID STRIP OF LAND BEING 236.03 FEET OR 14.30 RODS IN LENGTH, CONTAINING 0.163 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SW/4 SW/4 236.03 L.F. 14.30 RODS 0.163 ACRES

### SURVEYOR CERTIFICATE

### GENERAL NOTES

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 4-4

MADRON SURVEYING, INC. 301 5. *NEW MEXICO* 

NEW M

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYIN TE OF NEW MEXICO.

ERTIFICATE IS EXECUTED AT CARLSBAD,

MADRON SURVEYING, INC. 7301 SOUTH CANAL ( CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SURVEY NO. 77910

Released to Imaging: 1/24/2023 1:18:17 PM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 178004

### **CONDITIONS**

Operator:	OGRID:			
NOVO OIL & GAS NORTHERN DELAWARE, LLC	372920			
1001 West Wilshire Blvd	Action Number:			
Oklahoma City, OK 73116	178004			
	Action Type:			
	[C-103] NOI Change of Plans (C-103A)			

### CONDITIONS

Created By		Condition Date
kpickford	Adhere to previous NMOCD Conditions of Approval	1/24/2023