

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: RODEO UNIT Well Location: T23N / R9W / SEC 25 / County or Parish/State: SAN

SESW / 36.191179 / -107.744868 JUAN / NM

Well Number: 512H Type of Well: OIL WELL Allottee or Tribe Name:

EASTERN NAVAJO

Lease Number: N0G13121859 **Unit or CA Name: Unit or CA Number:**

NMNM136328A, NMNM136328X

US Well Number: 3004535874 Well Status: Approved Application for **Operator: ENDURING**

Permit to Drill

RESOURCES LLC

Subsequent Report

Sundry ID: 2707781

Type of Submission: Subsequent Report Type of Action: Casing

Date Sundry Submitted: 12/16/2022 Time Sundry Submitted: 08:27

Date Operation Actually Began: 12/01/2022

Actual Procedure: 12/1/2022- Test 9 5/8" Casing to 1,500 for 30 min Test BOP as follows: Tested Choke manifolds and Blind's 250 psi (Low) for 5 min, 3000 psi (High) for 10 min. Tested upper and lower pipe rams 250 psi (Low) for 5 min, 3000 psi (High) for 10 min. Tested Annular 250 psi (Low) for 5 min, 3000 psi (High) for 10 min. All tests good 12/2/2022 thru 12/8/2022- Drilling 8-1/2" hole. TD 8-1/2" @ 13,783' 12/8/2022 - Run 5-1/2" Production Casing , 1 Jts of 5-1/2", 20# P-110, BT&C, csng set @ 13,783', PBTD @ 13,704'. Cement Summary: PJSM with American Cementing. Pressure tested lines to 6,500 psi. Pumped 60 bbls Intraguard Star @11.0 ppg. Pumped Lead Cement: 191 bbls 448 sx) ASTM Type I/II at 12.4 ppg, 2.39 ft3/sk, 13.28 gal H2O/sk. Pumped Tail Cement: 450 bbls (1599 sx) Class G Cement at 13.3 ppg, 1.58 ft3/sk, 7.58 gal H2O/sk. Washed lines, dropped plug & began displacement. Displaced with 305 bbls FW with cement retarder in 1st 50 bbls. FCP at 2,004-- psi Bump Plug at 4.0 bpm to 3,098- psi. Bled back 3 Bbls and floats held. Cement From 21:55 To 01:00 - 12/9/2022 Top of Tail: Calculated 2,683ft MD. Top of Lead: Surface Cement Back 75 BBL, Calculated Back 60 bbl's Total Sacks: 2047 sks, Total bbl: 641 bbl 12/9/2022-Released Rig @ 03:30

eceived by OCD: 1/4/2023 3:36:28 PM Well Name: RODEO UNIT

Well Location: T23N / R9W / SEC 25 /

SESW / 36.191179 / -107.744868

County or Parish/State: SAN 200

JUAN / NM

Well Number: 512H

Type of Well: OIL WELL

Allottee or Tribe Name: **EASTERN NAVAJO**

Unit or CA Number:

NMNM136328A, NMNM136328X

US Well Number: 3004535874

Lease Number: N0G13121859

Well Status: Approved Application for

Permit to Drill

Unit or CA Name:

Operator: ENDURING RESOURCES LLC

SR Attachments

Actual Procedure

4_production_casing_Rodeo_512H_20221216082745.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KAYLA WHITE Signed on: DEC 16, 2022 08:27 AM

Name: ENDURING RESOURCES LLC

Title: Staff Engineer

Street Address: 9446 CLERMONT ST

City: THORNTON State: CO

Phone: (720) 768-3575

Email address: KWHITE@CDHCONSULT.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Accepted Disposition Date: 12/19/2022

Signature: Kenneth Rennick

Page 2 of 2

Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED OMB No. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. **N0-G-1312-1859**

6. If Indian, Allottee or Tribe Name

Eastern Navajo Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit of CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on page 2 NMNM136328A, NMNM136328X 1. Type of Well 8. Well Name and No. ⊠Oil Well ☐Gas Well Other Rodeo Unit 512H 2. Name of Operator 9. API Well No. **Enduring Resources IV LLC** 30-045-35874 10. Field and Pool or Exploratory Area 3a. Address 3b. Phone No. (include area code) Mancos/Basin Mancos 505-636-9743 200 Energy Court Farmington NM 87401 11. Country or Parish, State 4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SHL: 191' FSL & 1345' FWL, Sec 25 T23N, R9W San Juan, NM BHL: 1226' FNL & 2398' FWL, Sec 6 T22N, R8W

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA							
TYPE OF SUBMISSION	TYPE OF ACTION						
□Notice of Intent	Acidize	Deepen	☐Production(Start/Resume)	☐Water ShutOff			
	☐Alter Casing	☐ Hydraulic Fracturing	Reclamation	☐Well Integrity			
Subsequent Report	Casing Repair	☐ New Construction	Recomplete	☑Other Production Casing			
Final Abandonment Notice	☐Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon				
	Convert to Injection	☐Plug Back	☐Water Disposal				

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

12/1/2022- Test 9 5/8" Casing to 1,500 for 30 min

Test BOP as follows: Tested Choke manifolds and Blind's 250 psi (Low) for 5 min, 3000 psi (High) for 10 min. Tested upper and lower pipe rams 250 psi (Low) for 5 min, 3000 psi (High) for 10 min. Tested Annular 250 psi (Low) for 5 min, 3000 psi (High) for 10 min. All tests good

12/2/2022 thru 12/8/2022- Drilling 8-1/2" hole.

TD 8-1/2" @ 13,783'

12/8/2022 - Run 5-1/2" Production Casing , 1 Jts of 5-1/2", 20# P-110, BT&C, csng set @ 13,783', PBTD @ 13,704'.

Cement Summary: PJSM with American Cementing. Pressure tested lines to 6,500 psi. Pumped 60 bbls Intraguard Star @11.0 ppg. Pumped Lead Cement: 191 bbls 448 sx) ASTM Type I/II at 12.4 ppg, 2.39 ft3/sk, 13.28 gal H2O/sk. Pumped Tail Cement: 450 bbls (1599 sx) Class G Cement at 13.3 ppg, 1.58 ft3/sk, 7.58 gal H2O/sk. Washed lines, dropped plug & began displacement. Displaced with 305 bbls FW with cement retarder in 1st 50 bbls. FCP at 2,004-- psi Bump Plug at 4.0 bpm to 3,098- psi. Bled back 3 Bbls and floats held. Cement From 21:55 To 01:00 - 12/9/2022 Top of Tail: Calculated 2,683ft MD. Top of Lead: Surface Cement Back 75 BBL, Calculated Back 60 bbl's Total Sacks: 2047 sks, Total bbl: 641 bbl

12/9/2022-Released Rig @ 03:30

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) Kayla White	Title: Environmental Engineer				
Kayla White	Pate: 12/16/2022				
THE SPACE FOR FEDERAL OR STATE OFICE USE					
Approved by					
	Title	Date			
Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject least which would entitle the applicant to conduct operations thereon.					

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 172636

CONDITIONS

Operator:	OGRID:
ENDURING RESOURCES, LLC	372286
6300 S Syracuse Way, Suite 525	Action Number:
Centennial, CO 80111	172636
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartine	. None	1/25/2023