

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-07618
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. 19552
7. Lease Name or Unit Agreement Name South Hobbs G/SA Unit
8. Well Number 52
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs; Grayburg - San Andres
4. Well Location Unit Letter <u>P</u> : <u>330</u> feet from the <u>SOUTH</u> line and <u>330</u> feet from the <u>EAST</u> line Section <u>5</u> Township <u>19S</u> Range <u>38E</u> NMPM County <u>LEA</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3613' (GL)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Occidental Permian LTD.

3. Address of Operator
P.O. Box 4294, Houston, TX 77210

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ **P AND A** ☒
 CASING/CEMENT JOB ☐ PNR
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see performed procedure and final wellbore diagram attached.

Spud Date:

1/10/2023

Rig Release Date:

1/12/2023

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roni Mathew TITLE Regulatory Advisor DATE 1/18/2023

Type or print name Roni Mathew E-mail address: roni_mathew@oxy.com PHONE: 713.215.7827

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 1/26/23

Conditions of Approval (if any):

1/10/2023: Rupu, Check psi, 0 psi, Nd wh, Nu bop, Ru workfloor, Rih picking up 117 2-3/8" tbg, Tagged cibp @3780', Notified NMOCD, Circ well w/ 90 bbls of 10# gelled plug mud, EOT @3780', Mixed and pumped 25 sxs class c cmt and displaced w 13.7 bbls of 10# gelled bw, TOC 3533', Pooh laying down 8 2-3/8" tbg, Pooh w 30 2-3/8" tbg, Sion.

1/11/2023: Check psi, 0 psi, Rih w 32 2-3/8" tbg, Tagged TOC @3354', Notified NMOCD, Pooh laying down 25 2-3/8" tbg, EOT @2754', Mixed and pumed 25 sxs class c cmt and displaced w 10 bbls of gelled bw, TOC @2508', Pooh laying down 8 2-3/8" tbg, Pooh w 30 2-3/8" tbg, WOC, Shut down due to high winds.

1/12/2023: Check psi, 0 psi, Rih w 31 2-3/8" tbg, Tagged TOC @2512', Notified NMOCD, Pooh laying down 25 2-3/8" tbg, EOT @1717', Mixed and pumped 25 sxs class c cmt and displaced w 5.75 bbls of gelled bw, TOC @1471', (No tag required), Pooh laying down 43 2-3/8" tbg, EOT @324', Mixed and circulated 65 sxs class c cmt from 324' to surface, Pooh laying down 10 2-3/8" tbg, Nd bop, Filled csg w cmt, All csg strings full of cmt, Nu wh, Rdpu, Cleaned location.



Occidental Petroleum Corporation

SHOU 52**API# 30-025-07618**

TWN 19-S; RNG 38-E

P&A'd**Surface Plug**

Circ. 65 sx Class C Cmt f/ 324' to surface.
All casing strings with cmt to surface

13-3/8" @ 259'
Cmt'd with 200 sx
TOC @ surface (Calc.)
15-1/2" Hole Size

Rustler Plug

Spot 25 sx Class C Cmt f/ 1717'-1471' (Calc.)

FYI, CBL ran f/ 3825' to 2000' noted Excellent bond
as high as 2146' (02/78)

Yates Plug

Spot 25 sx Class C Cmt f/ 2754'-2512' (Tag)

Initial TOC 3100' (TS). Shoot two 1/2" holes @ 3090'.
Cmt w/ 1184 sx to surface (Calc.) (03/48)

San Andres Plug

Spot 25 sx Class C Cmt f/ 3780'-3354' (Tag)

CIBP @ 3780' w/ unkn cmt. Tag CIBP @ 3780'.

Circulate hole w/ 90 bbls 10.0 ppg plugging mud

5-1/2" 15.5# @ 4109'
Cmt'd with 1334 sx (150 + 1184)
TOC @ 2146' or greater (CBL)
7-7/8" Hole Size

Perfs:

4100' to 4276'

2-7/8" 6.5 lb/ft J-55 Liner f/ 3849-4290'
Cmt'd with 50 sx
4-3/4" Hole Size

PBTD 0'
TD 4290'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 177072

COMMENTS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 177072
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	1/27/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 177072

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 177072
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release	1/26/2023