

Submit a Copy To Appropriate District  
Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. <b>30-025-07430</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. <b>19520</b>
7. Lease Name or Unit Agreement Name <b>North Hobbs G/SA Unit</b>
8. Well Number <b>221</b>
9. OGRID Number <b>157984</b>
10. Pool name or Wildcat <b>HOBBS; GRAYBURG-SAN ANDRES</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3653' (GL)</b>

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator  
**Occidental Permian LTD**

3. Address of Operator  
**P.O. Box 4294 Houston, TX 77210-4294**

4. Well Location  
Unit Letter **F** : **2310** feet from the **NORTH** line and **1650** feet from the **WEST** line  
Section **29** Township **18S** Range **38E** NMPM County **LEA**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☒  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see final PxA procedure and wellbore diagram attached.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ [www.emnrd.state.nm.us](http://www.emnrd.state.nm.us)

Spud Date: **5/18/22**

Rig Release Date: **5/23/22**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roni Mathew TITLE Regulatory Advisor DATE 01/03/2023

Type or print name Roni Mathew E-mail address: roni\_mathew@oxy.com PHONE: (713) 215-7827  
**For State Use Only**

APPROVED BY: [Signature] TITLE Petroleum Specialist DATE 3.16.2023  
Conditions of Approval (if any):

Date	24 Hr Summary
5/18/2022	MIRU PU and cement equipment, Check psi, 0 psi on both csg, Nd capflange, Nu bop, Rih w/ tbg, Tagged TOC @4050', Notified NMOCD, Ruwl, Rih and perforated 4-1/2" csg @ 4047', Pooh and rdwl, Tried to establish injection rate but casing held 1000 psi, Notified NMOCD, RIH w/ tbg, EOT @4050', Circulated well w 160 bbls of 10# gelled plug mud, Mixed and pumped 35 sxs class c cement and displaced w 21.5 bbls of bw, Pooh w/ tbg, Sion.
5/19/2022	Rih w/ tbg, Tagged TOC @ 3751', Notified NMOCD, Pooh w/ tbg, Rih w 7" ad1 packer and 74 jts 2-7/8" tbg, Set packer @ 2365', Pressure tested csg to 800 psi, held, Ruwl, Rih and perforated 7" csg @ 2734', Pooh and rdwl, Tried to establish injection rate but pressured up to 1000 psi and held, Notified NMOCD, Approved to rih to 2804' and spot 60 sxs, Released 7" ad1 packer, Rih picking up 14 jts 2-7/8" tbg, EOT @ 2808', Mixed and pumped 60 sxs class c cement and displaced w 14 bbls
5/20/2022	Rih w 78 jts 2-7/8" tbg, Tagged TOC @2474', Pooh laying down 27 jts 2-7/8" tbg, EOT @1628', Mixed and pumped 50 sxs class c cement and diplaced w 7.5 bbls of bw, Pooh w/ tbg, Sion.
5/23/2022	Rih w/ 43 jts 2-7/8" tbg, Tagged TOC @ 1345', Notified NMOCD, Pooh w/ tbg, Ruwl, Rih and perforated 5-1/2" csg @ 260', Pooh and rdwl, Established circulation to surface @ 2 BPM @ 600 psi, Rd workfloor, Nd bop, Nu capflange, Mixed and pumped 120 sxs class c cement down 7" and circulating up 9-5/8" surface casing, All casings full of cement, Rdpu, Cleaned location.

# Current WBD



Occidental Petroleum Corporation

## NHU 29-221

30-025-07430

F-29-18S-38E 2310 FNL 1650 FWL

Surface/Shoe Plug 0' - 260'  
Perf'd & sqz'd 120 sx @ 260'. Circulated.  
Verified all strings of csg have cmt at surface.

12 1/2" 50# @ 210'  
TOC surface (Circ)

Rustler Plug from 1345'-1628'.  
Spotted 50 sx cmt @ 1628'.  
WOC. Tag'd TOC @ 1345'.

Yates/Shoe Plug from 2474'-2808'  
Perf'd @ 2734'. Unable to establish PIR. Notified NMOCD.  
With EOT @ 2808' spotted 60 sx cmt. WOC. Tag'd @ 2474'.

9 5/8 36# @ 2704'  
TOC @ 1236 (Calc)

Tag'd TOC @ 4050'. Perf'd @ 4047'.  
Unable to establish PIR. Notified NMOCD.  
With EOT @ 4050' spotted 35 sx cmt. WOC. Tag'd @ 3751'.


TOC @ 4050'  
CIBP @ 4100'

7" 24# @ 3997'  
TOC @ 2753 (CBL)

perfs 4118'- 4200'

4 1/2" 10.6# @ 3910'- 4213'  
TOC @ 3910' TOL (return)

OH 4213'-4237'



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 171754

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 171754
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	3/16/2023