Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: CANYON LARGO UNIT Well Location: T25N / R6W / SEC 8 /

SENW / 36.41432 / -107.493217

County or Parish/State: RIO

ARRIBA / NM

Well Number: 486 Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMSF078883 Unit or CA Name: CANYON LARGO

UNIT--DK

Unit or CA Number:

NMNM78383D

US Well Number: 3003929722 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2706571

Type of Submission: Notice of Intent

Type of Action: Workover Operations

Date Sundry Submitted: 12/09/2022 Time Sundry Submitted: 06:26

Date proposed operation will begin: 12/23/2022

Procedure Description: Please see attached workover procedure for a water shutoff.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

CLU_486_NOI_Procedure_20221209062611.pdf

Page 1 of 2

Well Name: CANYON LARGO UNIT Well Location: T25N / R6W / SEC 8 / County or Parish/State: Rio 2 o

SENW / 36.41432 / -107.493217

Well Number: 486 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

/ELL

Lease Number: NMSF078883 Unit or CA Name: CANYON LARGO Unit or CA Number:

UNIT--DK NMNM78383D

US Well Number: 3003929722 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

ARRIBA / NM

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KANDIS ROLAND Signed on: DEC 09, 2022 06:26 AM

Name: HILCORP ENERGY COMPANY

Title: Operation Regulatory Tech **Street Address:** 382 Road 3100

City: Farmington State: NM

Phone: (505) 599-3400

Email address: kroland@hilcorp.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved **Disposition Date:** 12/09/2022

Signature: Kenneth Rennick

Canyon Largo Unit 486

F – 08 – 25N – 06W 2420 FNL 1835 FWL

API#: 3003929722

Water Shut Off

12/9/2022

Hold PJSM prior to beginning any and all operations. Properly document all operations via the JSA process. Ensure that all personnel onsite abide by HEC safety protocol, including PPE, housekeeping, and standard guidelines.

Verify cathodic protection is off and wellhead instrumentation is properly disconnected from the wellhead. Comply with all NMOCD, BLM, and HEC safety and environmental regulations.


Verify there is no H2S present prior to beginning operations. If any H2S is present, take the necessary actions to ensure that the location is safe prior to beginning operations.


Observe and record pressures across all string daily, prior to beginning operations. Remember to notify NMOCD 24 hours prior to starting operations on location.

Prior Cement work in June of 2022 was partially successful in isolating water from lower completion. Well was RTP'd but water production was still elevated from target rate indicating cement plug was imperfect. We plan to cleanout to CIBP at 7187' and set a new CIBP directly above to completely shut off water.

Procedure:

- 1. MIRU PU and ancillary equipment
- 2. Pooh with tubing and scan, replace bad pipe with YB tubing
- 3. Make up cleanout BHA and RIH to 7187'
- 4. POOH with assembly and PU CIBP
- 5. Trip in hole and set CIBP between 7195' and 7186' (below bottom perf and above existing plug)
- 6. POOH with setting tool and RIH with production string to +/- 7095' (same depth)
- 7. Notify operations team and return well to production





District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 165754

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	165754
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Schematics do not match from previous subsequent and the attached schematic - schematic attached is unreadable. What can see shows cement below bottom perforation of Dakota - in subsequent please attach readable schematic - Please verify where previous cement plug sets by tagging - Note in subsequent If tag does not show sufficient cement on top of Morrison plug additional cement will need to be set by removing top cibp and adding proper amount of cement to lower cibp when plugging this well.	3/16/2023