

<b>Well Name:</b> BETONNIE TSOSIE WASH UNIT	<b>Well Location:</b> T23N / R8W / SEC 15 / SESW / 36.221964 / -107.673325	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 209H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b> NAVAJO NATION
<b>Lease Number:</b> NMNM50999	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b> NMNM135219A
<b>US Well Number:</b> 3004538243	<b>Well Status:</b> Drilling Well	<b>Operator:</b> DJR OPERATING LLC

Subsequent Report

**Sundry ID:** 2707465

<b>Type of Submission:</b> Subsequent Report	<b>Type of Action:</b> Drilling Operations
<b>Date Sundry Submitted:</b> 12/14/2022	<b>Time Sundry Submitted:</b> 01:38
<b>Date Operation Actually Began:</b> 12/09/2022	

**Actual Procedure:** -12/9/22: NU, full function BOPE test: L250 (5min) H3000 (10min). PT 7" 26# J55 casing 1500 (30min). All tests good & recorded on chart. No regulatory agencies onsite to witness. -12/10/22: TIH. Drill 6.125" hole from 5436' to 10675'. -12/11/22: Drill 6.125" hole to 14409'. -12/12/22: Drill 6.125" hole to 15145' TD. TOH. -12/13/22: RU CRTs. Run 238 jts of 4.5" 13.5# P110 BTC liner from TOL: 5190' BOL: 14140'. Packer at 5211'. Marker jts at 5221' – 5636' – 5936' – 8912' – 11924' – 14910'. AlphaSleeve at 15091'. FC at 15127'. RU to cement. 5k test on lines, test good. Cement with Class G, 232 bbls (860 sx) 13.3 ppg, 1.52 yield, 7.53 gps. Bump plug 2750 FCP, pressure up to 3692 psi & hold for 5 min. Circulate. 60 bbls good cement back to surface. TOC: 5190' BOC: 14140'. RD cementers. ND BOPE. Cap well. Rig H&P 443 released on 12/13/22. Please note, PT of 4.5" casing string will be provided on next report.

**Well Name:** BETONNIE TSOSIE  
WASH UNIT

**Well Location:** T23N / R8W / SEC 15 /  
SESW / 36.221964 / -107.673325

**County or Parish/State:** SAN  
JUAN / NM

**Well Number:** 209H

**Type of Well:** OIL WELL

**Allottee or Tribe Name:**  
NAVAJO NATION

**Lease Number:** NMNM50999

**Unit or CA Name:**

**Unit or CA Number:**  
NMNM135219A

**US Well Number:** 3004538243

**Well Status:** Drilling Well

**Operator:** DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature:** SHAW-MARIE FORD

**Signed on:** DEC 14, 2022 01:38 PM

**Name:** DJR OPERATING LLC

**Title:** Regulatory Specialist

**Street Address:** 1 Road 3263

**City:** Aztec

**State:** NM

**Phone:** (505) 632-3476

**Email address:** sford@djrlc.com

Field

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Email address:**

BLM Point of Contact

**BLM POC Name:** KENNETH G RENNICK

**BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647742

**BLM POC Email Address:** krennick@blm.gov

**Disposition:** Accepted

**Disposition Date:** 12/19/2022

**Signature:** Kenneth Rennick

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 168360

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 168360
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
gramirez	PT details for the 4.5" casing must be submitted on the next drilling sundry.	1/27/2023