

Well Name: DODD FEDERAL UNIT	Well Location: T17S / R29E / SEC 14 / NWNW /	County or Parish/State: EDDY / NM
Well Number: 26	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731B	Unit or CA Name:	Unit or CA Number: NMNM111789X
US Well Number: 3001525340	Well Status: Producing Oil Well	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc3/16/2023

Subsequent Report

Sundry ID: 2719180

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 03/06/2023	Time Sundry Submitted: 01:00
Date Operation Actually Began: 02/21/2023	

Actual Procedure: Please find plugging post job summary and plugged WBD attached for your review.

SR Attachments

- Actual Procedure
- Dodd_Federal_Unit_26_P_A_Summary_20230306130027.pdf
 - DFU__26_As_Plugged_WBD_20230306130027.pdf

Well Name: DODD FEDERAL UNIT	Well Location: T17S / R29E / SEC 14 / NWNW /	County or Parish/State: EDDY / NM
Well Number: 26	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731B	Unit or CA Name:	Unit or CA Number: NMNM111789X
US Well Number: 3001525340	Well Status: Producing Oil Well	Operator: SPUR ENERGY PARTNERS LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN

Signed on: MAR 06, 2023 01:00 PM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston

State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 03/16/2023

Signature: James A. Amos

Start Date	End Date	Summary
2/21/2023	2/21/2023	Move all equipment in, PJSM, rig up all equipment, Check well pressures, pick up on rods, didnt feel pump unseat, pump 5 bbls down tubing but pressured up, pump 40 bbls down casing to kill well, POOH laying down rods, LD 50 rods, secure well, SDFN
2/22/2023	2/22/2023	Drove to location, PJSM, bleed off pressure, pump 50 bbls brine down casing to kill well, POOH w/ rods, well started flowing, pump 30 bbls brine to kill well, finish LD rods, ND WH, NU BOP, secure well, SDFN due to wind.
2/23/2023	2/23/2023	Drove to location, PJSM, pump 10 bbls down tbg and 20 bbls down casing to kill well, POOH tbg, RU WL, RIH and set CIBP @ 2400', POOH RD WL, RIH w/ 75 jts, circ well w/ 60 bbls mud, pressure test casing, would not hold pressure, notify Roberta w/ BLM, decided to run packer and test casing to find hole, RIH w/ packer and set @ 2100', Pressure tested good, tested every 200' from 2100' to surface, found hole between 394' and 407', secure well SDFN
2/24/2023	2/24/2023	Drove to location, PJSM, work on rig, RIH 75 jts, circ well w/ 30 bbls, mix and pump plug #1 25 sx of class C cmt from 2400'-2148', POOH, WOC, RIH and tag plug #1 @ 2160', POOH LD 35 jts, mix and pump plug #2 25 sx of class C cmt from 1050'-795', POOH, secure well SDFN.
2/27/2023	2/27/2023	Drove to location, PJSM, LD 20 jts, circulate well w/ 20 bbls, fix centrifugal pump, mix and pump plug #3 55 sx of Class C cmt from 475'-surface, WOC, tag plug #3 @ 73', top off plug #3 w/ 8 sx of class C cmt, ND BOP, secure well SDFN.
2/28/2023	2/28/2023	Drove to location, PJSM, RD all equipment, change oil on all equipment, will move to next well tomorrow.

API #	30-015-25340	Dodd Federal Unit #26	County, ST	Eddy County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	14-17S-29E
Field	Grayburg Jackson; SR-Q-G-SA		Footage	1245 FNL 1245 FWL
Spud Date	10/24/1985		Survey	32.8384781, -104.0500031

Formation (MD)	
T/Salt	425
B/Salt	860
Yates	997
Queen	1805
Grayburg	2181
San Andres	2550
Glorieta	3982
Yeso	4050

RKB	
GL	3615
Hole Size	12-1/4"
TOC	Surface
Method	Circ 35 sx
Csg Depth	337'
Size	8-5/8"
Weight	24
Grade	
Connections	
Cement	250 sx

Tubing Detail				
Jts	Size	Depth	Length	Detail


Rod Detail				
Rods	Size	Depth	Length	Detail

Hole Size	7-7/8"
TOC	Surface
Method	Circ 350 sx

Csg Depth	5800'
Size	5-1/2"
Weight	15.5
Grade	
Connections	
Cement	2450 sx

PBTD	5150'
TD MD	5838'
TD TVD	5838'

Last Update	11/7/2022
By	RCB



Plug #3 63 sx of Class C cement from 475'-surface

Plug #2 25 sx of Class C cement from 1050'-795'

DV tool @ 3518'

Plug #1 25 sx of Class C cement from 2400'-2160'

CIBP @ 2400'

Perforations
5400'-5699' Squeezed w/ 100 sx 12/16/85
5244'-5262' Squeezed w/ 100 sx 12/16/85
2445'-3320'
3657'-3966'
4101'-4367'

Fish in the hole @ 2510' (tubing and rods)

CICR @ 5200' w/50' of cmt on top

CICR @ 5350' w/50' of cmt on top

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 197914

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 197914
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	3/16/2023