

Well Name: GC FEDERAL	Well Location: T17S / R32E / SEC 20 / SWSW / 32.815618 / -103.796204	County or Parish/State: LEA / NM
Well Number: 26	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC029405B	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002539282	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

Accepted for Record Only

X 7

NMOCD 3/30/23

SUBJECT TO LIKE APPROVAL BY BLM

Subsequent Report

Sundry ID: 2706915

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/12/2022	Time Sundry Submitted: 12:48
Date Operation Actually Began: 11/18/2022	

Actual Procedure: 11/18/22: MI equipment & SDFN. 11/19/22: MI equipment & SDFN. 11/21/22: Spot equipment then RU & change equipment to pull rods; PU on rods- only 2 points & POOH w/ rods; RBIH then screw into rods & POOH w/ more rods then SDFN. 11/22/22: Continue working to POOH w/ rods all day. 11/23/22: Continue working to POOH w/ rods all day. 11/28/22: RU floor then ND flange & NU Bop; RU WL then RIH & tag rods at 3850'; cut tbg at 3850' then POOH & RD WL; POOH w/ tbg then RU WL & RIH to set CIBP at 3840'; POOH & RD WL then RIH to tag plug at 3835'; SDFN. 11/29/22: Finish RIH then RU pump & circulate well w/ 90bbls mud; PLUG #1 – mix & pump 25sxs Class C cement from eot at 3840' to toc at 3588' then displ w/ 19.4bbls mud; test csg-pressure up to 500psi & held for 30min then POOH to woc; RIH & tag PLUG #1 at 3590' then POOH w/ 43jts tbg; PLUG #2 – mix & pump 30sxs Class C cement from eot at 2214' to toc at 1911' then displ w/ 11bbls mud; pull 20stds & SDFN. 11/30/22: RIH & tag PLUG #2 at 1917' then LD 42jts tbg; RU hose & break circulation; PLUG #3 – mix & pump 30sxs Class C cement from eot at 820' leaving toc at 517' then displ w/ 2.9bbls mud; woc then RIH & tag PLUG #3 at 523' then LD rest of tbg; RU WL then RIH to perforate at 100' & POOH then RD WL; RIH to check injection rate-1/2bpm at 500psi & pumped 6bbls but no returns through 8 5/8 valve; notify BLM & they suggested to squeeze 45sxs then tag in the morning; PLUG #4 – mix & pump 45sxs Class C cement from eot at 100' squeeze leaving cmt at surface then SDFN. 12/01/22: Check that cement is at surface then RD floor & ND Bop; RDSU & MO.

Well Name: GC FEDERAL	Well Location: T17S / R32E / SEC 20 / SWSW / 32.815618 / -103.796204	County or Parish/State: LEA / NM
Well Number: 26	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC029405B	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002539282	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

SR Attachments

Actual Procedure

Spur_GC_Federal__26_Plugged_WBD_20221212124759.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN
Signed on: DEC 12, 2022 12:48 PM
Name: SPUR ENERGY PARTNERS LLC
Title: Regulatory Directory
Street Address: 9655 KATY FREEWAY, SUITE 500
City: Houston State: TX
Phone: (832) 930-8613
Email address: SCHAPMAN@SPUREPLLC.COM

Field


Representative Name:
Street Address:
City: State: Zip:
Phone:
Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS
BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927
BLM POC Email Address: jamos@blm.gov
Disposition: Accepted
Disposition Date: 01/05/2023
Signature: James A. Amos

GC Federal #26Lea County, NM
API# 30-025-39282SPUD DATE: 3/1/2010
ELEV: 3946' GR, 17' KB**FORMATION TOPS**YATES - 1,989'
QUEEN - 2,974'
SAN ANDRES - 3,720'
GLORIETTA - 5,225'
YESO - 5,300'
TUBB - 6,803'**13-3/8" 48# J-55 STC Csg @ 641'**CMT W/ 550 SX
CIRC 167 SX**8-5/8" 32# J-55 LTC Csg @ 2,164'**CMT W/ 600 SX
CIRC 96 SX**TUBING DETAIL (10/30/2017)**160 JTS 2-7/8" 6.5# J-55 EUE 8RD TBG
1 - 2' x 2-7/8" MARKER SUB
2 JTS 2-7/8" 6.5# J-55 EUE 8RD TBG
5-1/2" x 2-7/8" TAC @ 5,275'
47 JTS 2-7/8" 6.5# J-55 EUE 8RD TBG
2-7/8" SN @ 6,732'
3" CYCLONE DESANDER @ 6,733'
1 MUD JOINT 2-7/8" TBG W/ BP, EOT @ 6,767'**ROD DETAIL (10/31/2017)**1-1/2" x 26" SMPR
(2' + 4') - 7/8" N97 PONY RODS
(255) 7/8" N97 STEEL RODS
(12) 1-5/8" SINKER BARS
4' STABILIZER ROD
2-1/2" x 1-1/2" x 20' RHBC PUMP**5-1/2" 17# L-80 LTC Csg @ 7,035'**CMT W/ 1100 SX
CIRC 228 SX

CURRENT WBD

plug #4 - 45sxs
class C
100' - surfaceplug #3 - 30sxs
class C
820' - 523'plug #2 - 30sxs Class C
2214' - 1917'TOP OF 7/8" ROD
FISH @ 3,675'plug #1 - 25sxs Class C
3840' - 3590'

CIRP @ 3840'

YESO PERFS (5,310'-6,690') - COMPLETED 4/7/2010PERF 5,310'-5,470': 1 SPF, 21 HOLES. ACIDIZE W/ 3,000
GALS 15% HCL, FRAC W/ 107,679 GALS GEL, 107,097#
16/30 OTTAWA SAND, 17,974# SIBERPROP SANDPERF 5,950'-6,150': 1 SPF, 26 HOLES. ACIDIZE W/ 2,500
GALS 15% HCL, FRAC W/ 122,666 GALS GEL, 146,728#
16/30 OTTAWA SAND, 26,914# SIBERPROP SANDPERF 6,220'-6,420': 1 SPF, 26 HOLES. ACIDIZE W/ 2,500
GALS 15% HCL, FRAC W/ 122,976 GALS GEL, 151,492#
16/30 OTTAWA SAND, 28,405# SIBERPROP SANDPERF 6,490'-6,690': 1 SPF, 26 HOLES. ACIDIZE W/ 2,500
GALS 15% HCL, FRAC W/ 123,800 GALS GEL, 144,534#
16/30 OTTAWA SAND, 29,699# SIBERPROP SANDTD @ 7,035'
PBTD @ 6,949'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 192362

COMMENTS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 192362
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	3/31/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 192362

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 192362
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	3/30/2023