

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural ResourcesForm C-104  
Revised August 1, 2011Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

## I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

|                                                                                                                          |                                                                |                                                           |
|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br>TAP ROCK OPERATING, LLC<br>523 PARK POINT DRIVE, SUITE 200<br>GOLDEN, CO 80401 |                                                                | <sup>2</sup> OGRID Number<br>372043                       |
|                                                                                                                          |                                                                | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW |
| <sup>4</sup> API Number<br>30 - 0 25-48739                                                                               | <sup>5</sup> Pool Name<br>WC-025 G-09 S243310P; UPPER WOLFCAMP | <sup>6</sup> Pool Code<br>98135                           |
| <sup>7</sup> Property Code<br>330700                                                                                     | <sup>8</sup> Property Name<br>PROMETHEUS STATE COM             | <sup>9</sup> Well Number<br>202H                          |

II. <sup>10</sup> Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South Line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| N             | 22      | 24S      | 33E   | -       | 863           | SOUTH            | 1720          | WEST           | LEA    |

<sup>11</sup> Bottom Hole Location

| UL or lot no.               | Section                                  | Township                                       | Range                             | Lot Idn                            | Feet from the                       | North/South line | Feet from the | East/West line | County |
|-----------------------------|------------------------------------------|------------------------------------------------|-----------------------------------|------------------------------------|-------------------------------------|------------------|---------------|----------------|--------|
| C                           | 15                                       | 24S                                            | 33E                               | -                                  | 32                                  | NORTH            | 2560          | WEST           | LEA    |
| <sup>12</sup> Lse Code<br>S | <sup>13</sup> Producing Method Code<br>F | <sup>14</sup> Gas Connection Date<br>4/29/2022 | <sup>15</sup> C-129 Permit Number | <sup>16</sup> C-129 Effective Date | <sup>17</sup> C-129 Expiration Date |                  |               |                |        |


## III. Oil and Gas Transporters

| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address                             | <sup>20</sup> O/G/W |
|---------------------------------|------------------------------------------------------------------------|---------------------|
| 34053                           | PLAINS ALL AMERICAN<br>333 CLAY STREET SUITE 1600<br>HOUSTON, TX 77002 | O                   |
| 371960                          | LUCID ENERGY GROUP<br>3100 MCKINNON ST #800<br>DALLAS, TX 75201        | G                   |
|                                 |                                                                        |                     |
|                                 |                                                                        |                     |
|                                 |                                                                        |                     |
|                                 |                                                                        |                     |

## IV. Well Completion Data

|                                       |                                       |                            |                              |                                               |                       |
|---------------------------------------|---------------------------------------|----------------------------|------------------------------|-----------------------------------------------|-----------------------|
| <sup>21</sup> Spud Date<br>11/14/2021 | <sup>22</sup> Ready Date<br>4/21/2022 | <sup>23</sup> TD<br>22888' | <sup>24</sup> PBTB<br>22826' | <sup>25</sup> Perforations<br>12560' - 22741' | <sup>26</sup> DHC, MC |
| <sup>27</sup> Hole Size               | <sup>28</sup> Casing & Tubing Size    | <sup>29</sup> Depth Set    | <sup>30</sup> Sacks Cement   |                                               |                       |
| 13.5"                                 | 10.75"                                | 1292'                      | 600 sks                      |                                               |                       |
| 9.875"/8.75"                          | 7.625"                                | 10000'/11911'              | 1176 sks                     |                                               |                       |
| 6.75"                                 | 5.5"                                  | 22866'                     | 1094 sks                     |                                               |                       |
|                                       |                                       |                            |                              |                                               |                       |

## V. Well Test Data

|                                                                                                                                                                                                                                                                                                            |                                              |                                      |                                       |                                      |                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-----------------------------------|
| <sup>31</sup> Date New Oil<br>4/29/2022                                                                                                                                                                                                                                                                    | <sup>32</sup> Gas Delivery Date<br>4/29/2022 | <sup>33</sup> Test Date<br>5/22/2022 | <sup>34</sup> Test Length<br>24 hrs.  | <sup>35</sup> Tbg. Pressure<br>1824  | <sup>36</sup> Csg. Pressure<br>25 |
| <sup>37</sup> Choke Size<br>30/64                                                                                                                                                                                                                                                                          | <sup>38</sup> Oil<br>1196                    | <sup>39</sup> Water<br>4926          | <sup>40</sup> Gas<br>2773             | <sup>41</sup> Test Method<br>Flowing |                                   |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:  |                                              |                                      | OIL CONSERVATION DIVISION             |                                      |                                   |
| Printed name:<br>Jeff Trlica                                                                                                                                                                                                                                                                               |                                              |                                      | Approved by: <b>PATRICIA MARTINEZ</b> |                                      |                                   |
| Title:<br>Regulatory Analyst                                                                                                                                                                                                                                                                               |                                              |                                      | Title: <b>PETROLEUM SPECIALIST</b>    |                                      |                                   |
| E-mail Address:<br>jtrlica@taprk.com                                                                                                                                                                                                                                                                       |                                              |                                      | Approval Date: <b>4/10/2023</b>       |                                      |                                   |
| Date:<br>5/25/2022                                                                                                                                                                                                                                                                                         |                                              | Phone:<br>720-771-5910               |                                       |                                      |                                   |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources  
Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT  
**As Drilled**

## WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                          |                                                               |                                                               |
|------------------------------------------|---------------------------------------------------------------|---------------------------------------------------------------|
| <sup>1</sup> API Number<br>30-025-48739  | <sup>2</sup> Pool Code<br>98135                               | <sup>3</sup> Pool Name<br>WC-025 G-09 S243310P;UPPER WOLFCAMP |
| <sup>4</sup> Property Code<br>330700     | <sup>5</sup> Property Name<br><b>PROMETHEUS STATE COM</b>     | <sup>6</sup> Well Number<br><b>202H</b>                       |
| <sup>7</sup> OGRID No.<br><b>#372043</b> | <sup>8</sup> Operator Name<br><b>TAP ROCK OPERATING, LLC.</b> | <sup>9</sup> Elevation<br><b>3543'</b>                        |

<sup>10</sup>Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| N             | 22      | 24-S     | 33-E  | -       | 836'          | SOUTH            | 1720'         | WEST           | LEA    |

<sup>11</sup>Bottom Hole Location If Different From Surface


| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| C             | 15      | 24-S     | 33-E  | -       | 32'           | NORTH            | 2560'         | WEST           | LEA    |

|                                      |                                         |                                  |                         |
|--------------------------------------|-----------------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br>640 | <sup>13</sup> Joint or Infill<br>Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|--------------------------------------|-----------------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 2558 FWL Section 22

LTP: 100' FNL; 2567 FWL Section 15

<sup>17</sup>OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

*[Signature]* 4/12/2022

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

<sup>18</sup>SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

10/07/2021

Date of Survey Signature and Seal of Professional Surveyor

*[Signature]*

*[Seal]*

*[Seal]*

*[Seal]*

*[Seal]*

*[Seal]*

*[Seal]*

*[Seal]*

*[Seal]*


*[Seal]*

*[Seal]*

*[Seal]*

*[Seal]*

*[Seal]*



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 202H

SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3543'

DESCRIPTION 836' FSL & 1720' FWL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
TEXAS FIRM REGISTRATION NO. 10042504  
WWW.TOPOGRAPHIC.COM

INTERNAL  
PRE-COMPLETION  
PLAT

PROMETHEUS STATE COM  
202H  
PRE-COMPLETION

REVISION:

GLH

03/31/22

DATE: 02/22/22

FILE: C:\PROMETHEUS\_STATE\_COM\_202H\_REV1

DRAWN BY: SAR

SHEET: 2 OF 2

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources, LLC.  
Well Name: Prometheus State Com #202H  
County: Lea  
State: New Mexico  
Rig Name: H&P 388  
API: 30-025-49739

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists  
Survey Depths: 174' MD – 22,817' MD  
Projection to Bit: 22,888' MD  
Dates Performed: 11/12/2021 – 01/05/2022  
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk  
MWD Operations Manager  
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources

Well Name: Prometheus State Com 202H

Job Number: ID3127

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 388

Target KBTVD: 12502.00

Target Inclination: 90.60°

Declination Correction: 5.92°

DF Elevation: 3567

Vertical Section Calculated Along Azimuth: 359.59°

Survey Calculation Method: Minimum Curvature

| TIE PT.<br>TYPE | SVY<br># | Survey<br>Depth | INC<br>deg. | AZM<br>deg. | Course<br>Length | TVD<br>Ft. | V'Sect<br>FT. | +N/-S<br>Ft. | +E/-W<br>Ft. | Dogleg<br>%/100' |
|-----------------|----------|-----------------|-------------|-------------|------------------|------------|---------------|--------------|--------------|------------------|
| Tie In          | 0        | 0               | 0.00        | 0.00        | 0                | 0          | 0             | 0            | 0            | 0.00             |
| MWD             | 1        | 174             | 0.53        | 48.02       | 174              | 174.00     | 0.53          | 0.54         | 0.60         | 0.30             |
| MWD             | 2        | 327             | 0.66        | 66.21       | 153              | 326.99     | 1.35          | 1.37         | 1.93         | 0.15             |
| MWD             | 3        | 417             | 0.53        | 37.56       | 90               | 416.98     | 1.89          | 1.91         | 2.66         | 0.36             |
| MWD             | 4        | 508             | 0.57        | 47.23       | 91               | 507.98     | 2.52          | 2.55         | 3.25         | 0.11             |
| MWD             | 5        | 599             | 0.44        | 44.06       | 91               | 598.98     | 3.08          | 3.11         | 3.82         | 0.15             |
| MWD             | 6        | 689             | 0.62        | 21.13       | 90               | 688.97     | 3.78          | 3.81         | 4.24         | 0.31             |
| MWD             | 7        | 779             | 0.09        | 348.78      | 90               | 778.97     | 4.30          | 4.33         | 4.40         | 0.61             |
| MWD             | 8        | 870             | 0.44        | 243.75      | 91               | 869.97     | 4.22          | 4.25         | 4.07         | 0.52             |
| MWD             | 9        | 961             | 0.88        | 239.97      | 91               | 960.96     | 3.72          | 3.74         | 3.15         | 0.49             |
| MWD             | 10       | 1051            | 1.19        | 249.38      | 90               | 1050.95    | 3.06          | 3.07         | 1.68         | 0.39             |
| MWD             | 11       | 1140            | 1.01        | 255.27      | 89               | 1139.93    | 2.54          | 2.54         | 0.06         | 0.24             |
| MWD             | 12       | 1230            | 0.57        | 280.14      | 90               | 1229.92    | 2.43          | 2.42         | -1.15        | 0.61             |
| MWD             | 13       | 1316            | 0.62        | 311.78      | 86               | 1315.92    | 2.82          | 2.81         | -1.92        | 0.38             |
| MWD             | 14       | 1411            | 0.70        | 311.52      | 95               | 1410.91    | 3.55          | 3.53         | -2.74        | 0.08             |
| MWD             | 15       | 1504            | 1.27        | 103.30      | 93               | 1503.91    | 3.69          | 3.67         | -2.16        | 2.06             |
| MWD             | 16       | 1601            | 3.25        | 120.79      | 97               | 1600.83    | 2.01          | 2.02         | 1.25         | 2.14             |
| MWD             | 17       | 1696            | 3.25        | 119.21      | 95               | 1695.68    | -0.72         | -0.68        | 5.91         | 0.09             |
| MWD             | 18       | 1790            | 4.57        | 120.79      | 94               | 1789.45    | -3.97         | -3.89        | 11.46        | 1.41             |
| MWD             | 19       | 1883            | 5.89        | 122.55      | 93               | 1882.07    | -8.49         | -8.36        | 18.66        | 1.43             |
| MWD             | 20       | 1975            | 6.02        | 119.56      | 92               | 1973.57    | -13.47        | -13.28       | 26.84        | 0.37             |
| MWD             | 21       | 2069            | 5.93        | 118.77      | 94               | 2067.06    | -18.30        | -18.05       | 35.38        | 0.13             |
| MWD             | 22       | 2163            | 6.15        | 123.25      | 94               | 2160.54    | -23.46        | -23.14       | 43.85        | 0.55             |
| MWD             | 23       | 2258            | 7.69        | 140.57      | 95               | 2254.85    | -31.22        | -30.84       | 52.14        | 2.71             |
| MWD             | 24       | 2353            | 8.75        | 148.13      | 95               | 2348.88    | -42.32        | -41.89       | 60.00        | 1.59             |
| MWD             | 25       | 2446            | 8.75        | 147.25      | 93               | 2440.80    | -54.33        | -53.85       | 67.56        | 0.14             |
| MWD             | 26       | 2541            | 8.84        | 149.27      | 95               | 2534.68    | -66.74        | -66.20       | 75.20        | 0.34             |
| MWD             | 27       | 2635            | 8.97        | 148.74      | 94               | 2627.55    | -79.26        | -78.67       | 82.69        | 0.16             |
| MWD             | 28       | 2730            | 9.41        | 143.64      | 95               | 2721.33    | -91.91        | -91.26       | 91.14        | 0.97             |
| MWD             | 29       | 2826            | 9.58        | 140.66      | 96               | 2816.01    | -104.47       | -103.76      | 100.85       | 0.54             |
| MWD             | 30       | 2921            | 9.58        | 142.33      | 95               | 2909.69    | -116.92       | -116.13      | 110.70       | 0.29             |
| MWD             | 31       | 3016            | 9.89        | 140.13      | 95               | 3003.32    | -129.51       | -128.65      | 120.76       | 0.51             |
| MWD             | 32       | 3109            | 10.68       | 136.35      | 93               | 3094.83    | -141.95       | -141.01      | 131.83       | 1.12             |
| MWD             | 33       | 3204            | 10.73       | 137.14      | 95               | 3188.17    | -154.89       | -153.86      | 143.92       | 0.16             |
| MWD             | 34       | 3297            | 10.73       | 135.21      | 93               | 3279.55    | -167.47       | -166.35      | 155.91       | 0.39             |
| MWD             | 35       | 3393            | 10.77       | 132.22      | 96               | 3373.86    | -179.93       | -178.72      | 168.84       | 0.58             |
| MWD             | 36       | 3488            | 11.16       | 131.96      | 95               | 3467.13    | -192.13       | -190.84      | 182.25       | 0.41             |
| MWD             | 37       | 3582            | 11.16       | 132.39      | 94               | 3559.35    | -204.45       | -203.05      | 195.74       | 0.09             |
| MWD             | 38       | 3678            | 10.73       | 133.54      | 96               | 3653.61    | -216.96       | -215.47      | 209.08       | 0.50             |
| MWD             | 39       | 3773            | 10.33       | 125.98      | 95               | 3747.01    | -228.15       | -226.57      | 222.38       | 1.51             |
| MWD             | 40       | 3868            | 10.90       | 123.69      | 95               | 3840.38    | -238.24       | -236.55      | 236.75       | 0.75             |
| MWD             | 41       | 3963            | 10.68       | 124.66      | 95               | 3933.70    | -248.33       | -246.54      | 251.46       | 0.30             |
| MWD             | 42       | 4057            | 10.07       | 126.77      | 94               | 4026.17    | -258.31       | -256.41      | 265.21       | 0.76             |
| MWD             | 43       | 4152            | 9.71        | 126.86      | 95               | 4119.76    | -268.18       | -266.19      | 278.27       | 0.38             |
| MWD             | 44       | 4246            | 8.62        | 125.19      | 94               | 4212.55    | -277.08       | -275.01      | 290.37       | 1.19             |
| MWD             | 45       | 4341            | 8.79        | 125.10      | 95               | 4306.46    | -285.44       | -283.28      | 302.13       | 0.18             |
| MWD             | 46       | 4435            | 8.62        | 127.56      | 94               | 4399.38    | -293.94       | -291.71      | 313.59       | 0.44             |
| MWD             | 47       | 4531            | 9.14        | 126.59      | 96               | 4494.23    | -302.96       | -300.64      | 325.42       | 0.56             |
| MWD             | 48       | 4625            | 9.93        | 127.38      | 94               | 4586.93    | -312.42       | -310.01      | 337.85       | 0.85             |
| MWD             | 49       | 4719            | 10.37       | 130.11      | 94               | 4679.46    | -322.88       | -320.38      | 350.76       | 0.69             |
| MWD             | 50       | 4812            | 10.90       | 131.52      | 93               | 4770.86    | -334.20       | -331.60      | 363.75       | 0.63             |
| MWD             | 51       | 4907            | 12.09       | 133.36      | 95               | 4863.95    | -347.08       | -344.39      | 377.71       | 1.31             |
| MWD             | 52       | 5000            | 13.14       | 133.19      | 93               | 4954.71    | -361.11       | -358.31      | 392.49       | 1.13             |
| MWD             | 53       | 5095            | 11.03       | 131.52      | 95               | 5047.59    | -374.63       | -371.73      | 407.17       | 2.25             |
| MWD             | 54       | 5189            | 9.67        | 129.76      | 94               | 5140.06    | -385.73       | -382.74      | 419.97       | 1.49             |
| MWD             | 55       | 5283            | 9.23        | 128.26      | 94               | 5232.79    | -395.53       | -392.45      | 431.96       | 0.54             |
| MWD             | 56       | 5377            | 9.27        | 127.47      | 94               | 5325.57    | -404.89       | -401.73      | 443.89       | 0.14             |
| MWD             | 57       | 5472            | 9.58        | 127.21      | 95               | 5419.28    | -414.42       | -411.16      | 456.26       | 0.33             |
| MWD             | 58       | 5566            | 9.85        | 126.33      | 94               | 5511.93    | -424.00       | -420.66      | 468.97       | 0.33             |
| MWD             | 59       | 5661            | 9.80        | 123.43      | 95               | 5605.54    | -433.36       | -429.92      | 482.26       | 0.52             |
| MWD             | 60       | 5756            | 10.02       | 126.15      | 95               | 5699.13    | -442.79       | -439.25      | 495.68       | 0.54             |
| MWD             | 61       | 5850            | 9.93        | 126.51      | 94               | 5791.70    | -452.53       | -448.90      | 508.80       | 0.12             |
| MWD             | 62       | 5943            | 9.89        | 130.81      | 93               | 5883.32    | -462.61       | -458.89      | 521.29       | 0.80             |




|     |     |       |       |        |    |          |         |         |        |       |
|-----|-----|-------|-------|--------|----|----------|---------|---------|--------|-------|
| MWD | 63  | 6037  | 9.85  | 134.86 | 94 | 5975.93  | -473.64 | -469.84 | 533.10 | 0.74  |
| MWD | 64  | 6132  | 9.54  | 133.89 | 95 | 6069.57  | -484.91 | -481.03 | 544.53 | 0.37  |
| MWD | 65  | 6226  | 9.54  | 132.31 | 94 | 6162.27  | -495.64 | -491.67 | 555.91 | 0.28  |
| MWD | 66  | 6320  | 9.19  | 132.48 | 94 | 6255.02  | -506.03 | -501.98 | 567.20 | 0.37  |
| MWD | 67  | 6415  | 9.27  | 133.01 | 95 | 6348.79  | -516.45 | -512.33 | 578.39 | 0.12  |
| MWD | 68  | 6510  | 9.36  | 130.9  | 95 | 6442.54  | -526.81 | -522.60 | 589.83 | 0.37  |
| MWD | 69  | 6606  | 9.36  | 131.96 | 96 | 6537.26  | -537.23 | -532.94 | 601.53 | 0.18  |
| MWD | 70  | 6701  | 9.54  | 132.48 | 95 | 6630.97  | -547.79 | -543.42 | 613.08 | 0.21  |
| MWD | 71  | 6795  | 9.76  | 131.87 | 94 | 6723.64  | -558.45 | -554.00 | 624.76 | 0.26  |
| MWD | 72  | 6889  | 9.67  | 134.94 | 94 | 6816.29  | -569.43 | -564.89 | 636.28 | 0.56  |
| MWD | 73  | 6984  | 9.45  | 137.67 | 95 | 6909.97  | -580.91 | -576.29 | 647.18 | 0.53  |
| MWD | 74  | 7078  | 9.23  | 137.76 | 94 | 7002.73  | -592.27 | -587.58 | 657.45 | 0.23  |
| MWD | 75  | 7172  | 9.14  | 134.86 | 94 | 7095.52  | -603.19 | -598.43 | 667.81 | 0.50  |
| MWD | 76  | 7267  | 9.19  | 135.03 | 95 | 7189.31  | -613.95 | -609.11 | 678.52 | 0.06  |
| MWD | 77  | 7362  | 9.1   | 135.82 | 95 | 7283.10  | -624.78 | -619.87 | 689.11 | 0.16  |
| MWD | 78  | 7457  | 9.23  | 136.61 | 95 | 7376.89  | -635.78 | -630.79 | 699.58 | 0.19  |
| MWD | 79  | 7551  | 9.05  | 137.32 | 94 | 7469.69  | -646.77 | -641.71 | 709.77 | 0.23  |
| MWD | 80  | 7646  | 9.1   | 136.7  | 95 | 7563.51  | -657.80 | -652.67 | 719.99 | 0.12  |
| MWD | 81  | 7741  | 8.66  | 136.53 | 95 | 7657.37  | -668.53 | -663.32 | 730.06 | 0.46  |
| MWD | 82  | 7835  | 8.7   | 137.76 | 94 | 7750.29  | -679.00 | -673.72 | 739.71 | 0.20  |
| MWD | 83  | 7929  | 7.91  | 138.28 | 94 | 7843.30  | -689.16 | -683.82 | 748.80 | 0.84  |
| MWD | 84  | 8024  | 8.31  | 136.44 | 95 | 7937.35  | -699.07 | -693.67 | 757.88 | 0.50  |
| MWD | 85  | 8119  | 8.88  | 138.11 | 95 | 8031.29  | -709.58 | -704.10 | 767.50 | 0.65  |
| MWD | 86  | 8213  | 9.27  | 137.32 | 94 | 8124.11  | -720.61 | -715.07 | 777.48 | 0.44  |
| MWD | 87  | 8308  | 9.58  | 137.84 | 95 | 8217.83  | -732.17 | -726.55 | 787.97 | 0.34  |
| MWD | 88  | 8402  | 9.14  | 137.58 | 94 | 8310.57  | -743.56 | -737.86 | 798.26 | 0.47  |
| MWD | 89  | 8498  | 8     | 137.05 | 96 | 8405.50  | -754.15 | -748.38 | 807.96 | 1.19  |
| MWD | 90  | 8593  | 6.33  | 136.35 | 95 | 8499.76  | -762.83 | -757.01 | 816.07 | 1.76  |
| MWD | 91  | 8688  | 4.62  | 131.34 | 95 | 8594.32  | -769.20 | -763.33 | 822.56 | 1.87  |
| MWD | 92  | 8782  | 3.56  | 124.75 | 94 | 8688.08  | -773.40 | -767.49 | 827.80 | 1.23  |
| MWD | 93  | 8876  | 3.43  | 121.23 | 94 | 8781.90  | -776.55 | -770.61 | 832.61 | 0.27  |
| MWD | 94  | 8970  | 2.24  | 124.84 | 94 | 8875.79  | -779.09 | -773.12 | 836.52 | 1.28  |
| MWD | 95  | 9064  | 1.93  | 113.76 | 94 | 8969.73  | -780.80 | -774.81 | 839.47 | 0.54  |
| MWD | 96  | 9159  | 1.27  | 101.19 | 95 | 9064.69  | -781.66 | -775.66 | 841.97 | 0.78  |
| MWD | 97  | 9253  | 1.23  | 87.75  | 94 | 9158.67  | -781.84 | -775.82 | 844.00 | 0.31  |
| MWD | 98  | 9347  | 1.14  | 88.10  | 94 | 9252.65  | -781.78 | -775.75 | 845.94 | 0.10  |
| MWD | 99  | 9443  | 1.54  | 73.60  | 96 | 9348.62  | -781.40 | -775.35 | 848.14 | 0.54  |
| MWD | 100 | 9537  | 1.23  | 87.57  | 94 | 9442.59  | -781.02 | -774.95 | 850.36 | 0.49  |
| MWD | 101 | 9632  | 0.66  | 101.11 | 95 | 9537.58  | -781.09 | -775.02 | 851.91 | 0.64  |
| MWD | 102 | 9727  | 1.01  | 237.07 | 95 | 9632.58  | -781.65 | -775.58 | 851.75 | 1.64  |
| MWD | 103 | 9822  | 0.35  | 224.68 | 95 | 9727.57  | -782.31 | -776.24 | 850.84 | 0.71  |
| MWD | 104 | 9916  | 0.40  | 316.70 | 94 | 9821.57  | -782.27 | -776.20 | 850.41 | 0.58  |
| MWD | 105 | 10009 | 0.26  | 250.26 | 93 | 9914.57  | -782.10 | -776.04 | 849.99 | 0.41  |
| MWD | 106 | 10102 | 0.88  | 222.39 | 93 | 10007.56 | -782.70 | -776.64 | 849.31 | 0.71  |
| MWD | 107 | 10196 | 1.23  | 223.27 | 94 | 10101.54 | -783.95 | -777.91 | 848.13 | 0.37  |
| MWD | 108 | 10291 | 1.63  | 240.32 | 95 | 10196.52 | -785.35 | -779.32 | 846.26 | 0.61  |
| MWD | 109 | 10383 | 1.63  | 244.98 | 92 | 10288.48 | -786.54 | -780.52 | 843.94 | 0.14  |
| MWD | 110 | 10477 | 1.80  | 245.42 | 94 | 10382.44 | -787.70 | -781.70 | 841.38 | 0.18  |
| MWD | 111 | 10572 | 1.71  | 246.65 | 95 | 10477.39 | -788.86 | -782.88 | 838.72 | 0.10  |
| MWD | 112 | 10667 | 1.19  | 254.47 | 95 | 10572.36 | -789.67 | -783.71 | 836.47 | 0.58  |
| MWD | 113 | 10760 | 1.49  | 231.62 | 93 | 10665.34 | -790.67 | -784.72 | 834.59 | 0.65  |
| MWD | 114 | 10855 | 1.76  | 198.84 | 95 | 10760.30 | -792.80 | -786.86 | 833.16 | 1.00  |
| MWD | 115 | 10951 | 1.45  | 183.72 | 96 | 10856.26 | -795.41 | -789.47 | 832.60 | 0.54  |
| MWD | 116 | 11045 | 1.45  | 186.54 | 94 | 10950.23 | -797.77 | -791.84 | 832.39 | 0.08  |
| MWD | 117 | 11140 | 1.36  | 168.96 | 95 | 11045.20 | -800.08 | -794.14 | 832.47 | 0.46  |
| MWD | 118 | 11236 | 0.92  | 167.11 | 96 | 11141.18 | -801.95 | -796.01 | 832.86 | 0.46  |
| MWD | 119 | 11331 | 0.79  | 166.67 | 95 | 11236.17 | -803.33 | -797.39 | 833.18 | 0.14  |
| MWD | 120 | 11425 | 1.10  | 146.11 | 94 | 11330.16 | -804.72 | -798.77 | 833.83 | 0.48  |
| MWD | 121 | 11518 | 0.48  | 134.50 | 93 | 11423.15 | -805.74 | -799.78 | 834.61 | 0.69  |
| MWD | 122 | 11613 | 0.22  | 9.70   | 95 | 11518.15 | -805.84 | -799.88 | 834.92 | 0.67  |
| MWD | 123 | 11708 | 0.62  | 80.19  | 95 | 11613.15 | -805.57 | -799.61 | 835.46 | 0.62  |
| MWD | 124 | 11802 | 1.36  | 121.28 | 94 | 11707.14 | -806.08 | -800.11 | 836.91 | 1.04  |
| MWD | 125 | 11897 | 1.41  | 129.32 | 95 | 11802.11 | -807.42 | -801.43 | 838.78 | 0.21  |
| MWD | 126 | 11974 | 1.36  | 123.87 | 77 | 11879.08 | -808.54 | -802.54 | 840.27 | 0.18  |
| MWD | 127 | 12040 | 1.54  | 112.70 | 66 | 11945.06 | -809.32 | -803.32 | 841.74 | 0.51  |
| MWD | 128 | 12133 | 3.43  | 59.17  | 93 | 12037.98 | -808.41 | -802.38 | 845.28 | 3.01  |
| MWD | 129 | 12228 | 13.63 | 6.35   | 95 | 12131.90 | -795.81 | -789.75 | 848.97 | 12.49 |
| MWD | 130 | 12322 | 28.79 | 352.73 | 94 | 12219.32 | -762.12 | -756.08 | 847.32 | 16.86 |
| MWD | 131 | 12417 | 38.24 | 350.18 | 95 | 12298.44 | -710.28 | -704.29 | 839.40 | 10.06 |
| MWD | 132 | 12464 | 41.23 | 352.73 | 47 | 12334.58 | -680.55 | -674.59 | 834.95 | 7.24  |
| MWD | 133 | 12509 | 44.13 | 358.26 | 45 | 12367.67 | -650.14 | -644.20 | 832.60 | 10.53 |
| MWD | 134 | 12556 | 51.12 | 4.33   | 47 | 12399.35 | -615.49 | -609.54 | 833.49 | 17.66 |
| MWD | 135 | 12603 | 59.38 | 7.58   | 47 | 12426.12 | -577.16 | -571.18 | 837.54 | 18.47 |
| MWD | 136 | 12698 | 69.01 | 3.89   | 95 | 12467.43 | -492.23 | -486.19 | 845.97 | 10.72 |
| MWD | 137 | 12792 | 77.80 | 358.62 | 94 | 12494.27 | -402.31 | -396.25 | 847.84 | 10.78 |
| MWD | 138 | 12887 | 87.82 | 358.88 | 95 | 12506.15 | -308.19 | -302.14 | 845.79 | 10.55 |

|     |     |       |       |        |    |          |         |         |        |      |
|-----|-----|-------|-------|--------|----|----------|---------|---------|--------|------|
| MWD | 139 | 12981 | 91.74 | 359.32 | 94 | 12506.51 | -214.21 | -208.17 | 844.31 | 4.20 |
| MWD | 140 | 13077 | 93.93 | 359.85 | 96 | 12501.76 | -118.33 | -112.30 | 843.62 | 2.35 |
| MWD | 141 | 13171 | 90.99 | 2.48   | 94 | 12497.73 | -24.48  | -18.43  | 845.53 | 4.19 |
| MWD | 142 | 13266 | 90.29 | 3.98   | 95 | 12496.66 | 70.32   | 76.41   | 850.88 | 1.74 |
| MWD | 143 | 13359 | 91.34 | 0.72   | 93 | 12495.34 | 163.19  | 169.31  | 854.70 | 3.68 |
| MWD | 144 | 13451 | 91.65 | 0.02   | 92 | 12492.94 | 255.15  | 261.28  | 855.29 | 0.83 |
| MWD | 145 | 13481 | 92.26 | 359.67 | 30 | 12491.92 | 285.13  | 291.26  | 855.21 | 2.34 |
| MWD | 146 | 13575 | 91.82 | 359.76 | 94 | 12488.57 | 379.07  | 385.20  | 854.74 | 0.48 |
| MWD | 147 | 13670 | 89.80 | 0.29   | 95 | 12487.23 | 474.06  | 480.19  | 854.78 | 2.20 |
| MWD | 148 | 13763 | 88.75 | 359.93 | 93 | 12488.40 | 567.04  | 573.18  | 854.96 | 1.19 |
| MWD | 149 | 13858 | 88.84 | 0.20   | 95 | 12490.40 | 662.02  | 668.16  | 855.07 | 0.30 |
| MWD | 150 | 13952 | 88.88 | 359.85 | 94 | 12492.27 | 756.00  | 762.14  | 855.11 | 0.37 |
| MWD | 151 | 14047 | 88.97 | 359.93 | 95 | 12494.06 | 850.98  | 857.12  | 854.93 | 0.13 |
| MWD | 152 | 14142 | 88.79 | 359.58 | 95 | 12495.91 | 945.96  | 952.10  | 854.52 | 0.41 |
| MWD | 153 | 14235 | 89.19 | 359.76 | 93 | 12497.55 | 1038.95 | 1045.08 | 853.99 | 0.47 |
| MWD | 154 | 14330 | 90.11 | 359.67 | 95 | 12498.13 | 1133.94 | 1140.08 | 853.51 | 0.97 |
| MWD | 155 | 14421 | 90.64 | 359.49 | 91 | 12497.54 | 1224.94 | 1231.08 | 852.85 | 0.62 |
| MWD | 156 | 14516 | 91.08 | 358.88 | 95 | 12496.11 | 1319.93 | 1326.05 | 851.50 | 0.79 |
| MWD | 157 | 14612 | 91.78 | 358.88 | 96 | 12493.71 | 1415.89 | 1422.01 | 849.62 | 0.73 |
| MWD | 158 | 14704 | 91.96 | 358.70 | 92 | 12490.71 | 1507.83 | 1513.94 | 847.68 | 0.28 |
| MWD | 159 | 14798 | 91.82 | 358.00 | 94 | 12487.61 | 1601.76 | 1607.85 | 844.97 | 0.76 |
| MWD | 160 | 14893 | 91.38 | 356.95 | 95 | 12484.96 | 1696.65 | 1702.71 | 840.79 | 1.20 |
| MWD | 161 | 14988 | 92.62 | 358.35 | 95 | 12481.64 | 1791.54 | 1797.57 | 836.90 | 1.97 |
| MWD | 162 | 15083 | 92.35 | 358.18 | 95 | 12477.52 | 1886.42 | 1892.44 | 834.02 | 0.34 |
| MWD | 163 | 15178 | 93.23 | 359.93 | 95 | 12472.90 | 1981.30 | 1987.31 | 832.46 | 2.06 |
| MWD | 164 | 15271 | 91.91 | 2.22   | 93 | 12468.73 | 2074.17 | 2080.19 | 834.20 | 2.84 |
| MWD | 165 | 15366 | 89.54 | 2.57   | 95 | 12467.53 | 2169.04 | 2175.09 | 838.17 | 2.52 |
| MWD | 166 | 15461 | 89.36 | 2.31   | 95 | 12468.44 | 2263.92 | 2270.00 | 842.22 | 0.33 |
| MWD | 167 | 15557 | 89.67 | 1.78   | 96 | 12469.25 | 2359.83 | 2365.94 | 845.64 | 0.64 |
| MWD | 168 | 15651 | 89.36 | 1.08   | 94 | 12470.05 | 2453.77 | 2459.91 | 847.99 | 0.81 |
| MWD | 169 | 15746 | 89.27 | 0.81   | 95 | 12471.18 | 2548.74 | 2554.89 | 849.55 | 0.30 |
| MWD | 170 | 15841 | 88.84 | 0.02   | 95 | 12472.75 | 2643.72 | 2649.87 | 850.24 | 0.95 |
| MWD | 171 | 15935 | 88.75 | 359.32 | 94 | 12474.73 | 2737.70 | 2743.85 | 849.70 | 0.75 |
| MWD | 172 | 16031 | 88.57 | 358.53 | 96 | 12476.97 | 2833.66 | 2839.80 | 847.90 | 0.84 |
| MWD | 173 | 16125 | 92.35 | 359.23 | 94 | 12476.22 | 2927.63 | 2933.76 | 846.06 | 4.09 |
| MWD | 174 | 16220 | 90.15 | 359.32 | 95 | 12474.15 | 3022.60 | 3028.73 | 844.86 | 2.32 |
| MWD | 175 | 16314 | 91.78 | 359.05 | 94 | 12472.56 | 3116.59 | 3122.70 | 843.52 | 1.76 |
| MWD | 176 | 16408 | 90.64 | 358.26 | 94 | 12470.58 | 3210.55 | 3216.65 | 841.32 | 1.48 |
| MWD | 177 | 16502 | 91.78 | 359.14 | 94 | 12468.59 | 3304.51 | 3310.60 | 839.19 | 1.53 |
| MWD | 178 | 16596 | 92.26 | 358.62 | 94 | 12465.28 | 3398.45 | 3404.53 | 837.35 | 0.75 |
| MWD | 179 | 16690 | 92.22 | 359.67 | 94 | 12461.61 | 3492.37 | 3498.44 | 835.95 | 1.12 |
| MWD | 180 | 16785 | 91.08 | 0.99   | 95 | 12458.87 | 3587.32 | 3593.40 | 836.49 | 1.84 |
| MWD | 181 | 16879 | 90.81 | 1.25   | 94 | 12457.32 | 3681.28 | 3687.37 | 838.33 | 0.40 |
| MWD | 182 | 16975 | 90.33 | 0.81   | 96 | 12456.36 | 3777.24 | 3783.35 | 840.06 | 0.68 |
| MWD | 183 | 17069 | 90.29 | 0.64   | 94 | 12455.86 | 3871.22 | 3877.34 | 841.25 | 0.19 |
| MWD | 184 | 17163 | 89.59 | 358.53 | 94 | 12455.95 | 3965.21 | 3971.33 | 840.57 | 2.36 |
| MWD | 185 | 17257 | 89.67 | 359.76 | 94 | 12456.56 | 4059.21 | 4065.32 | 839.16 | 1.31 |
| MWD | 186 | 17353 | 89.54 | 359.67 | 96 | 12457.22 | 4155.20 | 4161.31 | 838.69 | 0.16 |
| MWD | 187 | 17448 | 88.79 | 359.58 | 95 | 12458.61 | 4250.19 | 4256.30 | 838.06 | 0.80 |
| MWD | 188 | 17543 | 88.18 | 359.32 | 95 | 12461.12 | 4345.16 | 4351.26 | 837.15 | 0.70 |
| MWD | 189 | 17636 | 88.66 | 359.23 | 93 | 12463.68 | 4438.12 | 4444.22 | 835.98 | 0.53 |
| MWD | 190 | 17731 | 91.12 | 0.02   | 95 | 12463.87 | 4533.11 | 4539.21 | 835.35 | 2.72 |
| MWD | 191 | 17826 | 91.74 | 0.11   | 95 | 12461.49 | 4628.08 | 4634.18 | 835.46 | 0.66 |
| MWD | 192 | 17920 | 91.12 | 358.97 | 94 | 12459.15 | 4722.05 | 4728.14 | 834.71 | 1.38 |
| MWD | 193 | 18015 | 90.15 | 358.62 | 95 | 12458.10 | 4817.03 | 4823.12 | 832.71 | 1.09 |
| MWD | 194 | 18109 | 91.03 | 359.32 | 94 | 12457.13 | 4911.02 | 4917.09 | 831.02 | 1.20 |
| MWD | 195 | 18203 | 91.34 | 358.70 | 94 | 12455.18 | 5005.00 | 5011.06 | 829.40 | 0.74 |
| MWD | 196 | 18297 | 91.08 | 358.18 | 94 | 12453.20 | 5098.96 | 5105.00 | 826.84 | 0.62 |
| MWD | 197 | 18389 | 91.82 | 358.53 | 92 | 12450.87 | 5190.90 | 5196.93 | 824.20 | 0.89 |
| MWD | 198 | 18482 | 91.96 | 358.00 | 93 | 12447.80 | 5283.83 | 5289.84 | 821.38 | 0.59 |
| MWD | 199 | 18577 | 91.78 | 357.82 | 95 | 12444.70 | 5378.74 | 5384.73 | 817.92 | 0.27 |
| MWD | 200 | 18671 | 91.43 | 357.74 | 94 | 12442.07 | 5472.65 | 5478.62 | 814.28 | 0.38 |
| MWD | 201 | 18765 | 92.31 | 357.91 | 94 | 12439.00 | 5566.56 | 5572.50 | 810.72 | 0.95 |
| MWD | 202 | 18858 | 92.26 | 358.88 | 93 | 12435.30 | 5659.46 | 5665.39 | 808.11 | 1.04 |
| MWD | 203 | 18953 | 91.25 | 359.41 | 95 | 12432.39 | 5754.41 | 5760.33 | 806.70 | 1.20 |
| MWD | 204 | 19046 | 89.85 | 359.32 | 93 | 12431.49 | 5847.41 | 5853.32 | 805.67 | 1.51 |
| MWD | 205 | 19141 | 87.78 | 359.05 | 95 | 12433.46 | 5942.38 | 5948.29 | 804.32 | 2.20 |
| MWD | 206 | 19235 | 88.26 | 358.79 | 94 | 12436.71 | 6036.31 | 6042.21 | 802.54 | 0.58 |
| MWD | 207 | 19330 | 88.84 | 359.49 | 95 | 12439.11 | 6131.28 | 6137.17 | 801.12 | 0.96 |
| MWD | 208 | 19424 | 89.63 | 0.72   | 94 | 12440.36 | 6225.27 | 6231.16 | 801.29 | 1.56 |
| MWD | 209 | 19520 | 89.05 | 359.58 | 96 | 12441.47 | 6321.25 | 6327.15 | 801.54 | 1.33 |
| MWD | 210 | 19614 | 89.05 | 358.88 | 94 | 12443.03 | 6415.24 | 6421.13 | 800.28 | 0.74 |
| MWD | 211 | 19708 | 89.98 | 359.05 | 94 | 12443.83 | 6509.23 | 6515.11 | 798.58 | 1.01 |
| MWD | 212 | 19803 | 90.07 | 1.25   | 95 | 12443.78 | 6604.22 | 6610.10 | 798.83 | 2.32 |
| MWD | 213 | 19898 | 89.98 | 0.81   | 95 | 12443.74 | 6699.19 | 6705.09 | 800.54 | 0.47 |
| MWD | 214 | 19992 | 90.02 | 0.64   | 94 | 12443.74 | 6793.17 | 6799.08 | 801.73 | 0.19 |

|     |     |       |       |        |    |          |         |         |        |      |
|-----|-----|-------|-------|--------|----|----------|---------|---------|--------|------|
| MWD | 215 | 20087 | 91.16 | 1.52   | 95 | 12442.76 | 6888.13 | 6894.05 | 803.52 | 1.52 |
| MWD | 216 | 20182 | 90.99 | 1.95   | 95 | 12440.98 | 6983.05 | 6988.99 | 806.39 | 0.49 |
| MWD | 217 | 20277 | 90.20 | 1.52   | 95 | 12440.00 | 7077.97 | 7083.94 | 809.27 | 0.95 |
| MWD | 218 | 20372 | 90.46 | 1.43   | 95 | 12439.45 | 7172.92 | 7178.91 | 811.72 | 0.29 |
| MWD | 219 | 20467 | 89.63 | 0.55   | 95 | 12439.37 | 7267.89 | 7273.90 | 813.36 | 1.27 |
| MWD | 220 | 20561 | 91.96 | 359.85 | 94 | 12438.07 | 7361.87 | 7367.88 | 813.68 | 2.59 |
| MWD | 221 | 20656 | 91.87 | 359.41 | 95 | 12434.89 | 7456.81 | 7462.82 | 813.07 | 0.47 |
| MWD | 222 | 20751 | 92.09 | 359.14 | 95 | 12431.61 | 7551.76 | 7557.76 | 811.87 | 0.37 |
| MWD | 223 | 20846 | 91.25 | 358.70 | 95 | 12428.84 | 7646.71 | 7652.70 | 810.08 | 1.00 |
| MWD | 224 | 20941 | 91.16 | 359.05 | 95 | 12426.85 | 7741.68 | 7747.66 | 808.22 | 0.38 |
| MWD | 225 | 21036 | 91.74 | 0.99   | 95 | 12424.44 | 7836.64 | 7842.63 | 808.25 | 2.13 |
| MWD | 226 | 21131 | 92.92 | 1.25   | 95 | 12420.58 | 7931.53 | 7937.53 | 810.10 | 1.27 |
| MWD | 227 | 21225 | 91.69 | 2.31   | 94 | 12416.80 | 8025.38 | 8031.40 | 813.02 | 1.73 |
| MWD | 228 | 21319 | 90.90 | 2.75   | 94 | 12414.67 | 8119.23 | 8125.29 | 817.17 | 0.96 |
| MWD | 229 | 21414 | 91.12 | 1.95   | 95 | 12413.00 | 8214.11 | 8220.19 | 821.06 | 0.87 |
| MWD | 230 | 21506 | 90.51 | 2.22   | 92 | 12411.69 | 8306.01 | 8312.12 | 824.41 | 0.73 |
| MWD | 231 | 21601 | 89.98 | 1.95   | 95 | 12411.29 | 8400.92 | 8407.06 | 827.87 | 0.63 |
| MWD | 232 | 21696 | 89.58 | 0.99   | 95 | 12411.65 | 8495.86 | 8502.02 | 830.30 | 1.09 |
| MWD | 233 | 21790 | 88.79 | 0.20   | 94 | 12412.99 | 8589.84 | 8596.01 | 831.28 | 1.19 |
| MWD | 234 | 21885 | 87.91 | 359.05 | 95 | 12415.72 | 8684.80 | 8690.96 | 830.66 | 1.52 |
| MWD | 235 | 21981 | 90.46 | 359.05 | 96 | 12417.09 | 8780.77 | 8786.93 | 829.07 | 2.66 |
| MWD | 236 | 22076 | 90.55 | 358.53 | 95 | 12416.25 | 8875.76 | 8881.91 | 827.06 | 0.56 |
| MWD | 237 | 22172 | 90.86 | 358.00 | 96 | 12415.07 | 8971.73 | 8977.86 | 824.16 | 0.64 |
| MWD | 238 | 22266 | 90.81 | 357.65 | 94 | 12413.70 | 9065.67 | 9071.78 | 820.59 | 0.38 |
| MWD | 239 | 22361 | 89.63 | 356.51 | 95 | 12413.33 | 9160.58 | 9166.65 | 815.75 | 1.73 |
| MWD | 240 | 22455 | 90.11 | 355.98 | 94 | 12413.55 | 9254.42 | 9260.45 | 809.59 | 0.76 |
| MWD | 241 | 22550 | 90.73 | 355.80 | 95 | 12412.85 | 9349.22 | 9355.20 | 802.78 | 0.68 |
| MWD | 242 | 22643 | 90.33 | 355.01 | 93 | 12411.99 | 9441.96 | 9447.90 | 795.33 | 0.95 |
| MWD | 243 | 22737 | 90.73 | 354.66 | 94 | 12411.12 | 9535.64 | 9541.51 | 786.87 | 0.57 |
| MWD | 244 | 22817 | 90.42 | 354.31 | 80 | 12410.32 | 9615.31 | 9621.14 | 779.18 | 0.58 |
| PTB | 245 | 22888 | 90.42 | 354.31 | 71 | 12409.80 | 9686.01 | 9691.78 | 772.15 | 0.00 |



|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------|-------------------------------------------------|----------------------------------------------------|----------------------------------------------------|---------------------------------------------------------------------|----------|---------------|
| Submit To Appropriate District Office<br>Two Copies<br>District I<br>1625 N. French Dr., Hobbs, NM 88240<br>District II<br>811 S. First St., Artesia, NM 88210<br>District III<br>1000 Rio Brazos Rd., Aztec, NM 87410<br>District IV<br>1220 S. St. Francis Dr., Santa Fe, NM 87505                                                                                                  |                                   | <b>State of New Mexico</b><br><b>Energy, Minerals and Natural Resources</b><br><br><b>Oil Conservation Division</b><br><b>1220 South St. Francis Dr.</b><br><b>Santa Fe, NM 87505</b> |                                          |                   |                                                 | <b>Form C-105</b><br>Revised April 3, 2017         |                                                    |                                                                     |          |               |
| WELL COMPLETION OR RECOMPLETION REPORT AND LOG                                                                                                                                                                                                                                                                                                                                        |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    | 1. WELL API NO. 30-025-48739                                        |          |               |
| 4. Reason for filing:<br><input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)<br><br><input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    | 5. Lease Name or Unit Agreement Name<br><b>PROMETHEUS STATE COM</b> |          |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    | 6. Well Number:<br><br>202H                                         |          |               |
| 7. Type of Completion:<br><input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER                                                                                                                             |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
| 8. Name of Operator<br>TAP ROCK OPERATING, LLC                                                                                                                                                                                                                                                                                                                                        |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    | 9. OGRID<br>372043                                                  |          |               |
| 10. Address of Operator<br>523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO                                                                                                                                                                                                                                                                                                                |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    | 11. Pool name or Wildcat<br>WC-025 G-09 S243310P; UPPER WOLFCAMP    |          |               |
| 12. Location                                                                                                                                                                                                                                                                                                                                                                          | Unit Ltr                          | Section                                                                                                                                                                               | Township                                 | Range             | Lot                                             | Feet from the                                      | N/S Line                                           | Feet from the                                                       | E/W Line | County        |
| <b>Surface:</b>                                                                                                                                                                                                                                                                                                                                                                       | N                                 | 22                                                                                                                                                                                    | 24S                                      | 33E               | -                                               | 863                                                | SOUTH                                              | 1720                                                                | WEST     | LEA           |
| <b>BH:</b>                                                                                                                                                                                                                                                                                                                                                                            | C                                 | 15                                                                                                                                                                                    | 24S                                      | 33E               | -                                               | 32                                                 | NORTH                                              | 2560                                                                | WEST     | LEA           |
| 13. Date Spudded<br>11/14/2021                                                                                                                                                                                                                                                                                                                                                        | 14. Date T.D. Reached<br>1/5/2022 |                                                                                                                                                                                       | 15. Date Rig Released<br>1/8/2022        |                   |                                                 | 16. Date Completed (Ready to Produce)<br>4/21/2022 |                                                    | 17. Elevations (DF and RKB, RT, GR, etc.) 3543 GR                   |          |               |
| 18. Total Measured Depth of Well<br>22888 ft                                                                                                                                                                                                                                                                                                                                          |                                   |                                                                                                                                                                                       | 19. Plug Back Measured Depth<br>22826 ft |                   |                                                 | 20. Was Directional Survey Made?<br>YES            |                                                    | 21. Type Electric and Other Logs Run<br>GAMMA                       |          |               |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name<br>12560' - 22741'                                                                                                                                                                                                                                                                                                  |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    | WOLFCAMP                                                            |          |               |
| <b>23. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                                                                                                                                             |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
| CASING SIZE                                                                                                                                                                                                                                                                                                                                                                           |                                   | WEIGHT LB./FT.                                                                                                                                                                        |                                          | DEPTH SET         |                                                 | HOLE SIZE                                          |                                                    | CEMENTING RECORD                                                    |          | AMOUNT PULLED |
| 10.75"                                                                                                                                                                                                                                                                                                                                                                                |                                   | 45.5                                                                                                                                                                                  |                                          | 1292'             |                                                 | 13.5"                                              |                                                    | 600 sks                                                             |          | 0             |
| 7.625"                                                                                                                                                                                                                                                                                                                                                                                |                                   | 29.7                                                                                                                                                                                  |                                          | 10000'/11911'     |                                                 | 9.875"/8.75"                                       |                                                    | 1176 sks                                                            |          | 0             |
| 5.5"                                                                                                                                                                                                                                                                                                                                                                                  |                                   | 20                                                                                                                                                                                    |                                          | 22866'            |                                                 | 6.75"                                              |                                                    | 1094 sks                                                            |          | 0             |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
| 24. LINER RECORD                                                                                                                                                                                                                                                                                                                                                                      |                                   |                                                                                                                                                                                       |                                          |                   |                                                 | 25. TUBING RECORD                                  |                                                    |                                                                     |          |               |
| SIZE                                                                                                                                                                                                                                                                                                                                                                                  | TOP                               | BOTTOM                                                                                                                                                                                | SACKS CEMENT                             | SCREEN            | SIZE                                            | DEPTH SET                                          | PACKER SET                                         |                                                                     |          |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
| 26. Perforation record (interval, size, and number)                                                                                                                                                                                                                                                                                                                                   |                                   |                                                                                                                                                                                       |                                          |                   | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. |                                                    |                                                    |                                                                     |          |               |
| Perforate from 12560 ft to 22741 ft, 1 SPF, .55 inch holes with 598 total shots                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   | DEPTH INTERVAL                                  |                                                    | AMOUNT AND KIND MATERIAL USED                      |                                                                     |          |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   | 12560' - 22741'                                 |                                                    | 46 stage frac with 25,710,001 lbs of 100 mesh sand |                                                                     |          |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
| <b>28. PRODUCTION</b>                                                                                                                                                                                                                                                                                                                                                                 |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
| Date First Production<br>4/29/2022                                                                                                                                                                                                                                                                                                                                                    |                                   | Production Method (Flowing, gas lift, pumping - Size and type pump)<br>Flowing                                                                                                        |                                          |                   |                                                 | Well Status (Prod. or Shut-in)<br>Producing        |                                                    |                                                                     |          |               |
| Date of Test<br>5/22/2022                                                                                                                                                                                                                                                                                                                                                             | Hours Tested<br>24 hrs            | Choke Size<br>30/64                                                                                                                                                                   | Prod'n For Test Period                   | Oil - Bbl<br>1196 | Gas - MCF<br>2773                               | Water - Bbl.<br>4926                               | Gas - Oil Ratio<br>2319                            |                                                                     |          |               |
| Flow Tubing Press.<br>1824                                                                                                                                                                                                                                                                                                                                                            | Casing Pressure<br>25             | Calculated 24-Hour Rate                                                                                                                                                               | Oil - Bbl.<br>1196                       | Gas - MCF<br>2773 | Water - Bbl.<br>4926                            | Oil Gravity - API - (Corr.)                        |                                                    |                                                                     |          |               |
| 29. Disposition of Gas (Sold, used for fuel, vented, etc.)<br>Sold                                                                                                                                                                                                                                                                                                                    |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    | 30. Test Witnessed By                                               |          |               |
| 31. List Attachments<br>C-102, Directional Survey                                                                                                                                                                                                                                                                                                                                     |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.                                                                                                                                                                                                                                                                                    |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    | 33. Rig Release Date:                                               |          |               |
| 34. If an on-site burial was used at the well, report the exact location of the on-site burial:                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
| Latitude                                                                                                                                                                                                                                                                                                                                                                              |                                   |                                                                                                                                                                                       |                                          | Longitude         |                                                 |                                                    |                                                    | NAD83                                                               |          |               |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief                                                                                                                                                                                                                                                    |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |
| Signature                                                                                                                                                                                                                                                                                                                                                                             |                                   | Printed Name                                                                                                                                                                          |                                          |                   | Title                                           |                                                    |                                                    | Date                                                                |          |               |
|                                                                                                                                                                                                                                                                                                    |                                   | Jeff Trlica                                                                                                                                                                           |                                          |                   | Regulatory Analyst                              |                                                    |                                                    | 5/25/2022                                                           |          |               |
| E-mail Address jtrlica@taprllc.com                                                                                                                                                                                                                                                                                                                                                    |                                   |                                                                                                                                                                                       |                                          |                   |                                                 |                                                    |                                                    |                                                                     |          |               |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....  
No. 2, from.....to.....  
No. 3, from.....to.....  
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

| From  | To    | Thickness<br>In Feet | Lithology            |  | From | To | Thickness<br>In Feet | Lithology |
|-------|-------|----------------------|----------------------|--|------|----|----------------------|-----------|
| 0     | 876   |                      | Quaternary           |  |      |    |                      |           |
| 876   | 1496  |                      | Rustler              |  |      |    |                      |           |
| 1496  | 4669  |                      | Top of Salt          |  |      |    |                      |           |
| 4669  | 4888  |                      | Base of Salt         |  |      |    |                      |           |
| 4888  | 4919  |                      | Lamar                |  |      |    |                      |           |
| 4919  | 6177  |                      | Bell                 |  |      |    |                      |           |
| 6177  | 7638  |                      | Cherry Canyon        |  |      |    |                      |           |
| 7638  | 9175  |                      | Brushy Canyon        |  |      |    |                      |           |
| 9175  | 9396  |                      | Bonespring           |  |      |    |                      |           |
| 9396  | 10124 |                      | Avalon               |  |      |    |                      |           |
| 10124 | 10885 |                      | 1st Bone Spring Sand |  |      |    |                      |           |
| 10885 | 11937 |                      | 2nd Bone Spring Sand |  |      |    |                      |           |
| 11937 | 12264 |                      | 3rd Bone Spring Sand |  |      |    |                      |           |
| 12264 |       |                      | Wolfcamp A           |  |      |    |                      |           |

Tap Rock  
Prometheus  
Defining Wells  
T24S-R33E



Defining Prometheus Well

Prometheus Wells

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 111149

**ACKNOWLEDGMENTS**

|                                                                                  |                                                    |
|----------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>TAP ROCK OPERATING, LLC<br>523 Park Point Drive<br>Golden, CO 80401 | OGRID:<br>372043                                   |
|                                                                                  | Action Number:<br>111149                           |
|                                                                                  | Action Type:<br>[C-104] Completion Packet (C-104C) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 111149

CONDITIONS

|                                                                                  |                                                    |
|----------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>TAP ROCK OPERATING, LLC<br>523 Park Point Drive<br>Golden, CO 80401 | OGRID:<br>372043                                   |
|                                                                                  | Action Number:<br>111149                           |
|                                                                                  | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| plmartinez | None      | 4/10/2023      |