

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48727	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 131H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	22	24S	33E	-	1153	SOUTH	99	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	15	24S	33E	-	31	NORTH	579	WEST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/29/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 10/30/2021	²² Ready Date 4/2/2022	²³ TD 23430'	²⁴ PBTB 23370'	²⁵ Perforations 13060' - 23285'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1261'	670 sks		
9.875"/8.75"	7.625"	10840'/12494'	1206 sks		
6.75"	5.5"	23416'	1117 sks		

V. Well Test Data

³¹ Date New Oil 4/29/2022	³² Gas Delivery Date 4/29/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 2300	³⁶ Csg. Pressure 2300
³⁷ Choke Size 40/64	³⁸ Oil 3140	³⁹ Water 8567	⁴⁰ Gas 10265		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/13/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48727	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 131H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3549'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	22	24-S	33-E	-	1153'	SOUTH	99'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	15	24-S	33-E	-	31'	NORTH	579'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 572 FWL Section 22

LTP: 100' FNL; 577 FWL Section 15





Operator: TapRock Resources LLC
Well Name: Prometheus State Com 131H
County: Lea
State: New Mexico
Rig Name: H&P 264
API: 30-025-48727

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 149' MD – 23,360' MD
Projection to Bit: 23,430' MD
Dates Performed: 11/20/2021 – 12/6/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Prometheus State Com 131H

Job Number: ID3122

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 264

Target KBTVD: 12975.20

Target Inclination: 90.50°

Declination Correction: 5.93°

KB Elevation: 3575

Vertical Section Calculated Along Azimuth: 359.59°


Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	149	0.75	121.33	149	149.00	-0.51	-0.51	0.83	0.50
MWD	2	240	0.88	107.18	91	239.99	-1.04	-1.02	2.01	0.26
MWD	3	335	0.57	126.87	95	334.98	-1.54	-1.52	3.08	0.41
MWD	4	426	0.70	122.47	91	425.97	-2.12	-2.09	3.92	0.15
MWD	5	517	0.53	114.30	91	516.97	-2.60	-2.56	4.77	0.21
MWD	6	607	0.40	107.36	90	606.97	-2.87	-2.83	5.45	0.16
MWD	7	699	0.31	140.05	92	698.96	-3.16	-3.12	5.91	0.24
MWD	8	789	0.31	151.39	90	788.96	-3.56	-3.52	6.19	0.07
MWD	9	880	0.18	131.00	91	879.96	-3.87	-3.83	6.41	0.17
MWD	10	971	0.09	165.54	91	970.96	-4.04	-3.99	6.54	0.13
MWD	11	1061	0.22	234.27	90	1060.96	-4.20	-4.16	6.42	0.23
MWD	12	1152	0.35	312.32	91	1151.96	-4.12	-4.07	6.07	0.41
MWD	13	1209	0.35	336.22	57	1208.96	-3.84	-3.80	5.87	0.25
MWD	14	1322	0.35	51.37	113	1321.96	-3.31	-3.27	6.00	0.38
MWD	15	1416	0.44	3.03	94	1415.96	-2.77	-2.73	6.24	0.36
MWD	16	1511	0.84	24.04	95	1510.95	-1.77	-1.73	6.55	0.48
MWD	17	1602	0.66	18.41	91	1601.94	-0.67	-0.62	6.98	0.21
MWD	18	1698	0.97	128.19	96	1697.94	-0.65	-0.60	7.80	1.40
MWD	19	1791	2.20	163.08	93	1790.90	-2.86	-2.79	8.93	1.62
MWD	20	1886	3.03	163.25	95	1885.80	-7.01	-6.94	10.19	0.87
MWD	21	1980	3.52	162.99	94	1979.65	-12.16	-12.08	11.75	0.52
MWD	22	2074	4.35	167.30	94	2073.42	-18.41	-18.32	13.38	0.94
MWD	23	2170	4.26	166.59	96	2169.15	-25.44	-25.34	15.00	0.11
MWD	24	2264	4.13	166.33	94	2262.90	-32.14	-32.02	16.61	0.14
MWD	25	2358	4.97	165.36	94	2356.60	-39.38	-39.25	18.44	0.90
MWD	26	2452	6.24	168.79	94	2450.15	-48.35	-48.20	20.47	1.40
MWD	27	2547	6.95	168.79	95	2544.52	-59.06	-58.90	22.59	0.75
MWD	28	2641	7.74	164.13	94	2637.75	-70.75	-70.57	25.42	1.05
MWD	29	2734	8.79	158.24	93	2729.79	-83.41	-83.19	29.77	1.45
MWD	30	2828	9.19	154.55	94	2822.63	-96.90	-96.64	35.66	0.75
MWD	31	2922	10.15	151.13	94	2915.30	-110.98	-110.67	42.88	1.19
MWD	32	3015	11.25	147.70	93	3006.68	-125.89	-125.52	51.69	1.37
MWD	33	3110	11.34	146.82	95	3099.84	-141.61	-141.17	61.75	0.20
MWD	34	3205	11.47	147.52	95	3192.96	-157.47	-156.95	71.93	0.20
MWD	35	3298	11.87	145.94	93	3284.04	-173.26	-172.68	82.26	0.55
MWD	36	3392	12.09	145.85	94	3375.99	-189.50	-188.83	93.20	0.23
MWD	37	3487	12.40	147.08	95	3468.83	-206.37	-205.63	104.33	0.43
MWD	38	3580	12.57	147.52	93	3559.63	-223.37	-222.55	115.19	0.21
MWD	39	3674	12.18	147.26	94	3651.45	-240.41	-239.52	126.04	0.42
MWD	40	3766	11.82	147.79	92	3741.44	-256.62	-255.65	136.31	0.41
MWD	41	3861	10.90	148.31	95	3834.58	-272.57	-271.53	146.22	0.97
MWD	42	3955	10.55	148.75	94	3926.94	-287.55	-286.45	155.35	0.38
MWD	43	4050	10.42	147.61	95	4020.35	-302.31	-301.14	164.47	0.26
MWD	44	4144	10.11	150.95	94	4112.85	-316.76	-315.53	173.03	0.71
MWD	45	4238	10.81	161.58	94	4205.29	-332.39	-331.11	179.82	2.18
MWD	46	4333	10.64	161.85	95	4298.63	-349.21	-347.89	185.37	0.19
MWD	47	4428	9.71	157.54	95	4392.14	-364.99	-363.63	191.16	1.26
MWD	48	4522	9.67	154.20	94	4484.80	-379.47	-378.07	197.62	0.60
MWD	49	4616	10.11	153.15	94	4577.40	-393.99	-392.53	204.78	0.51
MWD	50	4710	9.45	152.00	94	4670.03	-408.22	-406.71	212.13	0.73
MWD	51	4804	10.20	158.07	94	4762.66	-422.80	-421.24	218.87	1.36
MWD	52	4898	10.99	159.83	94	4855.05	-438.97	-437.37	225.06	0.91
MWD	53	4993	11.16	157.01	95	4948.29	-455.99	-454.34	231.78	0.60
MWD	54	5087	10.59	158.42	94	5040.60	-472.44	-470.74	238.51	0.67
MWD	55	5180	9.54	158.86	93	5132.16	-487.62	-485.88	244.43	1.13
MWD	56	5275	8.40	157.19	95	5226.00	-501.40	-499.62	249.96	1.23
MWD	57	5370	8.84	156.66	95	5319.93	-514.53	-512.72	255.54	0.47
MWD	58	5464	10.81	154.03	94	5412.55	-529.14	-527.28	262.26	2.15
MWD	59	5558	12.22	155.08	94	5504.65	-546.14	-544.22	270.32	1.52
MWD	60	5652	12.22	155.43	94	5596.52	-564.27	-562.29	278.64	0.08
MWD	61	5746	12.4	154.47	94	5688.36	-582.49	-580.45	287.13	0.29
MWD	62	5840	12.22	154.03	94	5780.20	-600.60	-598.50	295.84	0.22
MWD	63	5934	12.62	153.15	94	5872.00	-618.77	-616.60	304.83	0.47
MWD	64	6028	12.92	150.86	94	5963.67	-637.18	-634.95	314.59	0.63
MWD	65	6122	12.09	154.73	94	6055.45	-655.33	-653.03	323.91	1.25

MWD	66	6217	11.6	157.45	95	6148.42	-673.20	-670.84	331.82	0.78
MWD	67	6311	11.3	156.05	94	6240.55	-690.40	-687.99	339.18	0.44
MWD	68	6405	11.25	152.71	94	6332.74	-707.02	-704.55	347.12	0.70
MWD	69	6499	11.38	153.76	94	6424.91	-723.55	-721.02	355.43	0.26
MWD	70	6597	11.52	154.03	98	6520.96	-741.08	-738.49	363.98	0.15
MWD	71	6691	11.65	153.41	94	6613.05	-758.06	-755.42	372.34	0.19
MWD	72	6786	11.87	153.06	95	6706.05	-775.41	-772.70	381.06	0.24
MWD	73	6880	11.82	152.36	94	6798.05	-792.62	-789.85	389.91	0.16
MWD	74	6973	11.38	153.15	93	6889.15	-809.31	-806.48	398.47	0.50
MWD	75	7068	10.95	153.32	95	6982.35	-825.79	-822.90	406.76	0.45
MWD	76	7163	10.77	152.62	95	7075.65	-841.79	-838.84	414.89	0.23
MWD	77	7258	10.46	151.39	95	7169.03	-857.30	-854.30	423.10	0.40
MWD	78	7351	10.37	148.4	93	7260.49	-871.90	-868.84	431.53	0.59
MWD	79	7446	10.73	160.88	95	7353.90	-887.60	-884.48	438.91	2.43
MWD	80	7541	10.46	160.27	95	7447.28	-904.11	-900.95	444.72	0.31
MWD	81	7635	10.2	160	94	7539.76	-920.00	-916.80	450.44	0.28
MWD	82	7729	9.32	159.47	94	7632.40	-934.99	-931.75	455.96	0.94
MWD	83	7824	8.79	159.12	95	7726.21	-949.01	-945.74	461.24	0.56
MWD	84	7918	8.04	159.56	94	7819.20	-961.92	-958.61	466.10	0.80
MWD	85	8012	8.22	160.79	94	7912.25	-974.46	-971.11	470.61	0.27
MWD	86	8107	8.13	161.32	95	8006.29	-987.26	-983.89	474.99	0.12
MWD	87	8202	9.14	157.1	95	8100.21	-1000.62	-997.21	480.08	1.25
MWD	88	8296	10.33	155.61	94	8192.86	-1015.21	-1011.76	486.47	1.29
MWD	89	8391	10.15	155.52	95	8286.34	-1030.64	-1027.14	493.45	0.19
MWD	90	8484	9.45	155.61	93	8377.99	-1045.10	-1041.55	500.00	0.75
MWD	91	8579	8.92	154.55	95	8471.77	-1058.90	-1055.30	506.39	0.59
MWD	92	8673	8.22	151.39	94	8564.72	-1071.42	-1067.78	512.73	0.90
MWD	93	8767	5.98	152.18	94	8657.99	-1081.69	-1078.01	518.24	2.39
MWD	94	8862	4.04	151.04	95	8752.62	-1089.03	-1085.32	522.17	2.04
MWD	95	8956	2.15	162.46	94	8846.48	-1093.62	-1089.90	524.30	2.11
MWD	96	9049	2.02	166.42	93	8939.42	-1096.88	-1093.15	525.21	0.21
MWD	97	9143	1.85	168.70	94	9033.37	-1099.99	-1096.25	525.90	0.20
MWD	98	9238	1.49	172.39	95	9128.33	-1102.72	-1098.98	526.36	0.40
MWD	99	9333	1.19	166.86	95	9223.30	-1104.90	-1101.16	526.75	0.34
MWD	100	9427	1.14	160.35	94	9317.28	-1106.74	-1102.99	527.29	0.15
MWD	101	9522	0.79	170.20	95	9412.27	-1108.28	-1104.53	527.72	0.41
MWD	102	9615	0.92	171.96	93	9505.26	-1109.65	-1105.90	527.93	0.14
MWD	103	9709	0.62	179.43	94	9599.25	-1110.91	-1107.16	528.04	0.34
MWD	104	9804	0.35	137.24	95	9694.25	-1111.64	-1107.88	528.24	0.45
MWD	105	9900	0.66	128.10	96	9790.24	-1112.20	-1108.44	528.88	0.33
MWD	106	9993	0.57	124.32	93	9883.24	-1112.79	-1109.03	529.68	0.11
MWD	107	10088	0.57	46.01	95	9978.23	-1112.74	-1108.97	530.41	0.76
MWD	108	10182	0.35	72.73	94	10072.23	-1112.33	-1108.56	531.02	0.32
MWD	109	10276	0.48	43.28	94	10166.23	-1111.96	-1108.19	531.57	0.26
MWD	110	10371	0.40	1.97	95	10261.23	-1111.34	-1107.57	531.85	0.34
MWD	111	10464	0.44	357.32	93	10354.22	-1110.66	-1106.89	531.85	0.06
MWD	112	10559	0.66	317.33	95	10449.22	-1109.89	-1106.12	531.46	0.45
MWD	113	10653	1.01	282.61	94	10543.21	-1109.31	-1105.54	530.28	0.64
MWD	114	10747	1.45	269.16	94	10637.19	-1109.13	-1105.38	528.28	0.56
MWD	115	10842	1.27	285.77	95	10732.16	-1108.84	-1105.11	526.07	0.45
MWD	116	10937	1.80	276.98	95	10827.13	-1108.36	-1104.64	523.58	0.61
MWD	117	11031	2.07	280.50	94	10921.07	-1107.85	-1104.15	520.44	0.31
MWD	118	11126	2.95	271.01	95	11015.98	-1107.46	-1103.80	516.31	1.02
MWD	119	11221	2.15	274.70	95	11110.89	-1107.24	-1103.61	512.09	0.86
MWD	120	11315	0.48	188.83	94	11204.86	-1107.47	-1103.85	510.27	2.31
MWD	121	11409	0.35	99.01	94	11298.86	-1107.91	-1104.29	510.49	0.63
MWD	122	11502	0.62	337.45	93	11391.86	-1107.49	-1103.87	510.58	0.92
MWD	123	11596	0.84	337.19	94	11485.85	-1106.38	-1102.76	510.12	0.23
MWD	124	11691	1.89	293.33	95	11580.83	-1105.11	-1101.50	508.41	1.48
MWD	125	11786	1.76	279.53	95	11675.78	-1104.23	-1100.64	505.53	0.48
MWD	126	11880	1.27	257.91	94	11769.75	-1104.19	-1100.62	503.09	0.79
MWD	127	11975	1.45	240.07	95	11864.72	-1104.99	-1101.44	501.02	0.48
MWD	128	12069	1.01	239.98	94	11958.70	-1105.99	-1102.44	499.27	0.47
MWD	129	12163	1.01	182.50	94	12052.69	-1107.22	-1103.69	498.52	1.03
MWD	130	12257	1.05	178.55	94	12146.67	-1108.91	-1105.37	498.50	0.09
MWD	131	12352	1.23	206.14	95	12241.65	-1110.70	-1107.16	498.08	0.60
MWD	132	12446	1.71	237.08	94	12335.62	-1112.35	-1108.83	496.46	0.97
MWD	133	12535	2.29	193.14	89	12424.57	-1114.79	-1111.28	494.94	1.79
MWD	134	12569	2.42	190.41	34	12458.54	-1116.16	-1112.65	494.65	0.50
MWD	135	12664	5.67	343.69	95	12553.42	-1113.61	-1110.11	492.97	8.32
MWD	136	12758	17.14	344.92	94	12645.41	-1095.69	-1092.22	488.05	12.20
MWD	137	12804	21.27	347.47	46	12688.84	-1080.97	-1077.53	484.47	9.16
MWD	138	12853	25.14	351.60	49	12733.87	-1061.96	-1058.54	481.02	8.56
MWD	139	12900	30.20	355.03	47	12775.49	-1040.27	-1036.88	478.54	11.28
MWD	140	12948	34.07	359.34	48	12816.13	-1014.78	-1011.39	477.33	9.37
MWD	141	13042	42.46	5.23	94	12889.89	-956.75	-953.34	479.93	9.72
MWD	142	13136	53.89	6.46	94	12952.48	-887.25	-883.79	487.12	12.20
MWD	143	13231	64.57	359.16	95	13001.05	-805.94	-802.45	490.82	13.03
MWD	144	13278	67.65	355.38	47	13020.09	-763.02	-759.54	488.76	9.85

MWD	145	13325	73.23	355.21	47	13035.82	-718.87	-715.42	485.12	11.88
MWD	146	13372	80.26	359.34	47	13046.60	-673.20	-669.76	482.98	17.23
MWD	147	13420	84.57	4.79	48	13052.93	-625.69	-622.24	484.70	14.40
MWD	148	13513	89.14	4.00	93	13058.04	-533.18	-529.68	491.81	4.99
MWD	149	13605	90.24	5.05	92	13058.53	-441.53	-437.97	499.07	1.65
MWD	150	13699	91.74	2.77	94	13056.91	-347.82	-344.21	505.48	2.90
MWD	151	13793	90.15	1.45	94	13055.36	-253.93	-250.29	508.94	2.20
MWD	152	13887	90.90	1.62	94	13054.50	-159.99	-156.33	511.46	0.82
MWD	153	13981	90.02	0.48	94	13053.74	-66.02	-62.35	513.18	1.53
MWD	154	14074	90.51	359.87	93	13053.31	26.97	30.65	513.46	0.84
MWD	155	14169	89.05	356.17	95	13053.68	121.92	125.57	510.18	4.19
MWD	156	14263	90.29	354.86	94	13054.22	215.67	219.28	502.83	1.92
MWD	157	14357	92.00	356.53	94	13052.34	309.43	312.99	495.78	2.54
MWD	158	14451	93.49	357.05	94	13047.84	403.21	406.73	490.52	1.68
MWD	159	14545	90.68	357.32	94	13044.42	497.05	500.54	485.91	3.00
MWD	160	14640	88.53	354.77	95	13045.07	591.85	595.30	479.36	3.51
MWD	161	14713	89.05	356.88	73	13046.62	664.68	668.09	474.04	2.98
MWD	162	14734	91.03	359.60	21	13046.60	685.67	689.07	473.40	16.02
MWD	163	14763	92.13	3.64	29	13045.80	714.63	718.04	474.22	14.43
MWD	164	14828	91.69	3.03	65	13043.63	779.46	782.90	478.00	1.16
MWD	165	14922	91.91	2.85	94	13040.68	873.25	876.73	482.82	0.30
MWD	166	15015	90.11	0.92	93	13039.04	966.15	969.65	485.87	2.84
MWD	167	15108	90.29	1.10	93	13038.72	1059.12	1062.64	487.51	0.27
MWD	168	15202	89.67	359.34	94	13038.75	1153.11	1156.63	487.87	1.99
MWD	169	15296	91.47	2.15	94	13037.82	1247.08	1250.61	489.10	3.55
MWD	170	15390	91.74	3.47	94	13035.18	1340.89	1344.46	493.70	1.43
MWD	171	15483	92.48	3.03	93	13031.76	1433.64	1437.24	498.97	0.93
MWD	172	15577	93.19	1.10	94	13027.11	1527.43	1531.06	502.35	2.19
MWD	173	15673	91.56	3.64	96	13023.13	1623.22	1626.89	506.32	3.14
MWD	174	15767	88.22	3.03	94	13023.31	1717.01	1720.71	511.79	3.61
MWD	175	15861	88.40	3.38	94	13026.08	1810.78	1814.52	517.04	0.42
MWD	176	15956	87.74	1.45	95	13029.28	1905.60	1909.38	521.04	2.15
MWD	177	16051	89.45	3.03	95	13031.61	2000.47	2004.27	524.75	2.45
MWD	178	16146	86.02	358.46	95	13035.37	2095.33	2099.15	525.99	6.01
MWD	179	16240	88.22	357.67	94	13040.09	2189.18	2192.97	522.82	2.49
MWD	180	16334	89.45	359.43	94	13042.00	2283.14	2286.92	520.44	2.28
MWD	181	16429	90.46	3.21	95	13042.08	2378.07	2381.87	522.63	4.12
MWD	182	16522	90.37	4.00	93	13041.40	2470.84	2474.69	528.48	0.85
MWD	183	16570	88.31	359.51	48	13041.96	2518.79	2522.65	529.95	10.29
MWD	184	16616	92.84	358.46	46	13041.49	2564.77	2568.62	529.14	10.11
MWD	185	16710	90.07	351.69	94	13039.11	2658.39	2662.18	521.07	7.78
MWD	186	16805	88.92	354.86	95	13039.94	2752.79	2756.51	509.95	3.55
MWD	187	16830	89.14	354.94	25	13040.37	2777.71	2781.41	507.73	0.94
MWD	188	16865	89.36	358.02	35	13040.82	2812.65	2816.34	505.58	8.82
MWD	189	16925	89.98	357.93	60	13041.17	2872.62	2876.30	503.46	1.04
MWD	190	17018	91.43	0.13	93	13040.03	2965.60	2969.27	501.88	2.83
MWD	191	17112	90.81	358.81	94	13038.19	3059.58	3063.25	501.01	1.55
MWD	192	17207	91.43	359.34	95	13036.33	3154.56	3158.21	499.48	0.86
MWD	193	17302	91.47	358.90	95	13033.93	3249.52	3253.17	498.02	0.46
MWD	194	17397	90.29	357.05	95	13032.47	3344.47	3348.10	494.66	2.31
MWD	195	17490	89.67	357.84	93	13032.50	3437.40	3441.00	490.52	1.08
MWD	196	17586	89.98	0.22	96	13032.79	3533.39	3536.98	488.89	2.50
MWD	197	17680	89.23	0.92	94	13033.44	3627.37	3630.97	489.83	1.09
MWD	198	17774	88.22	0.13	94	13035.53	3721.34	3724.94	490.69	1.36
MWD	199	17868	88.40	0.66	94	13038.31	3815.29	3818.90	491.34	0.60
MWD	200	17963	86.20	359.07	95	13042.78	3910.17	3913.79	491.12	2.86
MWD	201	18057	89.98	356.17	94	13045.91	4004.04	4007.62	487.21	5.07
MWD	202	18151	90.90	356.00	94	13045.19	4097.86	4101.40	480.79	1.00
MWD	203	18245	92.26	357.93	94	13042.60	4191.72	4195.23	475.82	2.51
MWD	204	18339	91.56	357.58	94	13039.47	4285.61	4289.10	472.14	0.83
MWD	205	18435	92.31	358.64	96	13036.23	4381.53	4384.99	468.97	1.35
MWD	206	18527	92.66	358.37	92	13032.24	4473.42	4476.88	466.58	0.48
MWD	207	18620	92.35	359.07	93	13028.17	4566.32	4569.76	464.50	0.82
MWD	208	18714	92.09	0.04	94	13024.53	4660.25	4663.69	463.77	1.07
MWD	209	18809	91.52	0.74	95	13021.54	4755.19	4758.64	464.42	0.95
MWD	210	18902	90.15	0.92	93	13020.18	4848.16	4851.62	465.77	1.49
MWD	211	18997	91.82	1.36	95	13018.55	4943.11	4946.58	467.66	1.82
MWD	212	19091	88.35	2.41	94	13018.41	5037.02	5040.51	470.75	3.86
MWD	213	19186	87.87	3.12	95	13021.54	5131.82	5135.35	475.33	0.90
MWD	214	19279	87.38	3.29	93	13025.40	5224.55	5228.12	480.52	0.56
MWD	215	19374	88.62	2.50	95	13028.71	5319.33	5322.94	485.32	1.55
MWD	216	19468	89.93	0.31	94	13029.90	5413.27	5416.90	487.62	2.71
MWD	217	19562	88.92	358.72	94	13030.85	5507.26	5510.89	486.83	2.00
MWD	218	19656	89.76	358.02	94	13031.93	5601.23	5604.84	484.15	1.16
MWD	219	19750	88.62	356.53	94	13033.26	5695.14	5698.72	479.68	2.00
MWD	220	19844	89.10	357.14	94	13035.13	5789.01	5792.56	474.49	0.83
MWD	221	19938	91.38	359.25	94	13034.73	5882.97	5886.50	471.53	3.30
MWD	222	20031	92.13	359.51	93	13031.89	5975.93	5979.45	470.53	0.85
MWD	223	20123	90.33	356.88	92	13029.91	6067.87	6071.37	467.63	3.46

MWD	224	20217	91.08	358.72	94	13028.75	6161.81	6165.29	464.02	2.11
MWD	225	20311	91.34	359.78	94	13026.77	6255.79	6259.26	462.79	1.16
MWD	226	20406	90.73	0.13	95	13025.05	6350.77	6354.24	462.72	0.74
MWD	227	20499	89.71	359.43	93	13024.70	6443.77	6447.24	462.36	1.33
MWD	228	20593	90.59	0.74	94	13024.45	6537.76	6541.24	462.50	1.68
MWD	229	20687	88.44	359.16	94	13025.25	6631.75	6635.22	462.42	2.84
MWD	230	20780	87.78	359.51	93	13028.31	6724.69	6728.17	461.34	0.80
MWD	231	20875	86.33	358.90	95	13033.19	6819.56	6823.03	460.02	1.66
MWD	232	20969	87.74	358.37	94	13038.06	6913.42	6916.87	457.79	1.60
MWD	233	21062	88.57	359.69	93	13041.05	7006.37	7009.81	456.21	1.68
MWD	234	21157	90.15	359.69	95	13042.11	7101.36	7104.80	455.70	1.66
MWD	235	21251	91.21	358.46	94	13041.00	7195.34	7198.78	454.18	1.73
MWD	236	21346	92.66	359.43	95	13037.79	7290.28	7293.70	452.43	1.84
MWD	237	21440	90.20	357.23	94	13035.44	7384.21	7387.62	449.69	3.51
MWD	238	21532	91.47	358.81	92	13034.10	7476.17	7479.55	446.52	2.20
MWD	239	21627	91.65	358.81	95	13031.51	7571.12	7574.50	444.54	0.19
MWD	240	21722	89.76	0.48	95	13030.35	7666.11	7669.48	443.96	2.65
MWD	241	21816	89.93	0.92	94	13030.60	7760.09	7763.47	445.10	0.50
MWD	242	21910	87.87	358.90	94	13032.40	7854.06	7857.44	444.96	3.07
MWD	243	22005	88.88	358.99	95	13035.10	7949.01	7952.39	443.21	1.07
MWD	244	22098	90.59	358.20	93	13035.53	8041.99	8045.36	440.93	2.03
MWD	245	22192	89.01	356.61	94	13035.86	8135.92	8139.25	436.67	2.38
MWD	246	22286	90.81	359.25	94	13036.00	8229.87	8233.18	433.28	3.40
MWD	247	22381	88.53	358.81	95	13036.55	8324.86	8328.16	431.67	2.44
MWD	248	22474	92.26	358.37	93	13035.91	8417.82	8421.11	429.38	4.04
MWD	249	22568	92.44	358.72	94	13032.06	8511.73	8515.00	427.00	0.42
MWD	250	22662	89.58	356.53	94	13030.40	8605.64	8608.89	423.10	3.83
MWD	251	22755	89.41	356.88	93	13031.22	8698.52	8701.73	417.76	0.42
MWD	252	22851	90.07	359.43	96	13031.65	8794.48	8797.67	414.67	2.74
MWD	253	22944	89.54	359.87	93	13031.97	8887.48	8890.67	414.10	0.74
MWD	254	23038	89.58	359.78	94	13032.69	8981.48	8984.67	413.81	0.10
MWD	255	23133	90.11	0.48	95	13032.95	9076.47	9079.67	414.03	0.92
MWD	256	23228	88.22	357.67	95	13034.33	9171.44	9174.63	412.49	3.56
MWD	257	23322	86.29	1.01	94	13038.84	9265.32	9268.50	411.41	4.10
MWD	258	23360	87.38	0.92	38	13040.94	9303.25	9306.43	412.05	2.88
PTB	259	23430	87.38	0.92	70	13044.14	9373.16	9376.35	413.17	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48727										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 131H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	22	24S	33E	-	1153	SOUTH	99	WEST	LEA
BH:	D	15	24S	33E	-	31	NORTH	579	WEST	LEA
13. Date Spudded 10/30/2021	14. Date T.D. Reached 12/7/2021	15. Date Rig Released 12/10/2021			16. Date Completed (Ready to Produce) 4/2/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3547 GR		
18. Total Measured Depth of Well 23430 ft			19. Plug Back Measured Depth 23370 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 13060' - 23285'								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75"		45.5		1261'		13.5"		600 sks		0
7.625"		29.7		10840'/12494'		9.875"/8.75"		1206 sks		0
5.5"		20		23416'		6.75"		1117 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
Perforate from 13060 ft to 23285 ft, 1 SPF, .55 inch holes with 572 total shots						13060' - 23285'		44 stage frac with 30,829,210 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 4/29/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 3140	Gas - MCF 10265	Water - Bbl. 8567	Gas - Oil Ratio 3269			
Flow Tubing Press. 2300	Casing Pressure 2300	Calculated 24-Hour Rate	Oil - Bbl. 3140	Gas - MCF 10265	Water - Bbl. 8567	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 5/25/2022	
E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	893		Quaternary					
893	1513		Rustler					
1513	4686		Top of Salt					
4686	4905		Base of Salt					
4905	4936		Lamar					
4936	6194		Bell					
6194	7674		Cherry Canyon					
7674	9158		Brushy Canyon					
9158	9564		Bonespring					
9564	10131		Avalon					
10131	10860		1st Bone Spring Sand					
10860	11917		2nd Bone Spring Sand					
11917	12297		3rd Bone Spring Sand					
12297	12854		Wolfcamp A					
12854			Wolfcamp B					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well



Prometheus Wells

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111207

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111207
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111207

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111207
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/13/2023