

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48743	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 222H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	22	24S	33E	-	861	SOUTH	1720	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	15	24S	33E	-	29	NORTH	1722	WEST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/29/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 11/13/2021	²² Ready Date 4/26/2022	²³ TD 23471'	²⁴ PBTB 23410	²⁵ Perforations 13110' - 23325'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1292'	650 sks		
9.875"/8.75"	7.625"	10210'/12550'	1178 sks		
6.75"	5.5"	23456'	1118 sks		

V. Well Test Data

³¹ Date New Oil 4/29/2022	³² Gas Delivery Date 4/29/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 1631	³⁶ Csg. Pressure 1478
³⁷ Choke Size 40/64	³⁸ Oil 845	³⁹ Water 4156	⁴⁰ Gas 5139		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/13/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48743	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 222H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3543'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	22	24-S	33-E	-	861'	SOUTH	1720'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	15	24-S	33-E	-	29'	NORTH	1722'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 1566 FWL Section 22

LTP: 100' FNL; 1718 FWL Section 15





Operator: TapRock Resources LLC
Well Name: Prometheus State Com #222H
County: Lea
State: New Mexico
Rig Name: H&P 388
API: 30-025-48743

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 174' MD – 23400' MD
Projection to Bit: 23471' MD
Dates Performed: 11/12/2021 – 12/22/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC

Well Name: Prometheus State Com 222H

Job Number: ID3129

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 388

Target KBTVD: 13171.00

Target Inclination: 90.60°

Declination Correction: 5.92°

DF Elevation: 3567

Vertical Section Calculated Along Azimuth: 359.59°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	174	0.88	35.45	174	173.99	1.08	1.09	0.77	0.51
MWD	2	233	0.97	53.91	59	232.99	1.74	1.75	1.44	0.52
MWD	3	327	0.97	41.34	94	326.97	2.80	2.82	2.61	0.23
MWD	4	417	0.79	22.18	90	416.96	3.94	3.96	3.35	0.38
MWD	5	508	0.62	8.21	91	507.95	5.01	5.03	3.65	0.26
MWD	6	599	0.40	15.68	91	598.95	5.80	5.83	3.81	0.25
MWD	7	689	0.35	356.87	90	688.95	6.37	6.40	3.88	0.15
MWD	8	779	0.35	9.70	90	778.95	6.92	6.95	3.91	0.09
MWD	9	870	0.53	327.86	91	869.95	7.55	7.58	3.73	0.39
MWD	10	961	0.48	290.07	91	960.94	8.04	8.07	3.15	0.36
MWD	11	1051	0.84	293.85	90	1050.94	8.45	8.46	2.20	0.40
MWD	12	1140	0.57	250.78	89	1139.93	8.57	8.58	1.18	0.65
MWD	13	1235	0.18	266.96	95	1234.93	8.41	8.42	0.59	0.42
MWD	14	1317	0.22	348.08	82	1316.93	8.56	8.56	0.42	0.32
MWD	15	1412	0.66	22.40	95	1411.92	9.24	9.25	0.60	0.52
MWD	16	1505	1.27	39.85	93	1504.91	10.52	10.53	1.46	0.72
MWD	17	1600	1.41	35.63	95	1599.88	12.27	12.29	2.82	0.18
MWD	18	1694	1.41	37.21	94	1693.86	14.12	14.15	4.19	0.04
MWD	19	1789	1.36	35.28	95	1788.83	15.96	16.00	5.55	0.07
MWD	20	1882	1.45	38.44	93	1881.80	17.78	17.83	6.92	0.13
MWD	21	1974	1.63	43.98	92	1973.77	19.62	19.68	8.55	0.25
MWD	22	2068	1.89	56.46	94	2067.72	21.42	21.50	10.77	0.49
MWD	23	2161	2.02	60.76	93	2160.67	23.05	23.15	13.48	0.21
MWD	24	2257	2.15	62.43	96	2256.61	24.69	24.81	16.55	0.15
MWD	25	2352	1.41	115.36	95	2351.56	24.99	25.13	19.18	1.81
MWD	26	2445	2.29	154.19	93	2444.52	22.82	22.97	21.03	1.60
MWD	27	2540	3.08	175.72	95	2539.42	18.56	18.71	22.04	1.33
MWD	28	2634	5.32	182.49	94	2633.16	11.68	11.84	22.04	2.44
MWD	29	2729	5.63	191.46	95	2727.73	2.72	2.87	20.93	0.96
MWD	30	2824	5.76	196.03	95	2822.26	-6.41	-6.27	18.68	0.50
MWD	31	2919	5.80	194.09	95	2916.78	-15.63	-15.51	16.20	0.21
MWD	32	3015	5.89	195.41	96	3012.28	-25.06	-24.97	13.71	0.17
MWD	33	3108	5.98	196.55	93	3104.78	-34.29	-34.21	11.06	0.16
MWD	34	3202	6.07	197.35	94	3198.26	-43.70	-43.65	8.18	0.13
MWD	35	3297	6.59	197.79	95	3292.68	-53.67	-53.63	5.02	0.55
MWD	36	3392	8.26	196.82	95	3386.88	-65.36	-65.36	1.38	1.76
MWD	37	3487	8.18	195.59	95	3480.90	-78.38	-78.40	-2.41	0.20
MWD	38	3581	8.13	193.92	94	3573.95	-91.25	-91.29	-5.81	0.26
MWD	39	3677	8.88	196.82	96	3668.90	-104.90	-104.97	-9.58	0.90
MWD	40	3772	9.80	197.96	95	3762.64	-119.58	-119.68	-14.20	0.99
MWD	41	3867	9.63	199.81	95	3856.27	-134.71	-134.85	-19.38	0.37
MWD	42	3962	10.02	199.63	95	3949.88	-149.93	-150.11	-24.85	0.41
MWD	43	4057	10.24	200.77	95	4043.40	-165.57	-165.79	-30.62	0.31
MWD	44	4151	10.29	201.48	94	4135.90	-181.15	-181.41	-36.66	0.14
MWD	45	4245	10.33	203.32	94	4228.38	-196.65	-196.97	-43.07	0.35
MWD	46	4340	9.76	195.68	95	4321.93	-212.19	-212.54	-48.62	1.52
MWD	47	4435	9.98	189.17	95	4415.52	-228.04	-228.42	-52.11	1.20
MWD	48	4530	10.02	184.51	95	4509.08	-244.39	-244.79	-54.07	0.85
MWD	49	4624	10.11	180.47	94	4601.64	-260.79	-261.19	-54.78	0.76
MWD	50	4718	9.85	181.26	94	4694.21	-277.08	-277.48	-55.03	0.31
MWD	51	4811	10.81	178.36	93	4785.70	-293.75	-294.15	-54.95	1.17
MWD	52	4906	11.47	177.92	95	4878.91	-312.10	-312.49	-54.35	0.70
MWD	53	4999	11.21	177.66	93	4970.10	-330.37	-330.77	-53.65	0.28
MWD	54	5094	10.07	186.36	95	5063.47	-347.85	-348.25	-54.19	2.07
MWD	55	5189	8.40	194.18	95	5157.24	-362.82	-363.23	-56.81	2.20
MWD	56	5282	7.60	191.81	93	5249.33	-375.40	-375.84	-59.73	0.93
MWD	57	5377	7.69	189.52	95	5343.49	-387.80	-388.26	-62.07	0.33
MWD	58	5472	7.21	191.81	95	5437.69	-399.89	-400.36	-64.34	0.59
MWD	59	5565	6.95	191.19	93	5529.98	-411.10	-411.59	-66.63	0.29
MWD	60	5660	7.78	198.58	95	5624.20	-422.82	-423.33	-69.79	1.32
MWD	61	5755	8.48	200.69	95	5718.24	-435.43	-435.97	-74.32	0.80
MWD	62	5850	8.57	199.54	95	5812.19	-448.62	-449.20	-79.16	0.20

MWD	63	5942	8.79	199.54	92	5903.14	-461.67	-462.28	-83.80	0.24
MWD	64	6036	8.62	199.1	94	5996.05	-475.06	-475.71	-88.51	0.19
MWD	65	6131	8.04	197.87	95	6090.05	-488.08	-488.76	-92.88	0.64
MWD	66	6226	8.09	195.41	95	6184.11	-500.82	-501.53	-96.69	0.37
MWD	67	6319	7.69	191.81	93	6276.23	-513.20	-513.92	-99.71	0.68
MWD	68	6414	7.56	190.75	95	6370.39	-525.54	-526.29	-102.17	0.20
MWD	69	6510	7.12	188.21	96	6465.61	-537.62	-538.38	-104.20	0.57
MWD	70	6605	7.69	188.38	95	6559.81	-549.72	-550.49	-105.97	0.60
MWD	71	6700	8.7	189.08	95	6653.84	-563.09	-563.88	-108.03	1.07
MWD	72	6794	8.62	187.85	94	6746.77	-577.07	-577.88	-110.11	0.21
MWD	73	6889	8.35	187.59	95	6840.73	-590.95	-591.77	-112.00	0.29
MWD	74	6983	9.1	189	94	6933.64	-605.04	-605.87	-114.06	0.83
MWD	75	7077	9.05	192.16	94	7026.47	-619.59	-620.44	-116.78	0.53
MWD	76	7172	8.66	189.96	95	7120.33	-633.92	-634.79	-119.59	0.54
MWD	77	7266	8.48	190.31	94	7213.28	-647.69	-648.58	-122.06	0.20
MWD	78	7361	9.27	188.56	95	7307.15	-662.13	-663.04	-124.45	0.88
MWD	79	7456	10.02	186.27	95	7400.80	-677.90	-678.82	-126.49	0.89
MWD	80	7551	9.85	187.06	95	7494.38	-694.16	-695.10	-128.39	0.23
MWD	81	7645	9.85	185.66	94	7586.99	-710.13	-711.08	-130.17	0.25
MWD	82	7740	9.19	187.77	95	7680.68	-725.72	-726.68	-132.00	0.79
MWD	83	7834	8.97	188.12	94	7773.51	-740.40	-741.38	-134.05	0.24
MWD	84	7929	7.78	186.27	95	7867.49	-754.11	-755.10	-135.80	1.28
MWD	85	8024	7.69	186.62	95	7961.63	-766.80	-767.80	-137.23	0.11
MWD	86	8118	6.02	186.1	94	8054.95	-777.94	-778.95	-138.48	1.78
MWD	87	8213	5.36	185.04	95	8149.48	-787.31	-788.33	-139.40	0.70
MWD	88	8307	4.13	184.95	94	8243.16	-795.05	-796.07	-140.08	1.31
MWD	89	8402	3.34	185.66	95	8337.96	-801.21	-802.24	-140.65	0.83
MWD	90	8497	2.07	169.4	95	8432.85	-805.65	-806.68	-140.60	1.55
MWD	91	8593	1.63	148.48	96	8528.80	-808.52	-809.54	-139.57	0.83
MWD	92	8687	1.19	116.75	94	8622.77	-810.11	-811.12	-138.00	0.94
MWD	93	8782	1.36	99.7	95	8717.75	-810.76	-811.76	-136.01	0.44
MWD	94	8875	1.27	106.47	93	8810.73	-811.26	-812.24	-133.93	0.19
MWD	95	8969	1.01	103.39	94	8904.71	-811.76	-812.72	-132.13	0.28
MWD	96	9063	0.75	117.19	94	8998.70	-812.24	-813.20	-130.77	0.35
MWD	97	9159	0.48	357.75	96	9094.69	-812.13	-813.08	-130.23	1.12
MWD	98	9252	0.88	329.53	93	9187.69	-811.12	-812.08	-130.61	0.55
MWD	99	9347	0.97	305.98	95	9282.67	-810.01	-810.97	-131.63	0.41
MWD	100	9442	1.19	297.72	95	9377.66	-809.07	-810.04	-133.15	0.28
MWD	101	9537	1.71	280.49	95	9472.63	-808.34	-809.33	-135.42	0.71
MWD	102	9631	1.63	245.25	94	9566.59	-808.62	-809.63	-138.01	1.08
MWD	103	9726	2.07	233.64	95	9661.54	-810.19	-811.21	-140.62	0.61
MWD	104	9821	2.07	232.50	95	9756.48	-812.23	-813.28	-143.36	0.04
MWD	105	9915	2.64	227.40	94	9850.40	-814.71	-815.77	-146.30	0.65
MWD	106	10010	2.90	227.40	95	9945.29	-817.79	-818.88	-149.68	0.27
MWD	107	10103	3.38	218.26	93	10038.15	-821.51	-822.63	-153.11	0.74
MWD	108	10142	3.69	218.18	39	10077.07	-823.39	-824.52	-154.60	0.79
MWD	109	10195	3.21	217.82	53	10129.98	-825.89	-827.03	-156.57	0.91
MWD	110	10290	1.32	226.70	95	10224.90	-828.72	-829.88	-158.99	2.02
MWD	111	10382	0.62	340.43	92	10316.89	-828.97	-830.14	-159.93	1.81
MWD	112	10476	0.31	245.77	94	10410.89	-828.60	-829.76	-160.33	0.76
MWD	113	10571	1.98	34.66	95	10505.87	-827.36	-828.52	-159.63	2.37
MWD	114	10666	2.51	49.25	95	10600.80	-824.67	-825.81	-157.13	0.82
MWD	115	10759	2.29	43.10	93	10693.72	-822.00	-823.13	-154.31	0.36
MWD	116	10854	1.14	53.47	95	10788.67	-820.07	-821.18	-152.26	1.25
MWD	117	10950	0.70	93.46	96	10884.66	-819.54	-820.64	-150.90	0.78
MWD	118	11044	0.48	116.49	94	10978.66	-819.76	-820.85	-149.98	0.34
MWD	119	11139	0.22	115.26	95	11073.66	-820.02	-821.11	-149.46	0.27
MWD	120	11235	0.09	100.67	96	11169.66	-820.11	-821.20	-149.22	0.14
MWD	121	11330	0.04	346.41	95	11264.66	-820.10	-821.18	-149.15	0.12
MWD	122	11424	0.48	79.84	94	11358.65	-820.00	-821.08	-148.77	0.51
MWD	123	11517	0.44	327.16	93	11451.65	-819.63	-820.71	-148.58	0.82
MWD	124	11612	0.44	286.73	95	11546.65	-819.21	-820.30	-149.13	0.32
MWD	125	11707	0.97	270.56	95	11641.64	-819.09	-820.19	-150.28	0.59
MWD	126	11801	1.58	274.69	94	11735.62	-818.96	-820.08	-152.37	0.66
MWD	127	11896	1.71	257.99	95	11830.58	-819.13	-820.26	-155.06	0.52
MWD	128	11991	1.63	257.02	95	11925.54	-819.71	-820.86	-157.76	0.09
MWD	129	12086	1.58	252.63	95	12020.50	-820.39	-821.56	-160.33	0.14
MWD	130	12178	2.20	242.61	92	12112.45	-821.56	-822.75	-163.11	0.76
MWD	131	12272	1.14	265.55	94	12206.41	-822.44	-823.65	-165.64	1.31
MWD	132	12367	0.84	235.93	95	12301.40	-822.90	-824.11	-167.16	0.61
MWD	133	12459	1.01	249.82	92	12393.39	-823.54	-824.77	-168.48	0.30
MWD	134	12554	1.10	246.56	95	12488.37	-824.18	-825.42	-170.10	0.11
MWD	135	12578	1.05	233.56	24	12512.37	-824.40	-825.64	-170.49	1.03
MWD	136	12599	1.01	236.28	21	12533.36	-824.62	-825.86	-170.80	0.30
MWD	137	12694	2.86	95.30	95	12628.33	-825.31	-826.55	-169.14	3.89
MWD	138	12788	16.62	28.51	94	12720.89	-813.71	-814.88	-160.33	16.71

MWD	139	12883	27.78	6.80	95	12808.85	-779.69	-780.79	-151.18	14.40
MWD	140	12977	37.54	7.50	94	12887.89	-729.47	-730.53	-144.83	10.39
MWD	141	13072	43.38	8.29	95	12960.14	-668.50	-669.49	-136.34	6.17
MWD	142	13167	52.79	8.21	95	13023.53	-598.69	-599.61	-126.22	9.91
MWD	143	13262	64.40	9.61	95	13072.95	-518.83	-519.66	-113.62	12.29
MWD	144	13354	71.82	9.79	92	13107.23	-434.85	-435.57	-99.24	8.07
MWD	145	13447	80.75	10.14	93	13129.25	-346.07	-346.68	-83.62	9.61
MWD	146	13541	85.36	4.51	94	13140.63	-253.67	-254.19	-71.75	7.71
MWD	147	13636	87.43	2.05	95	13146.60	-159.06	-159.54	-66.33	3.38
MWD	148	13729	89.80	4.69	93	13148.85	-66.31	-66.75	-60.86	3.81
MWD	149	13824	91.96	6.54	95	13147.39	28.15	27.78	-51.57	2.99
MWD	150	13918	90.68	3.02	94	13145.22	121.72	121.41	-43.74	3.98
MWD	151	14013	91.82	3.72	95	13143.15	216.49	216.22	-38.16	1.41
MWD	152	14108	90.37	1.44	95	13141.34	311.33	311.10	-33.89	2.84
MWD	153	14201	89.80	359.86	93	13141.20	404.31	404.09	-32.83	1.81
MWD	154	14296	89.45	358.89	95	13141.82	499.31	499.08	-33.87	1.09
MWD	155	14389	90.95	0.73	93	13141.50	592.30	592.07	-34.18	2.55
MWD	156	14484	92.18	2.32	95	13138.90	687.21	687.00	-31.65	2.12
MWD	157	14579	89.89	358.98	95	13137.18	782.16	781.96	-30.57	4.26
MWD	158	14672	89.27	357.83	93	13137.87	875.13	874.92	-33.16	1.40
MWD	159	14766	88.92	357.31	94	13139.35	969.06	968.82	-37.15	0.67
MWD	160	14861	89.80	357.13	95	13140.41	1063.97	1063.70	-41.75	0.95
MWD	161	14956	90.07	356.52	95	13140.52	1158.86	1158.55	-47.01	0.70
MWD	162	15051	90.24	356.16	95	13140.26	1253.71	1253.36	-53.08	0.42
MWD	163	15146	90.24	358.27	95	13139.86	1348.62	1348.24	-57.69	2.22
MWD	164	15239	91.47	358.10	93	13138.48	1441.58	1441.18	-60.64	1.34
MWD	165	15334	91.96	358.80	95	13135.63	1536.52	1536.10	-63.21	0.90
MWD	166	15429	89.58	0.03	95	13134.36	1631.50	1631.08	-64.18	2.82
MWD	167	15524	88.70	0.38	95	13135.78	1726.48	1726.07	-63.84	1.00
MWD	168	15619	89.85	0.38	95	13136.98	1821.46	1821.06	-63.21	1.21
MWD	169	15713	91.30	1.61	94	13136.04	1915.43	1915.04	-61.58	2.02
MWD	170	15808	88.13	359.42	95	13136.51	2010.40	2010.01	-60.72	4.06
MWD	171	15903	90.02	0.03	95	13138.05	2105.38	2104.99	-61.18	2.09
MWD	172	15999	90.42	357.75	96	13137.68	2201.36	2200.97	-63.04	2.41
MWD	173	16093	90.55	356.52	94	13136.88	2295.27	2294.85	-67.73	1.32
MWD	174	16187	91.08	356.08	94	13135.55	2389.11	2388.64	-73.80	0.73
MWD	175	16282	91.30	356.87	95	13133.57	2483.95	2483.44	-79.64	0.86
MWD	176	16376	89.23	0.30	94	13133.14	2577.91	2577.39	-81.96	4.26
MWD	177	16470	89.14	0.47	94	13134.48	2671.89	2671.38	-81.33	0.20
MWD	178	16563	91.16	0.82	93	13134.23	2764.87	2764.37	-80.28	2.20
MWD	179	16658	90.77	0.30	95	13132.63	2859.84	2859.35	-79.35	0.68
MWD	180	16753	91.12	359.94	95	13131.07	2954.83	2954.34	-79.15	0.53
MWD	181	16847	92.04	0.12	94	13128.47	3048.79	3048.30	-79.11	1.00
MWD	182	16943	89.32	359.59	96	13127.33	3144.77	3144.28	-79.35	2.89
MWD	183	17037	89.54	1.88	94	13128.27	3238.74	3238.26	-78.14	2.45
MWD	184	17131	90.11	5.30	94	13128.56	3332.50	3332.07	-72.26	3.69
MWD	185	17225	92.22	4.95	94	13126.65	3426.03	3425.66	-63.86	2.28
MWD	186	17321	93.19	0.73	96	13122.11	3521.75	3521.42	-59.11	4.51
MWD	187	17416	90.95	358.27	95	13118.68	3616.67	3616.34	-59.94	3.50
MWD	188	17510	91.34	358.80	94	13116.80	3710.64	3710.29	-62.34	0.70
MWD	189	17604	88.88	356.25	94	13116.62	3804.56	3804.18	-66.40	3.77
MWD	190	17699	89.41	355.99	95	13118.04	3899.38	3898.96	-72.83	0.62
MWD	191	17794	90.15	359.42	95	13118.40	3994.31	3993.86	-76.63	3.69
MWD	192	17888	90.11	358.80	94	13118.19	4088.31	4087.85	-78.09	0.66
MWD	193	17983	87.82	355.20	95	13119.91	4183.17	4182.68	-83.06	4.49
MWD	194	18077	90.07	356.25	94	13121.64	4276.94	4276.40	-90.07	2.64
MWD	195	18171	89.71	353.79	94	13121.82	4370.63	4370.04	-98.23	2.64
MWD	196	18265	92.79	0.38	94	13119.77	4464.45	4463.83	-103.01	7.74
MWD	197	18357	89.45	0.12	92	13117.97	4556.42	4555.80	-102.61	3.64
MWD	198	18450	88.97	359.33	93	13119.25	4649.41	4648.79	-103.05	0.99
MWD	199	18545	91.03	1.88	95	13119.25	4744.38	4743.77	-102.05	3.45
MWD	200	18639	91.30	1.96	94	13117.34	4838.28	4837.70	-98.90	0.30
MWD	201	18733	92.40	1.44	94	13114.30	4932.17	4931.61	-96.11	1.29
MWD	202	18826	92.26	2.23	93	13110.52	5025.02	5024.48	-93.14	0.86
MWD	203	18921	90.90	1.44	95	13107.90	5119.91	5119.39	-90.10	1.66
MWD	204	19014	91.38	3.99	93	13106.05	5212.74	5212.26	-85.69	2.79
MWD	205	19109	91.47	4.78	95	13103.69	5307.38	5306.95	-78.43	0.84
MWD	206	19203	89.27	2.58	94	13103.08	5401.13	5400.75	-72.40	3.31
MWD	207	19298	87.38	1.09	95	13105.86	5496.01	5495.65	-69.36	2.53
MWD	208	19330	87.34	1.00	32	13107.34	5527.96	5527.61	-68.78	0.31
MWD	209	19425	89.10	0.82	95	13110.29	5622.89	5622.55	-67.27	1.86
MWD	210	19520	89.36	1.09	95	13111.56	5717.85	5717.53	-65.68	0.39
MWD	211	19614	88.66	0.91	94	13113.19	5811.81	5811.50	-64.04	0.77

MWD	212	19708	90.42	0.47	94	13113.94	5905.78	5905.48	-62.91	1.93
MWD	213	19803	89.76	0.47	95	13113.79	6000.77	6000.48	-62.13	0.69
MWD	214	19898	90.55	359.24	95	13113.54	6095.77	6095.48	-62.37	1.54
MWD	215	19992	91.34	359.86	94	13111.98	6189.75	6189.46	-63.11	1.07
MWD	216	20087	91.34	0.21	95	13109.76	6284.72	6284.43	-63.05	0.37
MWD	217	20182	90.81	359.50	95	13107.98	6379.71	6379.42	-63.29	0.93
MWD	218	20277	90.64	359.24	95	13106.78	6474.70	6474.40	-64.34	0.33
MWD	219	20372	89.05	358.01	95	13107.04	6569.68	6569.37	-66.62	2.12
MWD	220	20467	90.07	357.57	95	13107.77	6664.63	6664.30	-70.28	1.17
MWD	221	20561	89.85	356.96	94	13107.83	6758.55	6758.19	-74.77	0.69
MWD	222	20656	90.37	357.13	95	13107.65	6853.46	6853.06	-79.66	0.58
MWD	223	20751	89.93	356.60	95	13107.40	6948.35	6947.92	-84.86	0.73
MWD	224	20846	91.52	356.78	95	13106.20	7043.21	7042.75	-90.34	1.68
MWD	225	20941	92.57	357.04	95	13102.81	7138.05	7137.55	-95.46	1.14
MWD	226	21036	92.00	358.36	95	13099.02	7232.92	7232.39	-99.27	1.51
MWD	227	21131	90.73	357.22	95	13096.76	7327.84	7327.29	-102.93	1.80
MWD	228	21225	90.24	357.48	94	13095.96	7421.77	7421.19	-107.28	0.59
MWD	229	21319	91.74	0.65	94	13094.34	7515.73	7515.15	-108.81	3.73
MWD	230	21414	92.57	1.70	95	13090.76	7610.63	7610.06	-106.87	1.41
MWD	231	21506	92.88	1.96	92	13086.39	7702.45	7701.91	-103.93	0.44
MWD	232	21602	90.11	0.03	96	13083.89	7798.38	7797.85	-102.27	3.52
MWD	233	21696	88.70	358.36	94	13084.86	7892.37	7891.83	-103.59	2.33
MWD	234	21791	89.54	358.45	95	13086.32	7987.33	7986.78	-106.23	0.89
MWD	235	21885	90.24	359.59	94	13086.50	8081.33	8080.76	-107.84	1.42
MWD	236	21981	90.29	0.30	96	13086.06	8177.32	8176.76	-107.93	0.74
MWD	237	22076	90.77	0.91	95	13085.18	8272.30	8271.75	-106.93	0.82
MWD	238	22172	91.56	1.88	96	13083.23	8368.23	8367.70	-104.59	1.30
MWD	239	22266	92.09	2.05	94	13080.23	8462.10	8461.60	-101.37	0.59
MWD	240	22361	92.44	3.02	95	13076.48	8556.90	8556.43	-97.17	1.08
MWD	241	22456	92.35	2.67	95	13072.51	8651.67	8651.23	-92.46	0.38
MWD	242	22550	92.13	2.32	94	13068.83	8745.47	8745.07	-88.37	0.44
MWD	243	22643	89.63	1.26	93	13067.41	8838.39	8838.00	-85.47	2.92
MWD	244	22686	89.05	1.35	43	13067.90	8881.36	8880.99	-84.49	1.36
MWD	245	22737	89.27	1.53	51	13068.65	8932.33	8931.97	-83.21	0.56
MWD	246	22832	87.82	0.38	95	13071.06	9027.27	9026.92	-81.62	1.95
MWD	247	22927	87.12	359.50	95	13075.26	9122.17	9121.82	-81.72	1.18
MWD	248	23023	89.80	0.03	96	13077.84	9218.13	9217.78	-82.12	2.85
MWD	249	23117	89.45	359.77	94	13078.45	9312.13	9311.78	-82.28	0.46
MWD	250	23212	92.22	2.84	95	13077.07	9407.05	9406.72	-80.12	4.35
MWD	251	23304	92.04	3.11	92	13073.65	9498.83	9498.53	-75.35	0.35
MWD	252	23400	91.60	3.11	96	13070.60	9594.60	9594.34	-70.14	0.46
PTB	253	23471	91.60	3.11	71	13068.62	9665.44	9665.21	-66.29	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48743										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 222H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	22	24S	33E	-	861	SOUTH	1720	WEST	LEA
BH:	C	15	24S	33E	-	29	NORTH	1722	WEST	LEA
13. Date Spudded 11/13/2021	14. Date T.D. Reached 12/23/2021		15. Date Rig Released 12/26/2021			16. Date Completed (Ready to Produce) 4/26/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3540 GR		
18. Total Measured Depth of Well 23471 ft			19. Plug Back Measured Depth 23410 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 13110' - 23325'								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75"		45.5		1292'		13.5"		650 sks		0
7.625"		29.7		10210'/12550'		9.875"/8.75"		1178 sks		0
5.5"		20		23456'		6.75"		1118 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
					SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) Perforate from 13110 ft to 23325 ft, 1 SPF, .55 inch holes with 546 total shots					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 13110' - 23325' 42 stage frac with 27,548,127 lbs of 100 mesh sand					
28. PRODUCTION										
Date First Production 4/29/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 845	Gas - MCF 5139	Water - Bbl. 4156	Gas - Oil Ratio 6082			
Flow Tubing Press. 1631	Casing Pressure 1478	Calculated 24-Hour Rate	Oil - Bbl. 845	Gas - MCF 5139	Water - Bbl. 4156	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 5/25/2022	
E-mail Address jtrlica@taprllc										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology
0	881		Quaternary
881	1501		Rustler
1501	4674		Top of Salt
4674	4893		Base of Salt
4893	4924		Lamar
4924	6182		Bell
6182	7643		Cherry Canyon
7643	9172		Brushy Canyon
9172	9591		Bonespring
9591	10058		Avalon
10058	10875		1st Bone Spring Sand
10875	11937		2nd Bone Spring Sand
11937	12252		3rd Bone Spring Sand
12252	12870		Wolfcamp A
12870			Wolfcamp B

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well



Prometheus Wells

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111199

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111199
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111199

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111199
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/13/2023