District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 *Page 1 of 24* Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-G	rade Tank, or		
Proposed Alternative Method Permit or Closure Plan Application			
Type of action: Below grade tank registration Permit of a pit or proposed alternative method BGT1 Closure Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,			
or proposed alternative method	an existing permitted of non-permitted pit, below-grade tank,		
) per individual pit, below-grade tank or alternative request		
Please be advised that approval of this request does not relieve the operator of liabilit environment. Nor does approval relieve the operator of its responsibility to comply v			
Hilcorp Energy Company	OGRID #: 372171		
Address: 382 Road 3100 Aztec, NM 87410			
Facility or well name: Trujillo Gas Com A 1			
API Number:OCD Per	rmit Number:		
U/L or Qtr/Qtr <u>C</u> Section <u>28</u> Township <u>29N</u>	Range 10W County: San Juan		
Center of Proposed Design: Latitude <u>36.687640</u>	Longitude107.901160NAD83		
Surface Owner: 🗌 Federal 🗌 State 🔀 Private 🗌 Tribal Trust or Indian Allo	utment		
□ Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A □ Multi-Well Fluid M □ Lined □ Unlined Liner type: Thickness mil □ LLDPE □ String-Reinforced mil □ LLDPE mil □ LLDPE 3. metade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: metade W Tank Construction material: metad metade metade □ Secondary containment with leak detection ☑ Visible sidewalls, liner, 6 mil metade □ Liner type: Thickness mil □ HDPE □ PVC ☑ Other	HDPE PVC Other		
4			
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Submittal of an exception request is required. Exceptions must be submitted t			
5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, ten	to the Santa Fe Environmental Bureau office for consideration of approval.		

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	☐ Yes ☐ No ⊠ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ⊠ NA
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	Yes No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
application.	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Keceived by OCD: 4/14/2023 1:22:25 PM	Page 3 of 2		
 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No		
<u>Temporary Pit Non-low chloride drilling fluid</u>			
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No		
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
Within 300 feet of a wetland.US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No		
<u>Permanent Pit or Multi-Well Fluid Management Pit</u>			
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No		
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC 	cuments are		
Previously Approved Design (attach copy of design) API Number: or Permit Number:			
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Previously Approved Design (attach copy of design) API Number: or Permit Number:			

.

22 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Sitting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Distance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.13 NMAC		
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fl Alternative Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	uid Management Pit	
 14. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. 		
15. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P. 19.15.17.10 NMAC for guidance.		
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA	
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No	
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No	
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No	
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No	
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	0.4	

•

	Received	bv	OCD:	4/14	/2023	1:22:2	5 PM
--	----------	----	------	------	-------	--------	------

Received by OCD: 4/14/2023 1:22:25 PM	Page 5 of 2
 adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	
Within a 100-year floodplain.	🗌 Yes 🗌 No
- FEMA map	☐ Yes ☐ No
 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure planet by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards canned Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 	11 NMAC 15.17.11 NMAC
 17. Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed. 	
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
18. Report OCD Approval: Permit Application (including closure plan) Image: Closure Plan (only) OCD Conditions (see attachment)	
OCD Representative Signature: <u>Shelly Wells</u> Approval Date: <u>4/17/20</u>)23
Title: Environmental Specialist-Advanced OCD Permit Number: BGT1	
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Image: Closure Completion Date: 2/8/2023	the closure report. complete this
20. Closure Method: ⊠ Waste Excavation and Removal On-Site Closure Method □ If different from approved plan, please explain.	oop systems only)
21. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please intermark in the box, that the documents are attached.	

.

22. Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print):	Amanda Walker	Title: <u>Operations/Regulatory Technician – Sr</u>
Signature:	Matter	Date: 4/14/2023
	mwalker@hilcorp.com	Telephone: <u>346-237-2177</u>

•

Hilcorp Energy Company San Juan Basin Below Grade Tank Closure Report

Lease Name: Trujillo Gas Com A 1 API No.: 30-045-25619

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

 HILCORP shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, HILCORP will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

 HILCORP shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. HILCORP will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then HILCORP shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. HILCORP will test the soils beneath the below-grade tank to determine whether a release has occurred. HILCORP shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. Hilcorp shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.0	250

6. If HILCORP or the division determines that a release has occurred, then HILCORP shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then HILCORP shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and revegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of HILCORP's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via certified mail. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. HILCORP shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will be used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. Hilcorp will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Mandi Walker

From:	Mandi Walker
Sent:	Monday, February 6, 2023 11:00 AM
То:	Brandon Sinclair; Burdine, Jaclyn, EMNRD; Clara Cardoza; Eufracio Trujillo; Kandis
	Roland; Kate Kaufman; Keri Hutchins; Mandi Walker
Cc:	Shad Brown; Kelly Davidson; Lisa Jones
Subject:	72 Hour Closure Notice - Trujillo Gas Com A 1 - 30-045-25619 (Area 7)
Attachments:	Trujillo Gas Com A 1_BGT Closure PLAN ONLY.pdf
Follow Up Flag:	Follow up
Due By:	Monday, March 27, 2023 8:00 AM
Flag Status:	Flagged

The subject well has a below-grade tank that will be permanently removed. The BGT Permit is attached. Please contact me at any time if you have any questions or concerns. The BGT Closure Plan only was filed with OCD on 2/6/2023, action id 182802.

Well Name: Trujillo Gas Com A 1 API#: 30-045-25619 Location: C-28-29N-10W Footages: 800 FNL 1790 FWL Operator: HEC Surface Owner: FEE Reason for Removal: Will be changed to an AGT Scheduled Date & Time of Start: Wednesday February 8th @ 9 am.

Lisa, please send notification to the Landowner

Please Note Required Photos for Closure
Well site placard
Photos of the BGT prior to closure
The sample location or, more preferred, photos of actual sample collection
Final state of the area after closure.
Photos will require captioning including direction of photo, date and time of photo and a description of the image contents.

Mandi Walker

San Juan North/South (6,7) Regulatory Technician Hilcorp Energy 346.237.2177 <u>mwalker@hilcorp.com</u>

Domestic Return Receipt





Pursuant to New Mexico Administrative Code § 19.15.17.13 (E) (1) operator shall provide the surface owner of the operator's proposal to close a below- grade tank.

In compliance with this requirement, please consider this letter as notification that Hilcorp San Juan, L.P. intends to close a below-grade tank on the subject well pad. The closure process will begin between 72 hours and one week from this notification.

If you have any questions regarding this work, please call within five (5) days of receiving this notice.

Sincerely,

X.	SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DE	ELIVERY
South	Complete items 1, 2, and 3.	A. Signature	Agent
	Print your name and address on the reverse so that we can return the card to you.	X	C. Date of Delivery
	Attach this card to the back of the mailpiece,	B. Received by (Printed Name)	0. Date of Dentery
	or on the front if space permits.	D. Is delivery address different from If YES, enter delivery address be	item 1? Yes How: No
	1. Article Addressed to: Donna Wade Thustee		
	200 ROOD 4000		
	Bloomfield, UM		
	07413	C. Adult Cimpeture	□ Priority Mail Express® □ Registered Mail™
		Adult Signature Restricted Delivery Certified Mail®	 ☐ Registered Mail Restricted Delivery ☐ Signature Confirmation™
	9590 9402 6977 1225 6608 36	Certified Mail Restricted Delivery Collect on Delivery Collect on Delivery Collect on Delivery Restricted Delivery	 Signature Confirmation Restricted Delivery
Palagad to Imaging: 4/17/2	22 2.15:40 Number (Transfer from service label)	Mail	
Released to Imaging: 4/17/2	023 3:15:49 PMB 0150 0003 4774 35	57 Mail Restricted Delivery	

Pre Closure Photos





District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Page 13 of 24

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Hilcorp Energy Company	OGRID 372171
Contact Name Amanda Walker	Contact Telephone 346-237-2177
Contact email mwalker@hilcorp.com	Incident # (assigned by OCD)
Contact mailing address 382 Road 3100 Aztec NM 87410	

Location of Release Source

Latitude 36.687640

Longitude -107.901160 (NAD 83 in decimal degrees to 5 decimal places)

Site Name Trujillo Gas Com A 1	Site Type Gas Well
Date Release Discovered N/A	API# (if applicable) 30-045-25619

Unit Letter	Section	Township	Range	County
С	28	29N	10W	San Juan

Surface Owner: State Federal Tribal Private (Name: _____ Donna Wade _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		
No release was encounte	ered during the BGT Closure.	

eceivea py OCD: 4/14/202	State of New Mexico	Page 14 0
orm C-141		Incident ID
age 2	Oil Conservation Division	District RP
		Facility ID
		Application ID
Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible pa	arty consider this a major release?
🗌 Yes 🖂 No	N/A	
If YES, was immediate n	otice given to the OCD? By whom? To whom? W	'hen and by what means (phone, email, etc)'?
Not Required		

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name:	Amanda Walker	Title:	Operations/Regulatory Technician – Sr.
Signature:	Alberter		Date: <u>4/14/2023</u>
email:	mwalker@hilcoro.com		
OCD Only			
Received by:]	Date:

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

If all the actions described above have not been undertaken, explain why:

All free liquids and recoverable materials have been removed and managed appropriately.



February 16, 2023

Mitch Killough HILCORP ENERGY PO Box 4700 Farmington, NM 87499 TEL: (505) 564-0733 FAX Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 2302502

Dear Mitch Killough:

RE: Trujillo GC A 1

Hall Environmental Analysis Laboratory received 1 sample(s) on 2/10/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

andy

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Analytical Report Lab Order 2302502

Date Reported: 2/16/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: HILCORP ENERGY Client Sample ID: Bottom Comp **Project:** Trujillo GC A 1 Collection Date: 2/8/2023 9:15:00 AM Lab ID: 2302502-001 Matrix: SOIL Received Date: 2/10/2023 6:30:00 AM Result **RL** Qual Units DF **Date Analyzed** Analyses **EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: DGH Diesel Range Organics (DRO) ND 9.9 mg/Kg 1 2/15/2023 2:46:28 AM Motor Oil Range Organics (MRO) ND 50 mg/Kg 1 2/15/2023 2:46:28 AM 69-147 Surr: DNOP 90.1 %Rec 1 2/15/2023 2:46:28 AM **EPA METHOD 300.0: ANIONS** Analyst: CAS Chloride 2/14/2023 7:08:08 PM 110 60 mg/Kg 20 **EPA METHOD 8260B: VOLATILES SHORT LIST** Analyst: RAA Benzene ND 0.024 mg/Kg 2/14/2023 10:45:08 AM 1 Toluene ND 0.048 mg/Kg 2/14/2023 10:45:08 AM 1 Ethvlbenzene ND 0.048 mg/Kg 1 2/14/2023 10:45:08 AM Xylenes, Total ND 0.096 mg/Kg 1 2/14/2023 10:45:08 AM Surr: 1.2-Dichloroethane-d4 106 70-130 %Rec 1 2/14/2023 10:45:08 AM Surr: 4-Bromofluorobenzene 117 70-130 %Rec 1 2/14/2023 10:45:08 AM Surr: Dibromofluoromethane 70-130 %Rec 1 2/14/2023 10:45:08 AM 99.7 Surr: Toluene-d8 107 70-130 %Rec 1 2/14/2023 10:45:08 AM **EPA METHOD 8015D MOD: GASOLINE RANGE** Analyst: RAA Gasoline Range Organics (GRO) ND 2/14/2023 10:45:08 AM 48 mg/Kg 1 Surr: BFB 109 70-130 %Rec 1 2/14/2023 10:45:08 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level
 Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of standard limits. If undiluted results may be estimated.

- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 5

S

Client: Project:		CORP ENERGY illo GC A 1	Y								
Sample ID:	MB-73181	SampTy	ype: m t	olk	Tes	tCode: EF	PA Method	300.0: Anion	s		
Client ID: F	PBS	Batch	ID: 73	181	F	RunNo: 9 4	4587				
Prep Date:	2/14/2023	Analysis Da	ate: 2/	14/2023	S	SeqNo: 34	420367	Units: mg/K	g		
Analyte Chloride		Result ND	PQL 1.5	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Sample ID: I	_CS-73181	SampTy	ype: Ics	;	Tes	tCode: EF	PA Method	300.0: Anion	s		
Client ID:	LCSS	Batch	ID: 73	181	F	RunNo: 9 4	4587				
Prep Date:	2/14/2023	Analysis Da	ate: 2/	14/2023	S	SeqNo: 34	420368	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride		14	1.5	15.00	0	93.8	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 5

2302502

16-Feb-23

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: HII	CORP ENERGY						
Project: Tru	jillo GC A 1						
Sample ID: LCS-73126	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: LCSS	Batch ID: 73126	RunNo: 94595					
Prep Date: 2/10/2023	Analysis Date: 2/15/2023	SeqNo: 3420304 Units: %Rec					
Analyte Surr: DNOP	Result PQL SPK value 4.0 5.000	e SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual					
	4.0 5.000						
Sample ID: LCS-73138	Sample ID: LCS-73138 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: LCSS	Batch ID: 73138	RunNo: 94595					
Prep Date: 2/10/2023	Analysis Date: 2/15/2023	SeqNo: 3420305 Units: mg/Kg					
Analyte	Result PQL SPK value	e SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual					
Diesel Range Organics (DRO)							
Surr: DNOP	4.0 5.000	0 79.8 69 147					
Sample ID: MB-73126	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: PBS	Batch ID: 73126	RunNo: 94595					
Prep Date: 2/10/2023	Analysis Date: 2/15/2023	SeqNo: 3420309 Units: %Rec					
	-						
Analyte		e SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual					
Surr: DNOP	8.0 10.00	0 79.9 69 147					
Sample ID: MB-73138	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: PBS	Batch ID: 73138	RunNo: 94595					
Prep Date: 2/10/2023	Analysis Date: 2/14/2023	SeqNo: 3420310 Units: mg/Kg					
Analyte	Result PQL SPK value	e SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual					
Diesel Range Organics (DRO)							
Motor Oil Range Organics (MR							
Surr: DNOP	8.1 10.00	0 81.3 69 147					

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 5

2302502

16-Feb-23

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: HILCO	ORP ENERG	Y								
Project: Trujill	o GC A 1									
Sample ID: Ics-73134	SampT	ype: LC	S	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: LCSS	Batc	h ID: 73	134	F	RunNo: 9 4	4585				
Prep Date: 2/10/2023	Analysis E	Date: 2/	13/2023	5	SeqNo: 34	419352	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.97	0.025	1.000	0	97.1	70	130			
Toluene	1.1	0.050	1.000	0	107	70	130			
Surr: 1,2-Dichloroethane-d4	0.60		0.5000		119	70	130			
Surr: 4-Bromofluorobenzene	0.58		0.5000		115	70	130			
Surr: Dibromofluoromethane	0.48		0.5000		95.1	70	130			
Cum Teluene do	0.50		0.5000		104	70	130			
Surr: Toluene-d8	0.52		0.5000		104	70	130			
Surr: Toluene-d8		Гуре: МЕ		Tes			8260B: Volat	iles Short	List	
	SampT	∫ype: ME h ID: 73 ′	BLK			PA Method		iles Short	List	
Sample ID: mb-73134	SampT	h ID: 73	BLK 134	F	tCode: El	PA Method 4585			List	
Sample ID: mb-73134 Client ID: PBS	Samp1 Batcl	h ID: 73	BLK 134 13/2023	F	tCode: El RunNo: 94	PA Method 4585	8260B: Volat		List	Qual
Sample ID: mb-73134 Client ID: PBS Prep Date: 2/10/2023	SampT Batcl Analysis [h ID: 73 Date: 2 /	BLK 134 13/2023	F	tCode: El RunNo: 94 SeqNo: 34	PA Method 4585 419353	8260B: Volat	g		Qual
Sample ID: mb-73134 Client ID: PBS Prep Date: 2/10/2023 Analyte	SampT Batcl Analysis E Result	h ID: 73 Date: 2 / PQL	BLK 134 13/2023	F	tCode: El RunNo: 94 SeqNo: 34	PA Method 4585 419353	8260B: Volat	g		Qual
Sample ID: mb-73134 Client ID: PBS Prep Date: 2/10/2023 Analyte Benzene	SampT Batcl Analysis E Result ND	h ID: 73 Date: 2 / PQL 0.025	BLK 134 13/2023	F	tCode: El RunNo: 94 SeqNo: 34	PA Method 4585 419353	8260B: Volat	g		Qual
Sample ID: mb-73134 Client ID: PBS Prep Date: 2/10/2023 Analyte Benzene Toluene	SampT Batcl Analysis E Result ND ND	h ID: 73 Date: 2 / PQL 0.025 0.050	BLK 134 13/2023	F	tCode: El RunNo: 94 SeqNo: 34	PA Method 4585 419353	8260B: Volat	g		Qual
Sample ID: mb-73134 Client ID: PBS Prep Date: 2/10/2023 Analyte Benzene Toluene Ethylbenzene	SampT Batcl Analysis E Result ND ND ND	h ID: 73 Date: 2 / <u>PQL</u> 0.025 0.050 0.050	BLK 134 13/2023	F	tCode: El RunNo: 94 SeqNo: 34	PA Method 4585 419353	8260B: Volat	g		Qual
Sample ID: mb-73134 Client ID: PBS Prep Date: 2/10/2023 Analyte Benzene Toluene Ethylbenzene Xylenes, Total	SampT Batcl Analysis E Result ND ND ND ND	h ID: 73 Date: 2 / <u>PQL</u> 0.025 0.050 0.050	BLK 134 13/2023 SPK value	F	tCode: El RunNo: 9 SeqNo: 3 %REC	PA Method 4585 419353 LowLimit	8260B: Volat Units: mg/K HighLimit	g		Qual
Sample ID: mb-73134 Client ID: PBS Prep Date: 2/10/2023 Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 1,2-Dichloroethane-d4	Samp Batc Analysis E Result ND ND ND ND 0.55	h ID: 73 Date: 2 / <u>PQL</u> 0.025 0.050 0.050	BLK 134 13/2023 SPK value 0.5000	F	tCode: El RunNo: 9 SeqNo: 3 %REC 110	PA Method 4585 419353 LowLimit 70	8260B: Volat Units: mg/K HighLimit 130	g		Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 5

2302502

16-Feb-23

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

	RP ENERG GC A 1	Y								
Sample ID: LCS-73134	SampT	ype: LC	S	Tes	tCode: El	PA Method	8015D Mod:	Gasoline	Range	
Client ID: LCSS Batch ID: 73134		F	RunNo: 9 4	4585						
Prep Date: 2/10/2023	Analysis D	ate: 2/	13/2023	S	SeqNo: 34	419311	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	5.0	25.00	0	108	70	130			
Surr: BFB	560		500.0		111	70	130			
Sample ID: mb-73134	Sample ID: mb-73134 SampType: MBLK TestCode: EPA Method 8015D Mod: Gasoline Range									
Client ID: PBS	Batch	n ID: 73 4	134	F	RunNo: 94	4585				
Prep Date: 2/10/2023	Analysis D	ate: 2/	13/2023	S	SeqNo: 34	419312	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	550		500.0		111	70	130			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

2302502

16-Feb-23

HALL
ENVIRONMENTAL
 ANALYSIS
LABORATORY

Page 21 of 24

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

			w.nallenvironmenia			
Client Name:	HILCORP ENERGY	Work Order Nun	nber: 2302502		RcptNo:	1
Received By:	Juan Rojas	2/10/2023 6:30:00		Heansy		
	-			/ 2		
Completed By:	Tracy Casarrubias	2/10/2023 8:49:41	AM			
Reviewed By:	JA 2-10-23					
Chain of Cus	<u>tody</u>					
1. Is Chain of C	ustody complete?		Yes 🗌	No 🔽	Not Present	
2. How was the	sample delivered?		<u>Courier</u>			
Log In						
3. Was an atten	npt made to cool the sampl	es?	Yes 🗹	No 🗌	NA 🗌	
4. Were all sam	ples received at a temperat	ure of >0° C to 6.0°C	Yes 🔽	No 🗌	NA 🗌	
5. Sample(s) in	proper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sam	ple volume for indicated te	st(s)?	Yes 🗹	No 🗌		
7. Are samples (except VOA and ONG) pro	perly preserved?	Yes 🗹	No 🗌		
8. Was preserva	tive added to bottles?		Yes 🗌	No 🗹	na 🗌	
9. Received at le	ast 1 vial with headspace	<1/4" for AQ VOA?	Yes	No 🗌	NA 🔽	
0. Were any sar	nple containers received bi	oken?	Yes	No 🗹	# of preserved	
			v [7	N. 🗆	bottles checked	
	ork match bottle labels? ancies on chain of custody)		Yes 🗹	No 🛄	for pH: (<2 or	>12 unless noted)
	correctly identified on Chair		Yes 🗹	No 🗌	Adjusted?	
3. Is it clear what	analyses were requested?	,	Yes 🗹	No 🗌		
	ng times able to be met? ustomer for authorization.)		Yes 🗹	No 🗌	Checked by:	22/10/2
	ing (if applicable)			F		
15. Was client no	tified of all discrepancies w	ith this order?	Yes 🗌	No 🗌	NA 🗹	
Person	Notified:	Date	e: [and a second second second		
By Who	m:	Via:	eMail 🔲 I	Phone 🗌 Fax	In Person	
Regard	ng:	and a state of a second state of the second st				
Client Ir	nstructions:			A WARE ALL AND A STATUT		
16. Additional rei	marks:					
7. <u>Cooler Infor</u>						
Cooler No		Seal Intact Seal No	Seal Date	Signed By		
	0.4 Good	Yes Morty				

Received by OCD: 4/14/2023 1:22:25 PM	-	Page 22 of 24
Chain-of-Custody Record	Turn-Around Time:	
Client: Hilcorp	Standard D Rush	ANALY ENVIRONMENTAL ANALYSTS LABORATORY
		www.hallenvironmental.com
Mailing Address:	Truistlo 6C A # 1	4901 Hawkins NE - Albuquerque, NM 87109
	Project #:	10
Phone #:	A DESCRIPTION OF A DESC	Anal
email or Fax#: brandon . Sinclair @ hileano.com Project Manage	Project Manager:	¢0
QA/QC Package:		S (, , , S МS
Standard Level 4 (Full Validation)	Kate Kautman	ьо місо логі
	Bra	10 ² ; 8276 8276 107
NELAC Other	On Ice: Pres DNo	05 8\25 00 10 10 8 2 8 10 8 (AC
EDD (Type)	# of Coolers: 1 Worky	(GI 310 310 310 310 310
	Cooler Temp(Including cF): U. 246. 2 ± C. 4 (°C)	15D bitse dtfal dtfal 8 y 8 M 8 7 M 8 1 , 1 3 1 , 1 7 0 A 0 7 0 A 0 7
	Preservative	2222 22412 2220 2220 2220 2220 2220 2220
Uate I I The Matrix Safitible Natrie	1 1 ype and # 1 ype 2.02.7	
2-8 0915 50il Bottom Comp	Y 02 : Or COOL 001	
	There is a start of the second se	
Date: Time: Relinquished by: 2-9 1435 R An D	Repetived by: Via: Date Time	Remarks:
Date: Time: Religquished by:	Date	[11] L. L. L. MARCOLL, J. M. MARCOLL, M.
If necessary, samples submitted to Hall Environmental may be sub-	If necessary samples cubmitted to Heil Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will	possibility. Any sub-contracted data will be clearly instand on the analytical renort

Released to Imaging: 4/17/2023 3:15:49 PM

•

Reset AGT



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	207985
	Action Type:
	[C-144] Below Grade Tank Plan (C-144B)

CONDITIONS

Created By Condition scwells None

CONDITIONS

Action 207985

Condition Date

4/17/2023