

Well Name: CARSON UNIT 15	Well Location: T25N / R12W / SEC 15 / SENE / 36.40167 / 108.09221	County or Parish/State: SAN JUAN / NM
Well Number: 342	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM070322	Unit or CA Name: CARSON UNIT--FRCL	Unit or CA Number: NMNM78385D
US Well Number: 300452767000S1	Well Status: Producing Gas Well	Operator: DJR OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 04/27/2021	Time Sundry Submitted: 12:43
Date Operation Actually Began: 04/22/2021	
Actual Procedure: The subject well was Plugged & Abandoned on 04/22/2021 per the attached detailed As Plugged Wellbore Diagram and Marker.	

SR Attachments

Actual Procedure

- Carson_Unit_15_342_PXA_Marker_20210427124315.pdf
- Carson_Unit_15_342_EOWR___AsPlugged_WBD_20210427124306.pdf

Received by OCD: 3/16/2023 2:07:07 PM

Page 2 of 6

Well Name: CARSON UNIT 15	Well Location: T25N / R12W / SEC 15 / SENE / 36.40167 / 108.09221	County or Parish/State: SAN JUAN / NM
Well Number: 342	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM070322	Unit or CA Name: CARSON UNIT--FRCL	Unit or CA Number: NMNM78385D
US Well Number: 300452767000S1	Well Status: Producing Gas Well	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: APR 27, 2021 12:43 PM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: WILLIAM F TAMBEKOU	BLM POC Title: PETROLEUM ENGINEER
BLM POC Phone: 7192698500	BLM POC Email Address: wtambekou@blm.gov
Disposition: Accepted	Disposition Date: 05/04/2021
Signature: William Max Tambekou	

DJR Operating, LLC
P&A End of Well Report
Carson Unit 15 342
API # 30-045-27670
SE/NE Unit H. Sec 15, T25N, R12W
San Juan County, NM
Spud Date: 4-2-1990
Plug Date: 4-22-2021

4-21-2021:

MIRU rig and equipment. SITP = 20, SICP = 30, BH = 0. TOOH and LD rods and tubing. NDWH, NU BOP. TIH with workstring and string mill to 1000'. TOOH. TIH with cement retainer, set retainer at 972'. Load and roll hole. PT casing, did not test. BLM requested CBL log.

P&A Plug 1: Fruitland perforations: Mix and pump 10 sx through retainer into perforations. TOOH.

RIH with CBL, run CBL from 972' to surface. TOC at 55'.

4-22-2021:

TIH to 972'.

P&A Plug 2: Kirtland, Ojo Alamo to surface: Mix and pump plug of 98 sx from 972' to surface. TOOH.

WOC. ND BOP, cut off WH. TOC at surface. Install P&A marker.

Top off with 14 sx.

Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Wanda Weatherford, BLM and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.40168302 N, Long; 108.0929607 W

DJR Operating, LLC

Carson Unit 15 342

API # 30-045-27670

SE/NE, Unit H, Sec. 15, T25N, R12W

San Juan County, NM



DJR Operating, LLC PxA End of Well Report

Carson Unit 15 342

API # 30-045-27670

SE/NE, Unit H, Sec 15, T25N, R12W
San Juan County, NM

GL 6212'

KB N/A

Spud Date 4/2/1990

SURF CSG

Hole size 8.75"
Csg Size: 7"
Wt: 20#
Grade: J-55
ID: 6.456"
Depth 128'
casing cap ft³/ft: 0.2273
TOC: Circ cmt
to surface

FORMATION TOPS


Nacimiento	Surface
Ojo Alamo	N/A
Kirtland	410'
Fruitland	1022'
Pictured Cliffs	1065'

PROD CSG

Hole size 6.25"
Csg Size: 4.5"
Wt: 9.5
Grade: J-55
ID: 4.09
Depth 1151'
casing cap ft³/ft: 0.0912
7x4.5 capacity ft³/ft: 0.1169
TOC: Circ cmt
to surface

Fruitland Coal perms
1022-1037'

PBTD 1098'
TD 1140'



4/22/21: Top off plug: Set DHM. Mixed and pumped 14 sx cement to top off cellar.

4/22/21: Plug 2: Mixed and pumped 98 sx cement from CR to surface.

4/21/21: Plug 1: Set CR at 972'. PT failed. Squeezed 12 sx cement cement below CR. Ran CBL and found TOC at 55'. Received regulatory approval to proceed with plugging operations.

All cement is Class G mixed at 1.15 cu. ft./sk and 15.8 ppg.

4/27/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 198061

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 198061
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	No string pressures on second day - well plugged 4/22/21	4/6/2023