

P.O. Box 10640 Bozeman, Montana 59719

(406) 460-0903

TO: Jim Griswold, NMOCD

FROM: Curtis Shuck, Chairman

DATE: April 15, 2023

RE: O'Brien Fee 19 #003 (30-005-60566) Orphan Well Post-Plugging Methane Monitoring

TECHNICAL MEMORANDUM

Well Done New Mexico LLC and the Well Done Foundation, Inc. (WDF) performing contract professional services methane monitoring for the State of New Mexico Energy, Minerals and Natural Resources Department – Oil Conservation Division (OCD) under Purchase Order #52100-0000073985 for Orphan Oil & Gas Wells in Chaves County, NM.

The site conditions found at the O'Brien Fee 19 #003 by the WDF Measure 1 Field Team on March 18, 2023, revealed cement filled casing that had been cutoff 3' below grade with a welded monument. The WDF Measure 1Team took site photographs, performed field gas measurements and collected a gas sample for immediate laboratory analysis.



Image 1.1 - O'Brien Fee 19 #003 (30-005-60566) Orphan Well in Chaves County, NM

The Pre-Plugging Methane Flow Calculations were based on the O'Brien Field Averaging Analysis conducted by the Well Done Foundation and Well Done New Mexico LLC and dated March 30, 2023, that included a total of 26 orphan wells. 16 of the O'Brien Field Wells, or 61.54%, were randomly selected and monitored using Ventbuster™ Instruments VB100 Series Ultra-Low Flow Meter with GPS. The Methane Concentration and Methane Flow results of the 16 monitored wells were then averaged and applied to the 10 wells, or 38.46% that were not measured. This resulted in 91,741.25 ppm in methane gas concentration and 0.61 cubic meters per day of wellhead emissions. Therefore, the adjusted average methane gas emission measured at this wellhead is calculated at **1.67 grams per hour (g/hour)**.¹

The State of New Mexico used the methane flow data collected by WDF to prioritize the O'Brien Fee 19 #003 orphan well plugging under the IIJA Program and began mobilizing a contractor to location. J A Drake Well Service, Inc. of Farmington, NM was awarded the plugging contract.

WDF arrived at the O'Brien Fee 19 #003 location on March 18, 2023, to perform post-plugging orphan well methane testing and sampling on behalf of the State of New Mexico. WDF post plugging field gas tests revealed 0.00% of methane or H2s gasses. The post plugging collected gas samples, analyzed by Laboratory Services, Inc. confirmed 0.00 ppm or methane gas and 0.00 ppm of H2s gas. THEREFORE, the total Methane Gas Emissions Reduction is: 1.67 g/hour.

^{• 1} Methane Calculation: 717 grams CH4 per cubic meter (717 x 0.61 m3/day = 437.37 g/day total /24 = 18.22 g/hour x 0.091741 (methane concentration) = 1.67 g/hour CH4). Methane, gas weighs 0.000717 gram per cubic centimeter or 0.717 kilogram per cubic meter, i.e. density of methane, gas is equal to 0.717 kg/m³; at 0°C (32°F or 273.15K) at standard atmospheric pressure. In Imperial or US customary measurement system, the density is equal to 0.044 pound per cubic foot [lb/ft³].

This orphan well did exceed the >1 g/hour federal program reporting requirements for methane emissions reductions as described in Section 40601 (Orphaned well site plugging, remediation, and restoration) of Title V (Methane Reduction Infrastructure) of the 2021 Bipartisan Infrastructure Law (BIL; Public Law 117-58)².



333 Main Street Shelby, Montana 59474 / P.O. Box 10640 Bozeman, MT 59179

(406) 460-0903

TO: Jim Griswold, OCD

FROM: Curtis Shuck, WDNM

DATE: March 30, 3023

RE: O'Brien Orphan Well Field Averaging

MEMORANDUM

Well Done New Mexico LLC performed an Orphan Well Methane Emission Averaging Analysis on the O'Brien Field in Chaves County, NM that included 26 Orphan Wells in total. Of the total 26 Orphan Wells in the study group, 16 of them (61.54%) were randomly selected for the full Methane Emissions Testing, and the average of the Methane Concentration, in PPM, and the Average of the Methane Flow, in m3/day, was calculated and applied to the 10 Orphan Wells (38.46%) that did not receive the full Methane Emissions Testing.

The results of the O'Brien Field Averaging Analysis are shown below and attached herewith:

ell Name	Well #	API#	County	Purchase Order	Gas Sample	CH4/PPM	Total LELs/PPM	CH4 Flow @ m3/day	Methane Emission @ g/hour	Post Plug CH4
Brien Deming 13	1	30-005-60922	Chaves	52100-72995	19-Feb	1,380	8,390	0.02	0.001	
Brien Deming 6	1	30-005-60634	Chaves	52100-72995	18-Dec	0	5,800	0.000	0.000	
Irien Deming 6	2	30-005-60730	Chaves	52100-72995	18-Dec	0	3.110	0.000	0.000	
rien Fee 18	1	30-005-60619	Chaves	52100-72995		91.741.25	132.849	0.6088	1.668	
rien Fee 18	2	30-005-60640	Chaves	52100-72995	21-Feb	493,430	764,050	2.400	35.378	
ien Fee 18	3	30-005-60725	Chaves	52100-72995		91,741.25	132,849	0.6088	1.668	
ien Fee 18	4	30-005-60902	Chaves	52100-72995	19-Feb	9	4,100	0.000	0.000	
ien Fee 18	6	30-005-61246	Chaves	52100-72995		91.741.25	132.849	0.6088	1.668	
ien Fee 19	1	30-005-60528	Chaves	52100-72995		91.741.25	132,849	0.6088	1.668	
ien Fee 19	2	30-005-60565	Chaves	52100-72995		91,741.25	132,849	0.6088	1.668	
ien Fee 19	3	30-005-60566	Chaves	52100-72995		91,741.25	132,849	0.6088	1.668	
rien Fee 19	4	30-005-60654	Chaves	52100-72995		91,741.25	132,849	0.6088	1.668	
rien Fee 19	5	30-005-60716	Chaves	52100-72995		91,741.25	132.849	0.6088	1.668	
rien Fee 19	6	30-005-60804	Chaves	52100-72995		91,741.25	132,849	0.6088	1.668	
Brien Fee 19	7	30-005-60905	Chaves	52100-72995	21-Feb	8,610	11,520	0.04	0.01	
Brien Fee 19	é	30-005-61021	Chaves	52100-72995	21-160	91,741.25	132,849	0.6088	1.668	
rien Fee 24	1	30-005-60803	Chaves	52100-72995	19-Feb	160,400	252,660	0.0088	1.000	
rien Fee 24	2	30-005-60923	Chaves	52100-72995	21-Feb	8,360	8.891	0.14	0.035	
Brien Fee 25	÷	30-005-60655	Chaves	52100-72995	23-Feb	44,050	133,860	0.01	0.033	
Brien Lightcap 7	1	30-005-60815	Chaves	52100-72998	18-Dec	0	3,680	0.01		Not Plugged
Brien Lightcap 7	2	30-005-60816	Chaves	52100-72998	19-Dec	0	3,230	0	Ö	HOC I IUBBEU
Brien LLL	1	30-005-62194	Chaves	52100-72998	20-Dec	510	2,128	0	Ö	
Brien P	1	30-005-62192	Chaves	52100-72998	21-Dec	0	9.070	0	o o	Not Plugged
Brien P	2	30-005-62247	Chaves	52100-72998	21-Dec	141.550	202,980	0	0	HOC I IUBBEU
Brien P	2	30-005-62267	Chaves	52100-72998	21-Dec	609,570	709,530	7.13	129.843	
Brien R	1	30-005-62190	Chaves	52100-72998	20-Dec	0	2.580	,.15	125.045	
Total O'Brien Wells	•	O'Brien Well	% of Total	% of Total	1	Sample Total CH4 PPM	Sample Total Explosive Gas PPM	Sample Total Flow m3/day	Sample Total CH4 Emission g/hour	Total O'Brien CH4 Emission g/h
otal o briefi Wells		Sample Set	O'Brien Wells	O'Brien Wells		1,467,860	2.125.579	9.7400	165.2800	Total o brief cri4 crission g/ i
		Applied	Tested	Averaged		Sample Avg CH4 PPM		Sample Average Flow m3/day	Sample Avg CH4 Emission g/hour	181.960
26		16	61.54	38.46		91,741.25	132,849	0.6088	1.6680	

Image 2.1 - Well Done New Mexico LLC O'Brien Field Averaging Memorandum

² These April 11, 2022 Guidelines were developed to meet the federal program reporting requirements for methane emissions reductions as described in Section 40601 (Orphaned well site plugging, remediation, and restoration) of Title V (Methane Reduction Infrastructure) of the 2021 Bipartisan Infrastructure Law (BIL; Public Law 117-58).

² | Page




Image 3.1 - O'Brien Fee 19 #003 (30-005-60566) Methane Gas Emissions Reduction Pre Plugging to Post Plugging

TECHNICAL FINDINGS

O'Brien Fee 19 #003 (30-005-60566):

- Total C1 through C6 Gas Concentration: 132,849 ppm
- Total Measured Wellhead Gas Emissions: 0.61 m3/day
- Methane Gas Concentration: 91,741 ppm
- Calculated Average Wellhead Methane Gas Emissions: 1.67 g/hour
- Post Plugging Methane Gas Concentration: 0.00 ppm
- Post Plugging Methane Flow: 0.00 g/hour

CONCLUSIONS

- The O'Brien Fee 19 #003 (30-005-60566) was emitting Methane gas pre-plugging at the average rate of 1.67 g/hour, which was above the Federal minimum threshold for reporting described in Section 40601 (Orphaned well site plugging, remediation, and restoration) of Title V (Methane Reduction Infrastructure) of the 2021 Bipartisan Infrastructure Law (BIL; Public Law 117-58) which is >1g/hour.
- Post Plugging, the O'Brien Fee 19 #003 (30-005-60566) presented 0.00 ppm of Methane gas emissions from field gas tests and laboratory analysis of WDF collected gas samples.

FIELD NOTES




Image 4.1 - O'Brien Fee 19 #003 (30-005-60566) Field Notes from WDF Well Intel™ Orphan Well Project Management IoT



1) O'Brien Fee 19 #003 - Field Gas Analysis



3) O'Brien Fee 19 #003 - Green Ribbon



2) O'Brien Fee 19 #003 - Gas Sample

www.permianls.com 575.397.3713 2609 W Marland Hobbs NM 88240



16088G		OBrien Fee 19 #003					OBrien Fee 19 #003	
Sample Point Code			Sample Point Na	me		Sample P	oint Location	
Laboratory Ser		2023066		Tedlar Bag		CES - Spo	ot	
Source Laborate	ory	Lab File N	No	Container Identity		Sampler		
USA		USA		USA	·-	New Mexic	0	
District		Area Name		Field Name		Facility Nam	e	
Mar 18, 2023 14:	45	Mar 18, 2023 14:45		Mar 24, 2023 08:47		Mar 24, 2023		
Date Sampled		Date	e Effective	Da	te Received	Da	ate Reported	
		Luis						
Ambient Temp (°F)	Flow Rate (Mcf)	Analyst		Press PSI @ Temp °F Source Conditions				
Well Done Found	ation					NG		
Operator					L	ab Source Descr	iption	
Component	Normalized	Un-Normalized	GPM	Gro	ss Heating Value	es (Real, BTU	/ft³)	
сотролен	Mol %	Mol %	Grin	14.696 PSI @			5I @ 60.00 °F	
H2S (H2S)	0.0000	0		Dry 27.4	Saturated 27.8	Dry 27.5	Saturated 27.9	
Nitrogen (N2)	99.4170	99.41688		Ca	alculated Total S	ample Proper	ties	
CO2 (CO2)	0.0510	0.05137		Gl	PA2145-16 *Calculated			
Methane (C1)	0.0000	0		Relative Der 0.97			Density Ideal	
Ethane (C2)	0.0000	0	0.0000	Molecular	Weight			
Propane (C3)	0.0000	0	0.0000	28.30	683			
I-Butane (IC4)	0.0000	0	0.0000	C6+ Group Properties Assumed Composition				
N-Butane (NC4)	0.0000	0	0.0000	C6 - 60.000%		•	C8 - 10.000%	
I-Pentane (IC5)	0.0000	0	0.0000		Field I			
N-Pentane (NC5)	0.0000	0	0.0000	-	0 PF	PM		
Hexanes Plus (C6+)	0.5320	0.53176	0.2310	PROTREND STATUS:		DATA	OURCE:	
TOTAL	100.0000	100.0000	0.2310	Passed By Validato				
Method(s): Gas C6+ - GPA 2261, Extended	Gas - GPA 2286, Calcula	itions - GPA 2172		PASSED BY VALIDAT First sample taken		mposition loo	ks reasonable	
	Analyzer Informa	ition		VALIDATOR:	C 4 p 4 q 4.			
Device Type: Gas Chromato	graph Device	e Make: Shimadz	u	Brooke Rush				
Device Model: GC-2014	Last C	al Date: Feb 13, 2	2023	VALIDATOR COMMENT OK	NIS:			
Source D	ate	Notes						
Brooke Rush Mar 27,	2023 2:31 pm	Methane = 0 PPM						

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 210968

DEFINITIONS

Operator:	OGRID:
CANYON E & P COMPANY	269864
251 O'Connor Ridge Blvd.	Action Number:
Irving, TX 75038	210968
	Action Type:
	[UF-OMA] Post-Plug Methane Monitoring (UF-OMA-MMB)

DEFINITIONS

The Orphan Well Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted plugging and reclamation activities. Specifically, these forms are used for orphan wells or associated facilities which are in a "Reclamation Fund Approved" status. This status represents wells or facilities where the OCD has acquired a hearing order allowing the OCD to perform plugging or reclamation on wells and associated facilities that no longer have a viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

District III

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 210968

QUESTIONS

Operator:	OGRID:
CANYON E & P COMPANY	269864
· ·	Action Number:
Irving, TX 75038	210968
	Action Type:
	[UF-OMA] Post-Plug Methane Monitoring (UF-OMA-MMB)

QUESTIONS

Prerequisites		
[OGRID] Well Operator	[269864] CANYON E & P COMPANY	
[API] Well Name and Number	[30-005-60566] O'BRIEN FEE 19 #003	
Well Status	Plugged (not released)	

Monitoring Event Information		
Please answer all the questions in this group.		
Reason For Filing	Post-Plug Methane Monitoring	
Date of monitoring	03/18/2023	
Latitude	33.599228	
Longitude	-104.0306931	

Monitoring Event Details			
Please answer all the questions in this group.			
Flow rate in cubic meters per day (m³/day)	0.00		
Test duration in hours (hr)	1.0		
Average flow temperature in degrees Celsius (°C)	10.0		
Average gauge flow pressure in kilopascals (kPag)	0.0		
Methane concentration in part per million (ppm)	0		
Methane emission rate in grams per hour (g/hr)	0.00		
Testing Method	Steady State		

	Monitoring Contractor		
Please answer all the questions in this group.			
	Name of monitoring contractor	Well Done New Mexico LLC	