Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137 Expires: December 31, 2024

BUREAU OF LAND MANAGEMENT	5. Lease Serial No.	NMNM-0557563
UNDRY NOTICES AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name	

SUNDRY NOTICES AND REPORTS ON WELLS

		o drill or to re-enter an PD) for such proposals			
SUBMIT IN	TRIPLICATE - Other instru	uctions on page 2		7. If Unit of CA/Agreen	ment, Name and/or No.
1. Type of Well					
✓ Oil Well Gas W	to the various of				South Lucky Lake Queen Unit 3
2. Name of Operator Mack Energy Co	orporation			9. API Well No. 30-005	5-60352
3a. Address P.O. Box 960		3b. Phone No. (include area cod	le)	10. Field and Pool or E	xploratory Area
Artesia, NM 88211-096	0	(575) 748-1288		41320 Lucky Lake Queen, South	
4. Location of Well (Footage, Sec., T., F.	R.,M., or Survey Description)			11. Country or Parish, S	State
990 FNL & 330 FWL, Sec. 22 T15	S R29E			Chaves, NM	
12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATUR	E OF NOT	ICE, REPORT OR OTH	ER DATA
TYPE OF SUBMISSION		TY	PE OF AC	TION	
Notice of Intent	Acidize	Deepen	Proc	luction (Start/Resume)	Water Shut-Off
Notice of Intent	Alter Casing	Hydraulic Fracturing	Recl	lamation	Well Integrity
✓ Subsequent Report	Casing Repair	New Construction	Reco	omplete	Other
Subsequent Report	Change Plans	✓ Plug and Abandon	Tem	porarily Abandon	
Final Abandonment Notice	Convert to Injection	Plug Back	Wate	er Disposal	
3. Describe Proposed or Completed O	peration: Clearly state all per	rtinent details, including estimate	d starting d	late of any proposed worl	k and approximate duration thereof. If

the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site

03/10/23 MIRU plugging equipment. Unhung wellhead, POH w/ rods & pump. Dug out well head, POH w/ tbg. ND well head, NU BOP. 03/13/23 Set 4 1/2 CIBP @ 1710'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt w/ 2% CACL @ 1710-1348'. WOC. Tagged plug @ 1275'. Spotted 25 sx class C cmt @ 1080-718'. 03/14/23 Perf'd @ 325'. Sqz'd 125 sx class C cmt @ 325 & displaced with 2 bbls H20. WOC. Tagged plug @ 86'. 03/15/23 Pressure tested csg, held 500 PSI. ND BOP. Spotted 10 sx class C cmt @ 82' to surface. 03/16/23 Moved in backhoe and welder. Cut off well head & anchors. Kevin Basil w/ BLM verified cmt @ surface via picture text message. Welded on "Under Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Accepted for Record - contact Rick Flores at rflores@blm.gov for reclamation.

	Accepted for record – NMOCD
14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	JRH05/04/2023
Delilah Flores	Regulatory Technician I
ignature	ate 03/17/2023
THE SPACE FOR FEDER	RAL OR STATE OFICE USE
Approved by	Petroleum Engineer Date 03/20/2023
Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject least which would entitle the applicant to conduct operations thereon.	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve hydraulic fracturing operations, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Plug Abandonment Subsequent Report

OPERATOR NAME: Bar V Barb, LLC

LEASE NO.: NMNM71036X

WELL NAME & NO.: South Lucky Lake Queen Unit #3

US WELL NUMBER: 30-005-60352


LOCATION: Sec 22, T15S, R29E

COUNTY: Chaves, New Mexico

03/10/23 MIRU plugging equipment. Unhung wellhead, POH w/ rods & pump. Dug out well head, POH w/ tbg. ND well head, NU BOP. 03/13/23 Set 4 1/2 CIBP @ 1710'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt w/ 2% CACL @ 1710-1348'. WOC. Tagged plug @ 1275'. Spotted 25 sx class C cmt @ 1080-718'. 03/14/23 Perf'd @ 325'. Sqz'd 125 sx class C cmt @ 325 & displaced with 2 bbls H20. WOC. Tagged plug @ 86'. 03/15/23 Pressure tested csg, held 500 PSI. ND BOP. Spotted 10 sx class C cmt @ 82' to surface. 03/16/23 Moved in backhoe and welder. Cut off well head & anchors. Kevin Basil w/ BLM verified cmt @ surface via picture text message. Welded on "Under Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Bar V Barb,	LLC	Cur	rent
Author:	Abby @ BCM		
Well Name	South Lucky Lake Qn Unit	Well No.	#3
Field/Pool		API#:	30-005-60352
County	Chaves	Location:	Sec 22, T15S, R29E
State	New Mexico	_	990 FNL & 330 FWL
Spud Date	9/8/1975	KB:	3939
		_	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		20#	275	11	150	0
Prod Csg	4 1/2		9.5#	1,875	7 7/8	275	282 +/- Calc



Formation	Тор
Rustler	247
Salado	273
Tansill	901
Yates	1029
7 Rivers	1163
Queen	1759

o. #3
30-005-60352
on: Sec 22, T15S, R29E
990 FNL & 330 FWL
3939
_

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		20#	275	11	150	0
Prod Csg	4 1/2		9.5#	1,875	7 7/8	275	282 +/- Calc

Formation T	ор
Rustler	247
Salado	273
Tansill	901
Yates	1029
7 Rivers	1163
Queen	1759

8 5/8 20# CSG @ 275 Hole Size: 11

3. Perf'd @ 325'. Sqz'd 125 sx class C cmt @ 325 & displaced with 2 bbls H20. WOC. Tagged plug @ 86'. Pressure tested csg, held 500 PSI. ND BOP. Spotted 10 sx class C cmt @ 82' to surface.

2. Spotted 25 sx class C cmt @ 1080-718'.

1. Set 4 1/2 CIBP @ 1710'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt w/ 2% CACL @ 1710-1348'. WOC. Tagged plug @ 1275'.

Perfs @ 1760-1773

4 1/2 9.5# CSG @ 1,875 Hole Size: 7 7/8

TDPB @ 1833

TD @ 1875'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 198742

CONDITIONS

Operator:	OGRID:
MACK ENERGY CORP	13837
P.O. Box 960	Action Number:
Artesia, NM 882110960	198742
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
john.harrison	None	5/4/2023