

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-05115
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Harvard Petroleum Company, LLC		6. State Oil & Gas Lease No.
3. Address of Operator PO Box 936, Roswell, NM 88202		7. Lease Name or Unit Agreement Name Buckley
4. Well Location Unit Letter N : 430 feet from the S line and 1670 feet from the W line Section 25 Township 14S Range 37E NMPM LEA County		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3805 GL		9. OGRID Number 10155
		10. Pool name or Wildcat Denton Wolfcamp

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Harvard Petroleum Company, LLC has plugged this well. See attached plugging report.


Spud Date:


9/5/56

Rig Release Date:

11/8/56

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **Consultant** DATE **1/29/2023**
 Type or print name **Phelps White** E-mail address: **pwiv@zianet.com** PHONE: **575 626 7660**
For State Use Only

APPROVED BY:  TITLE **Petroleum Specialist** DATE **05/04/2023**
 Conditions of Approval (if any):



PLUGGING REPORT

Buckley #1

API 30-025-05115

12/21-28/22 MI plugging equipment

12/29/22 RU pulling unit. Remove horse head, test tubing 1000 psi.

12/30/22 Unseat pump and POH LD Rods.

12/2-1/4/23 Shut down for NY.

1/5/23 NU BOP and POH w/ 250 jts tubing, rig broke down

1/6-10/23 Shut down for rig repairs

1/11/23 POH w/ tubing. MIRU Wireline, set CIBP @ 9190' and dump 35' cement on top

1/12/23 RIH and tag plug @ 9155'. Circulate hole w/ plug mud and test casing 600 psi OK.

1/13/23 Pump 25 sx class H cement @ 8099'. POH w/ tubing. Perforate 6261'. RIH w/ packer and pressure up to 500 psi w/ no injection.

1/16/23 POH w/ packer and RIH open ended. Pump 25 sx class C @ 6261'. POH and perforate 4795'. Pressure casing to 500 psi with no injection rate. Call NMOCD and obtained permission to pump plug there.

1/17/23 RIH and pump 40 sx class C @ 4849'. WOC and tag plug @ 4593'. POH. Perforate 3142 and pressure up to 500 psi with no injection rate. RIH to 3205' and pump 30 sx class C plug. Pull 40 joints and SDFN


1/18/23 POH and perforate 2243'. Attempt pressure up to 500 psi w/ no injection. Call NMOCD (David) and got permission to pump a plug. RIH to 20302' and pump 30 sx class C plug. LD tubing. Perforat 492'. Pump down casing and establish good circulation. Pump 200 sx class C to load casing and annulus.



Well Bore Diagram

Operator: Harvard Petroleum Company Date Spud unk. 9/5/1956
 Well Name Buckley Date Complete 11/8/1956
 API # 30 025 05115
 Location: Sec 25, T14S, 37E, 430 FSL 1670' FWL; Lea County, NM

Plugs



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 180429

CONDITIONS

Operator: HARVARD PETROLEUM COMPANY, LLC P.O. Box 936 Roswell, NM 88202	OGRID: 10155
	Action Number: 180429
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	5/4/2023