

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 1

Sundry Print Report

Well Name: EAGLE 26 M FEDERAL Well Location: T17S / R27E / SEC 26 / County or Parish/State: EDDY /

LOT M / SWSW /

Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM0557370 Unit or CA Name: Unit or CA Number:

US Well Number: 300153401400S1 Well Status: Abandoned Operator: REDWOOD

OPERATING LLC

## **Subsequent Report**

**Sundry ID: 2721642** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 03/20/2023 Time Sundry Submitted: 09:40

**Date Operation Actually Began:** 03/13/2023

Actual Procedure: 03/13/23 MIRU plugging equipment. POH w/ rods & top of pump. Dug out cellar. Killed well. NU BOP. 03/14/23 Pump'd brine H20 down csg & killed well. POH w/ tbg. Set 5 1/2 CIBP @ 2973'. Spotted 25 sx class C cmt w/ 2% CACL @ 2973-2726'. WOC. Tagged plug @ 2538'. Set 5 1/2 CIBP @ 1952'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. 03/15/23 Spotted 25 sx class C cmt @ 1952-1705'. Spotted 25 sx class C cmt w/ 2% CACL @ 894-647'. WOC. Tagged plug @ 634'. ND BOP. Spotted 74 sx cass C cmt @ 415' to surface. Rigged down. 03/17/23 Moved in backhoe and welder. Cut off well head & anchors. Omar Almor w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off

# **SR Attachments**

#### **Actual Procedure**

Eagle\_26\_M\_Fed\_1\_\_\_Plugged\_WBD\_20230320093800.pdf

Eagle\_26\_M\_Fed\_1\_\_Subsequent\_Report\_20230320093800.pdf

 $Eagle\_26\_M\_Fed\_1\_\_\_Current\_WBD\_20230320093800.pdf$ 

Accepted for record – NMOCD

JRH <u>05/08/2023</u>

eceived by OCD: 4/11/2023 9:11:31 AM Well Name: EAGLE 26 M FEDERAL Well Location: T17S / R27E / SEC 26 /

LOT M / SWSW /

County or Parish/State: EDD 1/2

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM0557370

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 300153401400S1** 

Well Status: Abandoned

Operator: REDWOOD OPERATING LLC

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: MAR 20, 2023 09:38 AM **Operator Electronic Signature: DELILAH FLORES** 

Name: REDWOOD OPERATING LLC

Title: Regulatory Technician 1

Street Address: 11344 LOVINGTON HWY

City: ARTESIA State: NM

Phone: (575) 748-1288

Email address: DELILAH@MEC.COM

#### **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

## **BLM Point of Contact**

**BLM POC Name: JAMES A AMOS BLM POC Title:** Acting Assistant Field Manager

**BLM POC Phone:** 5752345927 BLM POC Email Address: jamos@blm.gov

**Disposition:** Accepted Disposition Date: 03/22/2023

Signature: James A. Amos

Page 2 of 2

Redwood O	perating, LLC		Plugged
Author:	Abby @ BCM		
Well Name	Eagle 26 M Federal	Well No.	#1
Field/Pool	Red Lake; Qn-GRBG- SA-GL-Yeso	API #:	30-015-34014
County	Eddy	Location:	Sec 26, T17S, R27E
State	New Mexico	_	230 FSL & 230 FWL
Spud Date	1/9/2006	GL:	3520

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	349	12 1/4	225	0
Prod Csg	5 1/2	J55	15.5#	3,504	7 7/8	660	0

Formation

San Andres

Queen GRBG

Glorieta

Yeso


Top

840

1289

1592

2943 3020



8 5/8 24# CSG @ 349 Hole Size: 12 1/4

4. Spotted 74 sx cass C cmt @ 415' to surface.

3. Spotted 25 sx class C cmt w/ 2% CACL @ 894-647'. WOC. Tagged plug @ 634'.

2. Set 5 1/2 CIBP @ 1952'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 1952-1705'.

Perfs @ 2002-2294

1. Set 5 1/2 CIBP @ 2973'. Spotted 25 sx class C cmt w/ 2% CACL @ 2973-2726'.

WOC. Tagged plug @ 2538'.

Perfs @ 3023-3315

5 1/2 15.5# CSG @ 3,504 Hole Size: 7 7/8 32.7987404 -104.2573624

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 206116

#### **CONDITIONS**

Operator:	OGRID:
Redwood Operating LLC	330211
PO Box 1370	Action Number:
Artesia, NM 88210	206116
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By		Condition Date
john.harrison	None	5/8/2023