

State of New Mexico
Energy, Minerals and Natural ResourcesForm *Page 1 of 5*
Revised July 18, 2013OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

WELL API NO. 30-031-05224
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Hospah Sand Unit
8. Well Number 32
9. OGRID Number
10. Pool name or Wildcat Upper Hospah
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 7111

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Dominion Production Company, LLC

3. Address of Operator

1414 W Swann Av, Suite 100, Tampa, FL 33606

4. Well Location

Unit Letter I 2310 feet from the S line and 1050 feet from the E line
Section 36 Township 18N Range 9W NMPM County McKinley

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: Sub Plugging C103 P ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Dominion Production Company plugged this well in accordance with the attached report.

Spud Date:

4/11/23

Rig Release Date:

4/14/23

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE KMenard TITLE Drilling Officer DATE 4/27/23

Type or print name Kayla Menard E-mail address: Kmenard@cogllc.com PHONE: 337-534-8686

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Specialist DATE 05/08/2023

Conditions of Approval (if any):

Dominion Production Company

Plug And Abandonment End Of Well Report

Hospah Sand Unit #032

2310' FSL & 1050' FEL, Section 36, 18N, 09W

McKinley County, NM / API 30-031-05224

Work Summary:

- 4/11/23** Made BLM and NMOCD P&A operations notifications at 9:00 AM MST.
- 4/12/23** Arrived at location. Held safety meeting. Wrote and reviewed JHA with crew. Moved rig and equipment to location. Prepared location. R/U unit and equipment. ND WH, NU BOP, RU floor. Function tested BOP. Picked up tag sub. TIH with tubing to 1752'. R/U cementing services. Established circulation with 16 bbls, pumped 28 bbls total. Pumped plug #1 from 1752' to 1420' with 34 sacks. R/D cementers. L/D 9 joints and TOOH. WOC. TIH and tagged top of plug #1 at 1548'. L/D 25 joints and TOOH. Secured and shut in well for the day.
- 4/13/23** Arrived at location. Held safety meeting. Wrote and reviewed JHA with crew. Attempted to pressure test casing but was unsuccessful. Casing has a hole in the top collar. R/U wireline services. RIH and logged well. Wireline unable to get passed 1128'. TIH with tubing. Tagged top of plug #1 at 1448'. R/U wireline services and logged well to 1420'. R/D wireline services. TIH with 24 joints and set EOT at 750'. R/U cementing services. Pumped plug #2 from 750' to surface. WOC 3 hours. TIH and tagged cement at 80'. Cement was still curing. Secured and shut down well for the day.
- 4/14/23** Arrived at location. Held safety meeting. Wrote and reviewed JHA with crew. TIH and tagged top of plug #2 at 94'. Rigged down floor, tongs, and slips. ND BOP. Dug around well head. Preformed WH cutoff and safely removed WH. Installed P&A marker per all state and federal regulations. Topped off both casing strings and filled the cellar with 13 sx. Rigged down all equipment and prepared to MOL.

Plug Summary:

Plug #1: (Perforations, 1,752'-1,448', 34 Sacks Type III Cement)

TIH with tubing to 1752'. R/U cementing services. Established circulation with 16 bbls, pumped 28 bbls total. Pumped plug #1 from 1752' to 1420' with 34 sacks. R/D cementers. L/D 9 joints and TOOH. WOC. TIH and tagged top of plug #1 at 1548'. R/U wireline services. RIH and logged well. Wireline unable to get passed 1128'. TIH with tubing. Tagged top of plug #1 at 1448'.

Plug #2: (Surface, 750' to Surface', 184 Sacks Type III Cement (13 sx for top off))

TIH with 24 joints and set EOT at 750'. R/U cementing services. Pumped plug #2 from 750' to surface. WOC 3 hours. TIH and tagged cement at 80'. Cement was still curing. TIH and tagged top of plug #2 at 94'. Preformed WH cutoff and safely removed WH. Installed P&A marker per all state and federal regulations. Topped off both casing strings and filled the cellar with 13 sx.

Completed Wellbore Diagram

Dominion Production Company
Hospah Sand Unit #32
API: 30-031-05224
Mckinley County, New Mexico

Surface Casing

No Data

Plug 2

750 feet - Surface
750 foot plug
184 Sacks of Type III Cement

Plug 1


1752 feet - 1448 feet
304 foot plug
34 Sacks of Type III Cement

Perforations

1779 feet - 1783 feet

Production Casing

No data available



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 211329

CONDITIONS

Operator: DOMINION PRODUCTION COMPANY, LLC 1414 W Swann Avenue Tampa, FL 33606	OGRID: 291567
	Action Number: 211329
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	5/8/2023