

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: BOIS D` ARC DIVIDE 22 Well Location: T21N / R5W / SEC 22 / Cou

SESE / 36.0295024 / -107.343276

County or Parish/State: SANDOVAL / NM

Well Number: 2 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM105533 Unit or CA Name: Unit or CA Number:

US Well Number: 3004320982 Well Status: Abandoned Operator: EOG RESOURCES

INCORPORATED

Subsequent Report

Sundry ID: 2725112

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/11/2023 Time Sundry Submitted: 08:42

Date Operation Actually Began: 03/30/2023

Actual Procedure: 2/24/23- Notified & received approval by email from Monica Kuehling (NMOCD) & Kenny Rennick (BLM) to use fresh water instead of salted gel per the approved procedure on 2/24/23. Additional COA's: approval is given if treated as you would oil based mud. All water zones must be sealed prior to use 2/25/23 thru 3/29/23- Waiting for plugging operations. 3/30/23- Notified Jimmy Dobson (BLM) by cell and notified Monica K (OCD) by text. PSI testgood. SDFD due to high winds. 3/31/23- RIH, CIBP tag @ 3650', Tagged @ 3307'. AS PER JIMMY DOBSON (BLM) AND MONICA K (OCD) CLEAN WELL OUT TO CIBP. SDFW. Plug #1 3476'- 3638': FOR POINT LOOKOUT PERFS AND FORMATION TOP. (TBG TAG). SPOT 15 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 3.6 BBL SLURRY=151', 2.3 BBL MIX WATER, DISPLACE W/ 20.2 BBL FW. 4/4/23-Plug #2 2795'- 2997': FOR MENEFEE FORMATION TOP (TBG TAG). SPOT 17 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 4.1 BBL SLURRY=174', 2.7 BBL MIX WATER, DISPLACE W/ 16.3 BBLS FW. Plug #3 2026'- 2242': FOR CLIFF HOUSE FORMATION TOP (TBG TAG). SPOT 19 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 4.6 BBL SLURRY=193', 3BBL MIX WATER, DISPLACE W/ 11.8 BBLS FW. WOC. RIH, w/ 5-1/2" CMT retainer set @ 1401'. Plug #4 SQUEEZE thru cmt retainer - FOR FRUITLAND PERFS 1458'-1464' (CAL TOC). SQUEEZE 25 SKS TYPE III CMT @14.6#, 1.37 YIELD, 6 BBL SLURRY,3.9 BBL MIX WATER, DISPLACE W/ 8.1 BBL MIX WATER. PSI test 5-1/2 to 600psi - Good test. Plug #5 893'- 1401': FOR FRUITLAND AND OJO ALAMO FORMATION TOP (CAL TOC). SPOT 50 SKS TYPE III CMT @14.6#, 1.37 YIELD, 12.1 BBL SLURRY=508', 7.9 BBL MIX WATER, DISPLACE W/ 5.1 BBL FW. Plug #6 0 - 259': FOR 8.625" SURFACE CSG SHOE (VISUAL). SPOT 25 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, 6.1 BBL SLURRY=259', 3.9 BBL MIX WATER. 4/5/23-Jimmy Dobson (BLM) witnessed operations, notified Monica K (OCD) by phone. Top off with cement @ 0-13' between 8.625" SURFACE X 5 1/2 CSG (VISUAL). SQUEEZE 1.8 SKS TYPE III CMT @ 14.6#, 1.37 YIELD, .4 BBL SLURRY=13', .29 BBL MIX WATER. DHM SET, Final plugging report.

Accepted for record – NMOCD

RH 05/08/2023

eceived by OCD: 4/17/2023 11:30:31 AM Well Name: BOIS D ARC DIVIDE 22

Well Location: T21N / R5W / SEC 22 / SESE / 36.0295024 / -107.343276

County or Parish/State: SANDOVAL / NM

Page 2 o

Well Number: 2

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM105533

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004320982

Well Status: Abandoned

Operator: EOG RESOURCES

INCORPORATED

SR Attachments

Actual Procedure

Bois_D_Arc_Divide_22_002_final_Wellbore_Diagram_20230411084148.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LACEY GRANILLO Signed on: APR 11, 2023 08:41 AM

Name: EOG RESOURCES INCORPORATED

Title: Contractor Regulatory Specialist

Street Address: 104 SOUTH FOURTH STREET

City: ARTESIA State: NM

Phone: (575) 909-5284

Email address: LACEY_GRANILLO@EOGRESOURCES.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted Disposition Date: 04/11/2023

Signature: Matthew Kade

Page 2 of 2

Final Wellbore Diagram

EOG Resources INC Bois D Arc Divide 22 #002 API: 30-043-20982 Sandoval County, New Mexico P&A: 4/5/23

Retainer @ 1401'

Top off: 0-13' 1.8 sacks Type I/II

Plug 6 Surface - 259' 259 foot plug 25 Sacks of Type I/II Cement Fruit land Perforations 1458' - 1464' Plug 5

893'- 1401' 508 foot plug 50 Sacks of Type I/II Cement

Plug 4

Squeeze thru Cmt Retainer 1458'-1464' 61 foot plug 25 Sacks of Type I/II Cement

Plug 3

2026'- 2242' 216 foot plug 19 Sacks of Type I/II Cement

Plug 2

2795'- 2997' 202 foot plug 17 Sacks of Type I/II Cement

Mesa Verde Perforations 3695'- 3766'

CIBP @ 3650'

TD @ 4066 feet

PBTD @ 4008 feet

Surface Casing

8.625" 24#@194ft OH: 12.25" **Formation** Ojo Alamo - 1050' Fruitland - 1232' Pictured Cliffs - 1473' Lewis - 1561' Cliff House - 2165' Menefee - 2947' Point Lookout - 3768'

Production Casing 5.5" 15.5# @ 4060 feet OH: 7.875"

Plug 1

3476'- 3638' 162 foot plug 15 sacks of Type I/II Cement

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 208295

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	208295
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
john.harrison	None	5/8/2023