

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised July 18, 2013

WELL API NO.
30-015-34379

5. Indicate Type of Lease
STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>

6. State Oil & Gas Lease No.
308897

7. Lease Name or Unit Agreement Name
Red Lake 36 A State

8. Well Number	3
----------------	---

9. OGRID Number
873

10. Pool name or Wildcat
Red Lake; Glorieta-Yeso, Northeast (96836)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator Apache Corporation	
3. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705	
4. Well Location Unit Letter <u>A</u> : <u>890</u> feet from the <u>N</u> line and <u>990</u> feet from the <u>E</u> line Section <u>36</u> Township <u>17S</u> Range <u>27E</u> NMPM County <u>EDDY</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK PLUG AND ABANDON
 TEMPORARILY ABANDON CHANGE PLANS
 PULL OR ALTER CASING MULTIPLE COMPL
 DOWNHOLE COMMINGLE
 CLOSED-LOOP SYSTEM
 OTHER: ta extension

SUBSEQUENT REPORT OF:

REMEDIAL WORK ALTERING CASING
 COMMENCE DRILLING OPNS. P AND A
 CASING/CEMENT JOB

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

apache would like approval to perform MIT to request 5 year extension approval.

We are evaluating the geology for additional production potential in zones up-hole.

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

Spud Date:

12/10/05

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE alicia fulton TITLE Sr. Staff Reg Analyst DATE 5/2/23

Type or print name Alicia Fulton E-mail address: alicia.fulton@apachecorp.com PHONE: (432) 818-1088
For State Use Only

APPROVED BY: alicia fulton TITLE Staff Manager DATE 6/6/23
 Conditions of Approval (if any):



WBD Actual

Well Name: RED LAKE 36 A ST 3

Reference Datum: KB

API/Surface Loc 3001534379	Surface Legal Location 30015343790000	Field Name Red Lake NE	State/Province New Mexico	Well Purpose Production		
Spud Date 12/9/2005 20:30	Original KB Elevation (ft) 3,625.0	Ground Elevation (ft) 3,619.0	KB-Ground Distance (ft) 6.0			
PBTD (All) (ftKB) Original Hole - 3,592	Total Depth All (TVD) (ftKB)					
Production, RED LAKE 36 A STATE 3 - Original Hole, 5/2/2023 1:48:59 PM	Original KB Elevation (ft) 3,625.0	KB-TH (ft)	Ground Elevation (ft) 3,619.0	TH Elev (ft)		
Vertical schematic (actual)				KB-Ground Distance (ft) 6.0		
BH UWI						
Wellbore Legal Name RED LAKE 36 A STATE 3		Wellbore Name RED LAKE 36 A STATE 3 - 00	Bottom Hole Legal Location	Total Depth (ftKB) 3,650.0		
Wellbore Sections						
Section Des		Size (in)	Act Top (ftKB)	Act Btm (ftKB)		
Conductor		14	6.0	40.0		
Surface		12 1/4	40.0	407.0		
Production		7 7/8	407.0	3,650.0		
Casing Strings						
Csg Des		OD (in)	Wt/Len (lb/ft)	Grade		
Conductor		14		40.00		
Surface		8 5/8	24.00	J-55		
Prod 1		5 1/2	15.50	J-55		
Cement Stages						
Des		String	Top (ftKB)	Btm (ftKB)		
Production		Prod 1, 3,650.00ftKB, 5 1/2	6.00	3,650.00		
Surface		Surface, 407.00ftKB, 8 5/8	6.00	407.00		
Tubing Strings						
Tubing Description		Run Date	String Length (ft)	Set Depth (ftKB)		
Item Des		Jts	Make/Manufacturer	Model		
				OD (in)		
				Wt (lb/ft)		
				Grade		
				Len (ft)		
Rod Strings						
Rod Description		Run Date	String Length (ft)	Set Depth (ftKB)		
Item Des		Jts	Make/Mfg.	Model		
				OD (in)		
				Wt (lb/ft)		
				Grade		
				Len (ft)		
Other In Hole						
Des		Icon	OD (in)	Top (ftKB)		
Bridge Plug - Temporary		☒	5 1/2	3,093		
				3,095		
				11/20/2019		
Perforations						
Date		Type	Top (ftKB)	Btm (ftKB)		
10/12/2006		Cased Hole	3,143	3,174		
1/1/2006		Cased Hole	3,241	3,467		
Plug Back Total Depths						
Date		Type	Depth (ftKB)	Depth (TVD) (ftKB)		
12/10/2005		Cement Plug		3,592		
Comments						
Com						
Schematic Annotations						
Start Date		Depth (ftKB)	Annotation			
11/20/2019		3,093.0	CIBP set 48' above top perf			
SEVEN RIVERS (final)						
QUEEN (final)						
SAN ANDRES (final)						
GLORIETA (final)						

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 212775

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID:
	873
	Action Number: 212775

Action Type:
[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/6/2023