
ceived by OCD: 5/24/2023 1:47:12 PM	State of New Mo	exico		Form C-103 of
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Nati	ural Resources		Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283		1 2	VELL API NO. <b>0-015-30132</b>	
811 S. First St., Artesia, NM 88210	OIL CONSERVATION	N DIVISION 5	. Indicate Type of I	ease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fra	ncis Dr.	STATE	FEE 🖂
<u>District IV</u> – (505) 476-3460	Santa Fe, NM 8	7505	. State Oil & Gas L	
1220 S. St. Francis Dr., Santa Fe, NM 87505				
SUNDRY NOTICE (DO NOT USE THIS FORM FOR PROPOSAL DIFFERENT RESERVOIR. USE "APPLICAT	UG BACK TO A	7. Lease Name or Unit Agreement Name Kaiser B		
PROPOSALS.)	as Well Other	8	. Well Number #6	5
2. Name of Operator <b>Redwood Operating, LLC</b>			. OGRID Number <b>30211</b>	
3. Address of Operator			0. Pool name or Wi	ldcat
PO Box 1370, Artesia, NM 88211137	70		Red Lake; Glorieta	
4. Well Location				
Unit Letter F : 231	0 feet from the N	line and1650_	feet from the	<u>W</u> line
Section 18	Township 18S	Range 27E	NMPM	County Eddy
1	1. Elevation (Show whether DR	R, RKB, RT, GR, etc.)		
	3290	' GL		
12. Check App	propriate Box to Indicate N	Nature of Notice, Re	eport or Other Da	ıta
NOTICE OF INTE	ENTION TO:	SUBSE	QUENT REPO	DRT OF∙
	PLUG AND ABANDON	REMEDIAL WORK		TERING CASING
<del></del>	CHANGE PLANS	COMMENCE DRILL		AND A
PULL OR ALTER CASING   N	MULTIPLE COMPL	CASING/CEMENT J	ОВ 🗆	
DOWNHOLE COMMINGLE				
CLOSED-LOOP SYSTEM				
OTHER:		OTHER:	:	
13. Describe proposed or complete	o. SEE RULE 19.15.7.14 NMA			
proposed completion or recom		c. Tor wurdpic comp	etions. Attach wen	bore diagram or
05/17/23 Finished POH w/ tbg 1250'. Spotted 25 sx class C ct MLF. Pressure tested csg, held Perf'd @ 1216'. Pressured up 6 838'. Spotted 25 sx class C cm	pment. POH w/ rods & pump. I . Set 5 ½ CIBP @ 2666'. Trickl mt @ 2666-2419'. WOC. 05/18 1 500 PSI. Spotted 25 sx class C on perfs to 500 PSI. Spotted 45 nt @ 513-310'. Perf'd @ 252'. F	led 100 bbls fresh H20, /23 Tagged plug @ 217 cmt w/ 2% CACL @ 1 sx class C cmt @ 1266 Pressured up on perfs to	Ran CBL. Could or 76'. Set 5 ½ CIBP @ 574-1327'. WOC & -821'. WOC. 05/19 500 PSI. Spotted 45	aly log from 2666- 1574'. Circ'd hole w/ Tagged @ 1290'. /23 Tagged plug @ 5 sx class C cmt @ 310'
	eved off. 05/23/23 Moved in bac			
	t @ surface via picture text mes ckfilled cellar, cut off deadmen,			e Marker". Installed 2'
concrete form w/ o sx cmt. Bac	eximed cenar, cut on deadmen,	cleaned location, and	moved on.	
_		_		_
g 15				
Spud Date:	Rig Release D	ate:		
				ı
			11 11 0	
I hereby certify that the information about	ive is true and complete to the b	est of my knowledge a	na beliet.	
SIGNATURE <u>Delilah Flores</u>	, TITI E Redu	latory Technician I	DATE	5/24/2023
SIGNATURE V COCCUT   COCCU	Z III LE NOGU	actory recommonant	DATE	, 5,2 1,2525
Type or print name Delilah Flores	E-mail addres	s:regulatory@redwoodd	pperating.com PHON	E: <u>575-748-1288</u>
For State Use Only			-	
APPROVED BY:	TITLE		DATE	
Conditions of Approval (if any):	111LL		DATE	
commission of repproved (if unity).				

Redwood Operating		Plugged	
Author:	Abby BCM		
Well Name	Kaiser B	Well No.	#6
Field/Pool	Red Lake, Q-GB-SA-	API #:	30-015-30132
County	Eddy	Location:	Sec 18, T18S,R27E
State	NM		2310 FNL & 1650 FWL
Spud Date		GL:	3290'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	H40	48#	202	17 1/2	300	0
Inter Csg	8 5/8	J55	24#	1,000	12 1/4	650	0
Prod Csg	5 1/2	J55	15.5#	3,197	7 7/8	639	0



13 3/8 48# CSG @ 202

4. Spotted 25 sx class C cmt @ 513-310'. Perf'd @ 252'. Pressured up on perfs to 500 PSI. Spotted 45 sx class C cmt @ 310' to surface.

Formation Top

Queen 463

GRBG 880

SA 1166

Glorieta 2564

Yeso 2734

8 5/8 24# CSG @ 1,000

3. Perf'd @ 1216'. Pressured up on perfs to 500 PSI. Spotted 45 sx class C cmt @ 1266-821'. WOC & tagged @ 838'.

2. Set 5  $\frac{1}{2}$  CIBP @ 1574'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt w/ 2% CACL @ 1574-1327'. WOC & Tagged @ 1290'.

Perfs @ 1624-1987

1.Set 5  $\frac{1}{2}$  CIBP @ 2666'. Trickled 100 bbls fresh H20. Ran CBL. Could only log from 2666-1250'. Spotted 25 sx class C cmt @ 2666-2419'. WOC & Tagged plug @ 2176'.

Perfs @ 2716-3024'

5 1/2 15.5# CSG @ 3,197

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 220251

## **CONDITIONS**

Operator:	OGRID:
Redwood Operating LLC	330211
PO Box 1370	Action Number:
Artesia, NM 88210	220251
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By		Condition Date
john.harrison	None	6/7/2023