Ceixed by QCD to Appropriate 335:57 PM Office	State of New Mexico		Form C-103
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural R	WELL A	
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		3379
<u>District III</u> – (505) 334-6178			te Type of Lease TATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505		Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	23.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	o. State C	on & Gas Lease 110.
(DO NOT USE THIS FORM FOR PROPOSA	ES AND REPORTS ON WELLS LS TO DRILL OR TO DEEPEN OR PLUG BA TION FOR PERMIT" (FORM C-101) FOR SU	CK TO A Teague 2	
PROPOSALS.)	as Well Other	8. Well N	Number
2. Name of Operator Empire Petroleum Corporation – New	v Mexico	9. OGRI	D Number 330679
3. Address of Operator		10. Pool	name or Wildcat
2200 S. Utica Place Suite 150, Tulsa,	Oklahoma 74114	Teague; I	Paddock-Blinebry
4. Well Location Unit Letter C : 3	30 feet from the <u>North</u> line a	and <u>1650</u> feet fro	om the <u>West</u> line
Section 2	Township 24S Rang	e 37E NMPM	County Lea
	11. Elevation (Show whether DR, RKB		j
	3231' GL		
12. Check App	propriate Box to Indicate Nature	of Notice, Report or	Other Data
NOTICE OF INT	ENTION TO:	SUBSEQUE	NT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON 🗌 REI	MEDIAL WORK	☐ ALTERING CASING ☐
TEMPORARILY ABANDON □	CHANGE PLANS 🔲 CO	MMENCE DRILLING OPN	NS. P AND A
PULL OR ALTER CASING	MULTIPLE COMPL CAS	SING/CEMENT JOB	
DOWNHOLE COMMINGLE			
CLOSED-LOOP SYSTEM			
OTHER:		HER:	
of starting any proposed work)	d operations. (Clearly state all pertine). SEE RULE 19.15.7.14 NMAC. For		
proposed completion or recomp	Perfs 522	9' - 5291'	
1. MIRU WOR.			
2. POOH with rods.			
3. Scan tubing OOH.			
4. RHI with RBP and test car	Cot CIDID (a) E160'		
5. RIH with CIBP and set at a	DATO.		
6. Record pressure test and s7. Circulate packer fluid.	JUILLE O NIVIOCD.		
8. RDMO WOR.			
9. ND wellhead stuffing box	and pumping tee. Install ball valve.		
10. TA well.			be granted after a successful MIT test is
		witnessed.	ontact the OCD to schedule the test so it may be
pud Date:	Rig Release Date:		
hereby certify that the information abo	ve is true and complete to the best of n	y knowledge and belief.	
IGNATURE <u>Nathan Sandel</u>	_{TITLE} Production	Engineer	DATE 06/07/2023
ype or print name <u>Nathan Sandel</u> or State Use Only	E-mail address: nsa	ndel@empirepetrocorp.cc	PHONE: 918-404-4202
PPROVED BY: Aft C	TITLE	Staff Manager	DATE 6/15/23
onditions of Approval (if any):		ω	

Current WBD

WI:

100.000000%

Well: Teague 2 State No2

Area: Eunice

NRI: 87.500000% Location: Section 2-24S-37E 6/25/96 Spud: County: State: New Mexico Lea

Elevation: 3231' GL

8-5/8" 24 ppf. WC-50. Set at 1201'. Cemented with 600 sx. Circ cmt w/42 sx.

PRODUCTION TUBING: 5/6/2002

160 jts. - 2 7/8" J-55 Tubing 1 5 ½" x 2 7/8" TA 7 jts 2 7/8" J-55 Tubing 1 jt 2 7/8" J-55 IPC Tbg 2 7/8" API SN Slotted MA SN @ 5294'

PMP & RODS 1 – 1 ½" Polish rod 1 – 1 ½" Liner 1 - 7/8" EL Pony Rod 69 - 7/8" EL Rods 134 - 1/4" EL Rods 5-1½" KB 1- 1"x4' stabilizer sub 1- 1 1/2" K-Bar

1 - 8' x 1-1/2" GA, 2.5 x 2" RXBC 24' pmp

Lower Paddock Perfs: Initial Completion: 7/28/96 Perf: 5219-5291' w/4 JSPF, 200 holes. Acdz w/7.5% HCL. Frac dwn tbg w/31,000 gals 35# Borate XLGI & 85,000 16/30 Ottawa sand. IP: 58 BO, 150 BFW, 68 MCF. (8/13/96).

Workover History:

4/03/98: Rm Sonic Hammer tool on 2 7/8" tbg. Wash & Acdz 5 %" csg perfs fr/5219-5291' w/2000 gals 15% 80/20 DAD. 4/04/98: Swb 7 hrs, Rec 0 BO, 60 BW & 0 MCF.

IP: Ppg 30 BO, 95 BW & 193 MCF


5/06/02: TOH w/tbg & rods. RIH w/tbg & rods.

12/22/07: Perforate Upper Paddock from 5126-44 (18', 19 Holes); Pump 750 gals of 15% Acid. Swabbed back Upper Paddock black gunky looking hydrocarbon -1 bbl/hr. Swab

backload. Spot 250 gals of Xylene. Restim with 2,000 Lower Paddockgals of 15% (80/20-80% Acid/20% Mutual Solvent) with 20 7/8" 1.3 SG BSs. ISIP: 370#, 1"-Vac. RWTP. IP: 9 BO/42 BW/42 MCF. Curr: 7 BO/40 BW/40 MCF.

> 5-1/2" 17 ppf, J-55. Set at 5750'. Cemented with 1320 sx. Circ. 81 sx.

Proposed WBD



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 225123

CONDITIONS

Operator:	OGRID:
Empire New Mexico LLC	330679
2200 S. Utica Place	Action Number:
Tulsa, OK 74114	225123
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By		Condition Date
gcordero	None	6/15/2023